

HYDROGEOLOGICAL ASSESSMENT

December 6, 2022 Project: 2315A

Coast Mountain Resources Ltd.

300 - 19923 80A Avenue, Langley, BC

V2Y 0E2

ATTENTION: Kyle Dolan

REFERENCE: Bamberton Quarry – Hydrogeological

Assessment

1 INTRODUCTION

Active Earth Engineering Ltd. (Active Earth) has been retained by Coast Mountain Resources Ltd. (CMR) to complete a hydrogeological and acid rock drainage (ARD) assessment at the Bamberton Quarry, Malahat on Vancouver Island (the "Site") to support a permit amendment to the existing BC Mines Act Permit Q-8-24.

The purpose of the assessment was to determine whether any impacts to the on-Site and surrounding hydrogeological conditions and surface water conditions could occur as a result of the proposed mine expansion. In addition, ARD potential was assessed to determine if any risk is present to adversely effect groundwater and surface was quality from the mine activity and proposed mine expansion.

It is understood the current quarry expansion plans consists of lowering the existing quarry footprint down to a base of approximately 72m geodetic elevation across the northern portion of the existing footprint. In addition to a vertical expansion, relatively minor lateral expansion is proposed to support the required sloping/benching of the quarry walls.

2 SCOPE

Active Earth has completed the following scope of work to assess site hydrogeological conditions:

- Review of readily available pertinent information such as iMapBC, climate normals, published geological maps and aquifer information, and existing nearby wells.
- Installed six groundwater monitoring wells within and surrounding the quarry footprint.
- Performed packer tests within the boreholes immediately after drilling and completed rising head tests in the newly installed monitoring wells to determine the hydraulic conductivity of the bedrock.

- Collected core samples and submitted for ARD testing.
- Collected groundwater samples for chemical analysis at ALS Geochemistry Laboratories to determine background (up-gradient) groundwater quality and water quality within and down-gradient of the existing quarry operation.
- Collected and analyzed two surface water samples to assess for impacts from the existing quarry operations.
- Prepared a summary report presenting our findings.

3 SITE SETTING

3.1 Climate

Climate normal for the period of 1981 to 2010 were obtained from the Saanichton CDA Station, located approximately 8.7 km to the east from the Site. Average temperatures and precipitation are summarized in the table below.

TABLE A - CLIMATE NORMALS (1981 - 2010) FOR SAANICHTON CDA STATION

		THINIT LEG	(/	011 071								
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Year
Daily Average Temperature (°C)	4.8	5.3	7.1	9.3	12.2	14.9	17.0	17.1	14.6	10.3	6.6	4.5	10.3
Rainfall (mm)	136.9	85.4	77.4	51.5	41.5	34.7	20.5	26.5	29.6	92.6	155.0	134.7	886.3
Snowfall (cm)	8.1	4.1	1.9	0	0	0	0	0	0	0.4	0.8	6.7	22.0
Total Precipitation (mm)	217.9	126.4	96.4	51.5	41.5	34.7	20.5	26.5	29.6	96.6	163.0	201.7	1,106.3

The area receives approximately 886.3 mm of rainfall and 22 cm of snowfall annually. The wettest months are January and December, with average monthly rainfall amounts ranging from 20.5 mm (July) to 217.9 mm (January). The maximum monthly precipitation is 217.9 mm in January, of which 63% falls as rain.



3.2 Geology and Hydrogeology

3.2.1 Geological Setting

The Site is situated on the eastern slope of the Malahat Ridge on Vancouver Island, dipping down towards the Saanich Inlet. Mount Wood is located to the west of the Site and is the highest point in the surrounding area. Most of the bedrock consists of metamorphic bedrock of Jurassic age and older with the oldest dated bedrock being the Wark Gneiss of Lower Paleozoic age.

Two large fault lines cut through the metamorphic bedrock and are located to the north (Shawnigan Fault) and to the south (Malahat Fault) of the Site. The fault lines do not intercept the Site.

The Geological map of Victoria (map 1553a) shows that the bedrock at the Site falls within three groups:

J_B - Jurassic - Bonanza group - Basaltic to rhyolitic tuff, breccia, flows, minor argillite, greywacke

 P_G – Lower Devonian and older – Saltspring Intrusions – metagranodiorite, metaquartz porphyry, quartz sericite schist

Pw - Lower Paleozoic - Wark Gneiss - massive and gneissic metadiorite, metagabbro, amphibolite

3.2.2 Hydrogeological Setting

A search of the IMapBC interface indicates that the Site is situated above Aquifer #208.

Aquifer #208 - Malahat Ridge - The aquifer is located along the east and southeast slopes of Malahat Ridge. The aquifer is bound along the east by Saanich Inlet. The western portion of the aquifer follows the watershed boundaries for Shawnigan Creek and Goldstream River. The aquifer description based on the 2019 Mapping Report indicates that the aquifer consists of fractured crystalline (igneous intrusive or metamorphic, meta-sedimentary, meta-volcanic, volcanic) rock.

The Malahat Ridge Aquifer is classified as moderately vulnerable. The median depth to water table is moderately deep at 12.19 m. Aquifer productivity and aquifer classification (confined or unconfined) is not documented. Reported well yields indicate a median well yield of 0.38 L/s indicating the aquifer has low productivity. A total of 289 wells have been correlated to the aquifer, with a median well depth of 92.96 m.

Recharge to the Aquifer is predominantly from direct infiltration of precipitation where the Aquifer is exposed at surface or from lateral groundwater movement from the upland areas.

3.2.3 Groundwater Use

The BC Water Resource Atlas (WRA) revealed three wells within a 500 m radius of the Site. The closest well, Well Tag Number (WTN) 69045, is located approximately 50 m to the west of the proposed permit boundary. Well 109033 is listed for private domestic use.



The following table summarizes pertinent information for the wells located around the Site. A map of the surrounding wells and their well records are presented in Appendix A.

TABLE B - WELL SUMMARY

Address	Well Tag Number	Yield* (USgpm)	Well Depth (ft)	Depth to Water (ft)	Aquifer No.	Distance to permit boundary
Unknown	69043	3	230	unknown	208	20 m
Unknown	69045	1	190	unknown	208	60 m
1239 Trans Canada Highway, Malahat	109033	10	260	unknown	208	60 m

^{*}Driller's Estimate

3.2.4 Surface Water Use

The nearest surface water body to the Site is the Saanich Inlet, approximately 50-100 m to the east. The nearest freshwater body is Bamber Creek located approximately 250 m to the south of the Site and an unnamed creek located 300 m north of the Site. Both creeks flow towards the Saanich Inlet. The iMapBC data tool was used to search for any records of surface water licensing in the area. No records were found in a 4 km radius from the site.

4 HYDROGEOLOGICAL INVESTIGATIONS

4.1.1 Borehole data and water table measurements

Active Earth has installed six groundwater wells in at the Site between November 2021 and May 2022 to measure groundwater table depths, determine hydraulic conductivity and gradient, and to determine groundwater quality. The well locations are given in Figure 2 and the borehole logs are presented in Appendix C. Table C summarizes the borehole information while Table D summarizes monitoring well details.

TABLE C - BOREHOLE SUMMARY

Monitoring Well ID	Surface Elevation (m geodetic)	Borehole depth (mBGL)	End of Borehole Depth (m Geodetic)	Thickness overburden (m)	Observations
AE21-MW101S/ AE21-MW101D*	146	24.2	121.8	8.5	-
AE21-MW102S/ AE21-MW102D	188	30.0	158	1.8	Fractures at 7.9m and between 13.4m and 14.0m
AE22-MW103S/ AE22-MW103D	132	53.4	78.6	2.4	Fracture at 12.5m
AE22-MW104S/ AE22-MW104D	94	22.9	71.1	1.2	Fractures between 4.6m and 9.1m



AE22-MW105	72	12.8	59.2	3.0	-
AE22-MW106	106	36.6	69.4	6.1	-

^(*) This monitoring well is labelled as TH21-01 in the 2021 report by GeoPacific.

Groundwater monitoring wells AE22-MW104 – AE220MW106 were drilled with in the quarry footprint to a depth of below 72m to assess hydrogeological conditions in the newly proposed quarry extent.

TABLE D - SUMMARY OF GROUNDWATER MONITORING WELLS

Monitoring Well ID	Screen Interval (mBGL)	Stick-Up (m)	Measurement Date	Depth to Groundwater (mBTPVC)	Depth to Groundwater (m-BGL)	
			22-Feb-22			
			3-Mar-22			
AE21-MW101S	11.9 - 15.2	0.75	29-Apr-22	Artesian	Artesian	
			11-May-22			
			27-May-22			
			22-Feb-22			
			3-Mar-22			
AE21-MW101D	20.4 - 24.1	0.75	29-Apr-22	Artesian	Artesian	
			11-May-22			
			27-May-22			
			22-Feb-22	2.86	1.955	
			3-Mar-22	3.285	2.38	
AE21-MW102S	11.9 - 15.2	0.905	29-Apr-22	4.54	3.635	
			11-May-22	4.37	3.465	
			27-May-22	4.66	3.755	
			22-Feb-22	3.34	2.43	
			3-Mar-22	4.96	4.05	
AE21-MW102D	27.0 - 30.0	0.91	29-Apr-22	5.2	4.29	
			11-May-22	4.93	4.02	
		27-May-22	5.2	4.29		
AE22-MW103S	25.9 – 28.9	0.8	3-Mar-22	15.61	14.81	
AE22-MW103D	50.3 - 53.3	0.8	3-Mar-22	21.14	20.34	
AE22-MW104S	4.6 - 10.7	0.75	26-May-22	4.61	3.86	



AE22-MW104D	16.8 - 22.9	0.76	26-May-22	7.49	6.73
AE22-MW105 6.7 – 12.8	67 – 12 0	0.75	26-May-22	4.27	3.52
	0.7 – 12.8	0.75	27-May-22	4.98	4.23
AE22-MW106 27.4 – 3	27.4 26.6	0.75	26-May-22	6.32	5.57
	21.4 - 30.0		27-May-22	6.45	5.7

4.1.2 Hydraulic conductivity measurements

The following table summarizes the results of the hydraulic response testing of the on-Site monitoring wells.

TABLE E - SUMMARY OF HYDRAULIC TESTING RESULTS

Monitoring Well ID	Screen Depth/Test section (mBGL)	Method	Static Depth to Water (mBTPVC)	Initial Residual Head (m)	K (m/s)
AE21-MW102S	11.9 - 15.2	Rising Head	4.40	11.67	8.47 x 10 ⁻⁷
AE21-MW102D	6.1 - 7.6	Rising Head	5.20	25.62	3.69 x 10 ⁻⁶
AE22-MW104S	4.6 - 10.7	Packer test			1.97 x 10 ⁻⁷
AE22-MW104D	16.8 - 22.9	Packer test			
AE22-MW105	6.7 – 12.8	Packer test			Impermeable (<1 x 10 ⁻¹⁰)
AE22-MW106	27.4 - 36.6	Packer test			Impermeable (<1 x 10 ⁻¹⁰)

The hydraulic conductivity from the rising head tests were based on the Hvorslev (1951) method. The monitoring wells were bailed to create a head displacement relative to the static groundwater level, and the recovery was measured using dataloggers installed and programmed to record pressure readings every second. The rise in water table was simultaneously measured manually. The rising head data was analyzed to determine the elapsed time for 63% recovery to occur. The Hvorslev (1951) approximation, which also considers the geometries of the well and borehole, was then used to calculate the estimated hydraulic conductivity of the sand aquifer as shown in the above table.

Packer tests (or Lugeon tests)¹ are carried out in-situ in the borehole prior to installation of the monitoring wells. A section of the borehole is isolated by inflatable packers after which water flow is induced into or out of the test section. Flow rate and pressure are monitored during

¹ Preene, M (2019). Design and interpretation of packer permeability tests for geotechnical purposes. Quarterly Journal Of Engineering Geology, 52, 2, May, 182-200



testing. Hydraulic conductivity values for the test section can be obtained by monitoring the flow rate to maintain a specific pressure in the test section. The observed flow rate during the packer tests in the boreholes at locations AE22-MW105 and AE22-MW106 were less than 1L per 10 minutes, which indicated that no water is able to flow in and out of the test section. This indicates that the bedrock in the test section is practically impermeable (hydraulic conductivity $\sim 1E-10 \, \text{m/s}$). Assuming an average hydraulic conductivity of 9.5E-07 m/s (taken over all hydraulic testing results and a hydraulic gradient of 31.4% (calculated between AE22-MW106 and the Saanich inlet), we estimated the average Darcy flux to be 2.5 x $10^{-2} \, \text{m/day}$. This represents the discharge rate of groundwater from the quarry which is proportional to the hydraulic head and hydraulic conductivity.

4.2 Groundwater and Surface Water Quality

Five groundwater samples and two surface water samples were collected during the site investigations. All samples from were submitted to ALS Environmental laboratories for chemical analyses of general water quality parameters. Samples were analyzed for dissolved metals, LEPH/HEPH/PAHs, chloride, total nitrogen, nitrite, nitrate and ammonia. Nitrogen compounds including the de-nitrification daughter products were analyzed to assess the potential impacts from blasting.

Laboratory analyses were performed on samples in a selection of wells. Groundwater samples from well locations AE21-MW101 and AE21-MW102, located up-gradient of the existing quarry, represent the background groundwater quality, while groundwater samples from well locations AE22-MW104, AE22-MW105 and AE22-MW106 represent the groundwater quality within the quarry. Two locations were chosen to represent the surface water quality: one surface water settlement pond inside the quarry (SW1) and a pipe outlet near the Saanich Inlet (SW2).

The analytical results (Table 2) from all the groundwater samples were within BC Contaminated Sites Regulation (CSR) standards considering the protection of Drinking Water (DW) and Aquatic Life (AW), with the sole exception of dissolved lithium exceeding DW standards at AE21-MW102D, AE22-MW104D and AE22-MW106 (8.8 – 9.5 µg/L). The elevated concentrations of dissolved lithium were identified in deeper bedrock groundwater and is attributed to natural background concentrations in the region. The Ministry of Environment and Climate Change Strategy (ENV) Protocol 9 provide regional estimates for local background concentrations in groundwater for inorganic substances for the Southern Vancouver Island Region, in which dissolved lithium is noted to be 33 ug/L. This ENV defined region does not explicitly include the Site, however, it does surround the Site in all directions and is considered appropriate in determining that the concentrations of dissolved lithium identified during the investigations on-Site are naturally occurring background concentrations and not anthropogenic.



The analytical results from both surface water samples were within BC Water Quality Guidelines (WQG), except for location SW1 (settlement pond within the quarry) which identified concentrations of total nitrite above the Freshwater long-term (chronic) BC WQG. The Total Nitrite concentrations identified at this location were within the Freshwater Short-Term (Acute) BC WQG. SW2 was collected from a discharge pipe flowing from SW1 into a secondary settlement pond near the inlet. The surface water in the second settlement has been observed to infiltrate through the surface gravels and crushed rock before entering the groundwater table. SW2 did not identify elevated concentrations of Total Nitrite, Notal Nitrate, Total Ammonia, and Total Nitrogen, indicating that this impacted water does not flow into the Saanich Inlet or any freshwater water courses.

Nitrite, Nitrate, and Nitrogen exhibited higher concentrations in the settlement pond and in groundwater monitoring wells located within the quarry compared to background groundwater monitoring wells.

Overall, the existing quarry operations appear to have a minimal impact on the overall quality of both surface water and groundwater, however further monitoring and mitigation measures are warranted to ensure the conditions stabilize or improve.

5 EVALUATION OF ACID ROCK DRAINAGE POTENTIAL

5.1 Assessment Criteria

The assessment criteria used to develop an informed opinion as to whether acid rock drainage (ARD) may be present on Site includes the site investigation, site setting, geology, site operations and laboratory analytical results. Each of the aforementioned criteria will be discussed in more detail in the following sections.

5.2 Laboratory Analytical Results

Primary evaluation of ARD was accomplished by way of chemical analysis of one representative core sample collected from AE21-MW101 and a bulk sample collected from an aggregate stockpile originating from the northwest corner of the quarry at the 92m bench. This well was located just outside the mine permit boundary, but it is considered to be representative of the rock within the quarry boundaries based on petrology. These samples were submitted to AGAT Laboratories Inc. for analysis of Acid Base Accounting (ABA) following the modified ABA (Lawrence 1989-1991) method, Shake Flask Extraction, and Acid Digest Metals. The sample at AE21-MW101 was unweathered solid drill core and collected between 24-25m in depth. The stockpile sample (SS-ARD-220901) was aggregate (product) collected from a stockpile on September 1, 2022. Laboratory analytical results are presented in Appendix C.



The ABA analysis method included maximum potential acidity (MPA), fizz rating, net neutralization potential, neutralization potential (NP), paste pH, total sulphur, total carbon, sulphate sulphur, and inorganic carbon. The neutralization potential ratio (NPR) is the neutralization potential divided by the maximum potential acidity (NPR = NP/MPA). This ratio is considered the primary screening tool in the evaluation of ABA results, in conjunction with site specific information.

Based on the summarized results presented in Table F, the NPR results are 120 (AE21-MW101), 20.8 (AE21-MW102) and 34.6 (SS-ARD-220901). An NPR result less than 1 indicates a sample has a high potential to produce ARD; an NPR result greater than 1 and less than 2 indicates a level of uncertainty with the sample's potential to produce ARD; and an NPR result greater than 2, such as in this case, indicates the sample has a low potential to produce ARD.

In addition, the Shake Flask Extraction results did not identify any elevated concentrations of dissolved metals nor did any of the groundwater or surface waster analytical results.

Furthermore, the paste pH results indicate that the rock samples have high pH, 9.0 and 8.9, respectively. A pH result of less than 5.5 would be suspect of ARD.

The following table summarizes the laboratory analytical results.

TABLE F - SUMMARY OF LABORATORY ANALYTICAL RESULTS

Parameter	Units	AE22-MW101	AE22-MW102	SS-ARD-220901				
Acid Base Accounting								
Max. Potential Acidity (MPA)	tCaCO ₃ / 1Kt	<0.2	1.3	5.0				
Fizz Rating	-	Slight	Slight	Moderate				
Neutralization Potential (NP)	tCaCO ₃ / 1Kt	24	27	168.1				
NPR Ratio (NP: MPA)	-	120	20.8	34.6				
рН								
Paste pH	pH units	9.0	8.9	8.94				
		Sulfate - Sulphur						
Total Sulphur	%	0.01	0.04	0.16				
Sulphate Sulfur	%	<0.01	<0.01	<0.01				
	Carbon							
Inorganic Carbon (C)	%	0.254	0.248	1.09				



6 MONITORING AND RESPONSE PLANS

Active Earth proposes the following plans to monitor the effects of the quarry on groundwater and surface water, to monitor the ARD potential of blast rock and aggregate, and to manage stockpiles of aggregate in such a way that minimizes contact with runoff.

6.1 Water Monitoring Plan

The purposes of this plan is to monitor the effect of quarrying on groundwater levels, groundwater quality, and surface water quality.

Active Earth proposes the following scope for the groundwater monitoring plan:

- Quarterly monitoring of groundwater levels in the upslope domestic wells (WTN 69043, 69045 and 109033), AE21-MW102, downgradient wells (MWA and MWB), and any intact wells within the quarry footprint. The first year of monitoring will form the baseline readings. After the first year of readings, monitoring frequency will be re-evaluated. The locations of the monitoring wells are given in Figure 2.
- Quarterly monitoring of groundwater quality in down gradient wells and any intact wells in the quarry footprint. General parameters such as pH, turbidity, electrical conductivity and alkalinity will be recorded during sampling. Groundwater samples should be analyzed for:
 - LEPH/HEPH/PAH and dissolved metals
 - o Total nitrogen, nitrite, nitrate and ammonia
- In the case of unexpected drops in water levels or unexpected changes in groundwater chemistry in any of the wells, CMR will be notified, and operations will cease until the issue can be resolved.

Active Earth proposes the following scope for the surface water monitoring plan:

- Quarterly monitoring of surface water quality in the 1st settlement pond and at the outlet discharging into the 2nd settlement pond. General parameters such as pH, turbidity, electrical conductivity and alkalinity will be recorded during sampling. Water samples should be analyzed for:
 - LEPH/HEPH/PAH and total metals
 - Total nitrogen, nitrite, nitrate and ammonia
- If during monitoring elevated concentrations are identified exceeding BC WQG at the outlet discharging into the 2nd settlement pond, a surface water sample will be collected directly from the 2nd settlement pond. If the surface water sample collected directly from the 2nd settlement pond exceeds BC WQG for short-term (acute) or multiple times for long-term (chronic), CMR will be notified, and steps will be taken immediately to rectify the issue, including but not limited to the following:
 - Elimination or minimization of the source



- Increasing efficacy of settlement ponds (clearing out sediment)
- o Adding a tertiary settlement pond
- Adding active treatment

6.2 High Flow Response

If high flows are encountered from the quarry walls and/or base during quarrying activities the following procedure will be followed:

- 1. Stop all blasting and excavation activities
- 2. Measure seepage flows
- 3. Increase monitoring schedule for nearby wells to monthly
- 4. Determine if increased flows are affecting the groundwater levels at surround monitoring/domestic wells, whether the quantity of water can be safely managed, and whether operations can continue.

6.3 Material Monitoring and Management Plan

Blasted rock will be stockpiled at the active mining face for a period of approximately 1 to 2 months before being crushed. In addition, finished (aggregate) product can be stored on Site for the same period of time. Stockpiles of material should be placed on surfaces where run-off is directed away from the stockpiles area.

To ensure the chemical composition of on-Site material does not pose a risk to the environment, Active Earth proposes the following monitoring plan:

- Quarterly monitor on-Site stockpiled aggregate material for the first two years of monitoring and bi-annually for subsequent years. Aggregate material should be analysed for:
 - Acid Base Accounting Parameters (NP and MPA)
 - Sulphate Sulphur HCl leach (%)
 - o Dissolved metals through Shake Flask Extraction
 - 4 Acid Digest metals package, ICP-OES/ICP-MS finish
 - Toxicity Characteristics Leaching Procedure (TCLP) for metals

In case other rock types, previously untested for ARD, are encountered during the quarry operation, additional ARD testing will be conducted to ensure proper management of the material.

If ARD is considered a risk, then the material will be deemed unsuitable for product and a plan to manage it will be put in place. This plan will be developed on a case-by-case basis but will



generally consist of placing ARD waste rock above the water table and covered with clay/silt soil at 1 m in thickness. Ongoing down gradient monitoring will be established.

7 CONCLUSIONS AND RECOMMENDATIONS

The proposed quarry vertical expansion to 72m geodetic across the northern portion of the existing footprint and relatively minimal lateral expansion in certain areas is considered to have a minimal risk of affecting local groundwater levels and quality based on the low hydraulic conductivity of the bedrock, the current and proposed operations, and the existing chemical quality observed in background groundwater monitoring wells, groundwater monitoring situated within the existing quarry, and down-gradient surface water.

Based on the ARD evaluation, it has been determined that the ARD potential at Bamberton Quarry is considered low. Should site operations change or significant staining on rock surfaces or base of pit start to develop, an additional investigation may be warranted.

Furthermore, Active Earth makes the following conclusions regarding the hydrogeological and environmental factors involving the Site;

- 1. The average hydraulic conductivity of the bedrock is estimated to be approximately 9.5E-07 m/s. At several locations to bedrock was estimated to be practically impermeable (1E-10 m/s). Higher conductivities values are contributed to the presence of local (smaller) faults in the bedrock allowing for higher groundwater flow.
- 2. Groundwater is expected to flow easterly towards the Saanich Inlet. The Darcy flux is estimated to be approximately 2.5×10^{-2} m/day.
- Based on this low groundwater flow discharge, combined with a very low transmissivity, the expected radius of influence from dewatering the excavation will be low. Therefore, we expect no negative impacts on nearby surface water and the receiving environment (streams etc.)
- 4. All existing wells are located up-stream at higher elevations from the Site, no substantial negative impacts on the productivity of these wells are expected.

Active Earth puts forth the following recommendations for the Site:

- Implement a groundwater and surface monitoring program for the Site (included in this
 report), including surrounding domestic wells, to assess for impacts from ARD, blasting,
 and general quarry operations on bi-annual basis. Specifically for monitoring Nitrate,
 Nitrite, and Total Nitrogen concentrations.
- 2. Surface water runoff should always be directed away from active mining or stockpiles.



- 3. Material placement and disposal locations should be situated in gently sloping (~4%) areas which are not prone to significant runoff.
- 4. Manage rock and water based on the management and response plans outlined in section 6 of this report.



8 LIMITATIONS

The use of this report by anyone is subject to the following conditions and limitations:

- This report has been prepared for Coast Mountain Resources Ltd., for the specific use referred to herein. The client and appropriate authorities, including the BC Ministry of Energy, Mines, and Low Carbon Innovation, may rely on this report. It is not reasonable for any other party to rely on the contents of this report without first obtaining written authorization from the client and Active Earth Engineering Ltd.
- Liability is expressly denied to any person other than the parties indicated above and those who obtain written consent. Accordingly, Active Earth Engineering Ltd. does not accept responsibility for any damage suffered by any such person as a result of decisions made or actions based on this report. Diligence by all intended users is assumed.
- 3. This report is believed to provide a reasonable representation of the general environmental condition at the Site. The conclusions made in this report reflect Active Earth's best judgment in light of the information available at the time of reporting. Should additional information become available or Site conditions change, the conclusions and recommendations of this report may be subject to change.
- 4. Active Earth Engineering Ltd. has agreed to conduct this assessment and prepare this report as requested by the client named in the report for the use specified by the client, which is stated in the report. The client has agreed that the performance of this work and the report format are appropriate for the intended use.
- 5. Written consent from Active Earth Engineering Ltd. must be obtained before any part of the report can be used for any purpose by anyone other than the client and other intended users identified in the report. Liability to any other party or for any other use is expressly denied regardless of who pays Active Earth Engineering Ltd.'s fee. Written consent and approval of Active Earth Engineering Ltd. must also be obtained before the report (or any part of it) can be altered or conveyed to other parties or the public through prospectus, offering memoranda, advertising, public relations, news, sales or other media.



9 CLOSURE

We trust this provides the information required at this time. If you have any questions, or require additional clarification, please contact the undersigned.

Yours truly,

ACTIVE EARTH ENGINEERING LTD.

Prepared By:

Thomas Boerman, M.Sc., M.ASc. Hydrogeological and Environmental Scientist

Leale

Marek Downarowicz, P.Geo. Environmental Professional

Reviewed By:

David Kneale, P.Geo. Senior Hydrogeologist

ATTACHMENTS

LIST OF ACRONYMS

FIGURES

Figure 1 Location Plan
Figure 2 Land Title Plan
Figure 3 Existing Surface Plan
Figure 4 Cross Section B-B'

TABLES

PHOTOGRAPHS

APPENDICES

Appendix A BC Water Resource Atlas Search Results

Appendix B Laboratory Analytical Results

Appendix C Borehole Logs

Appendix D Rising Head Test and Packer Test Results





www.activeearth.ca

LIST OF ACRONYMS

LIST OF ACRONYMS

AEC Area of Environmental Concern

AiP Approval in Principle

AL Agricultural Land Use Standards (CSR), or Agricultural Guidelines/Standards (CCME CSQG or CWS)

APEC Area of Potential Environmental Concern

AST Above Ground Storage Tank

AWfw/m Aquatic Life Standards (CSR) (fw – freshwater, m – marine)

BCWOG British Columbia Water Quality Guidelines

BTEXS Benzene, Toluene, Ethylbenzene, Xylenes, and Styrene CCME Canadian Council of Ministers of the Environment

CI. Commercial Land Use Standards (CSR), or Commercial Guidelines/Standards (CCME CSQG or CWS)

CoC Certificate of Compliance
COC Contaminant of Concern
CSM Conceptual Site Model

CSOG Canadian Soil Quality Guidelines (CCME)

CSR Contaminated Sites Regulation
CWS Canada Wide Standards (CCME)
DSI Detailed Site Investigation
DW Drinking Water Standards (CSR)

ENV BC Ministry of Environment & Climate Change Strategy
EPHw Extractable Petroleum Hydrocarbons (w – water)

ESA Environmental Site Assessment

GCDWQ Guidelines for Canadian Drinking Water Quality

HBM Hazardous Building Materials
HDPE High-Density Polyethylene

HEPHs Heavy Extractable Petroleum Hydrocarbons (s – soil)

HWR BC Hazardous Waste Regulation

IL Industrial Land Use Standards (CSR), or Industrial Guidelines/Standards (CCME CSQG or CWS)

IW Irrigation Water Standards (CSR)

LEPHs/w Light Extractable Petroleum Hydrocarbons (s – soil, w – water)

LW Livestock Watering Standards (CSR)

MDL Method Detection Limit

MTBE Methyl Tertiary Butyl Ether (also referred to as Methyl Tert-Butyl Ether)

NIR Notification of Independent Remediation PAH Polycyclic Aromatic Hydrocarbons

PCB Polychlorinated Biphenyl

PCOC Potential Contaminant of Concern

PERC Tetrachloroethylene

Phase I Phase I Environmental Site Assessment
Phase II Environmental Site Assessment

PL Urban Park Land Use Standards (CSR), or Parkland Guidelines/Standards (CCME CSQG or CWS)

PSI Preliminary Site Investigation

RL Residential Guidelines/Standards (CCME CSQG or CWS)
RLld Residential Low-Density Land Use Standards (CSR)
RLhd Residential High-Density Land Use Standards (CSR)

Stage 1 Stage 1 Preliminary Site Investigation
Stage 2 Preliminary Site Investigation

TCE Trichloroethylene

VOC Volatile Organic Compounds
VHw Volatile Hydrocarbons (w – water)

VPHs/w/v Volatile Petroleum Hydrocarbons (s – soil, w – water, v – vapour)

UST Underground Storage Tank

WLn Wildlands Natural Land Use Standards (CSR)
WLr Wildlands Reverted Land Use Standards (CSR)


WTN Well Tag Number








FIGURES

www.activeearth.ca











www.activeearth.ca

Client: Coast Mountain Resources (2020) Ltd.

AE Project No: 2315a
Site: Bamberton Mine

Date: July 2022

Analytical Table Footnotes: Analytical Results for Groundwater

Tables should be viewed and printed in colour.

All concentrations in µg/L, except where otherwise noted.

All terms defined within the body of Active Earth's report.

- Result is less than the laboratory detection limit indicated.
- Parameter not analyzed or no standard or guideline applies.
- * RPDs are not normally calculated where one or more concentrations are less than five times MDL.
- (1) BC Contaminated Sites Regulation (CSR BC Reg. 375/96 effective up to the date of this report), General Numerical Water Standards (Schedule 3.2). The water use standards that are considered to apply to the Site are indicated below.

Water Use Standards (CSR)					
Standards that apply at all sites irrespective of water use (IWU)	Applicable to the Site				
Aquatic Life - Freshwater (AWf)	Applicable to the Site				
Aquatic Life - Marine (AWm)	Applicable to the Site				
Drinking Water (DW)	Applicable to the Site				

- (2) Standard applies to all sites irrespective of water use.
- (3) Standards for dissolved iron and manganese only apply at sites with specified uses listed in CSR Schedule 2, as indicated in CSR Schedule 3.2 footnotes 43 (iron) and 46 (manganese).
- (4) Where total chromium analysis has been conducted, results are compared to the more conservative of the standards for hexavalent and trivalent chromium.
- (5) Standard varies with crop. See CSR Schedule 3.2 footnote 17 for further details.
- (6) Standard varies with crop, soil drainage, and Mo:Cu ratio. Consult a director for further advice.
- (7) Standard is for continuous application on crops. Standard for intermittent application is 50 ug/L.
- Interim provincial background standard for dissolved cobalt in groundwater (per Protocol 9 dated February 1, 2021 and ENV Technical Bulletin 3, dated July 31, 2019). This supersedes the Drinking Water standard of 1 ug/L, provided in CSR Schedule 3.2. for all regions outside the Protocol 9 Local Background Concentrations Regions.
- (9) Standard varies with pH, temperature, and substance isomer. Consult an MOE director for further advice.
- (10) Standard for chloride ion applies only to Freshwater Aquatic Life, not to Marine Aquatic Life, as indicated in CSR Schedule 3.2 footnotes (5).
- Protocol 9 for Contaminated Sites Local Background Concentrations in Groundwater (Version 2), Section 64 of the Environmental

 Management Act (dated February 1, 2021). Regional estimates for local background concentrations in groundwater for inorganic substances.

 Groundwater that contains concentrations above the applicable numerical water standards, but below the applicable regional background concentrations as determined under this Protocol, would not be considered contaminated.

GREY SHADING	Concentration greater than CSR standards that apply irrespective of water use
BLUE TEXT	Concentration less than Laboratory Method Detection Limit
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard
RED SHADING	Concentration greater than CSR Aquatic Life - Freshwater (AWf) Standard
BOLD, RED SHADING	Concentration greater than CSR Aquatic Life - Marine (AWm) Standard
BOLD, BLUE SHADING	Concentration greater than CSR Drinking Water (DW) Standard

Associated Lab Files: VA22B1894, VA22B0421

Active Earth Engineering Ltd. Page 1 of 7

AE Project No: 2315a Date: July 2022

-	•		Sample Lo	cation	AE22-MW101	AE22-MW102D	AE22-MW102S	AE22-MW104S
			Sam	ple ID	MW101-220511	MW102D-220511	MW102S-220511	MW104S-220526
	11.7-14.9	12.1-15.1	27.0-30.0	4.6-10.7				
			Date Sa	mpled	11-May-22	11-May-22	11-May-22	26-May-22
Completed by: MM	CSF	R Water Use St	andards ⁽¹⁾	_	•		•	
Review by: AL	Aquatic Life Freshwater (AWf)	- Aquatic Life - Marine (AWm)	Drinking Water (DW)	Irrespective of Water Use (IWU)				
Extractible Petroleum Hydro	carbons (ug/L)							
EPHw ₁₀₋₁₉	-	-	-	5,000	<250	<250	<250	<250
EPHw ₁₉₋₃₂	-	-	-	-	<250	<250	<250	<250
LEPH _w	500	500	-	-	<250	<250	<250	<250
HEPH _W		-	_	t <u>.</u> .	<250	<250	<250	<250
Polycyclic Aromatic Hydroca	rbons (ug/L)				-200	-200	-200	-200
acenaphthene	60	60	250	_	<0.010	<0.010	<0.010	<0.010
acenaphthylene	-	-	-	-	<0.010	<0.010	<0.010	<0.010
acridine	0.5	0.5	_	-	<0.010	<0.010	<0.010	<0.010
anthracene	1	1	1,000	-	<0.010	<0.010	<0.010	<0.010
benz(a)anthracene	1	1	0.07	-	<0.010	<0.010	<0.010	<0.010
benzo(a)pyrene	0.1	0.1	0.01	-	< 0.0050	< 0.0050	< 0.0050	< 0.0050
benzo(b+j)fluoranthenes	-	-	0.07	-	<0.010	< 0.010	<0.010	< 0.010
benzo(b+j+k)fluoranthenes	-	-	-	-	< 0.015	< 0.015	< 0.015	< 0.015
benzo(g,h,i)perylene	-	-	-	-	<0.010	< 0.010	< 0.010	< 0.010
benzo(k)fluoranthene	-	-	-	-	<0.010	<0.010	<0.010	< 0.010
chrysene	1	1	7	-	<0.010	<0.010	<0.010	< 0.010
dibenz(a,h)anthracene	-	-	0.01	-	<0.0050	< 0.0050	< 0.0050	< 0.0050
fluoranthene	2	2	150	-	<0.010	<0.010	<0.010	< 0.010
fluorene	120	120	150	-	<0.010	<0.010	<0.010	< 0.010
indeno(1,2,3-cd)pyrene	-	-	-	-	<0.010	<0.010	<0.010	<0.010
1-methylnaphthalene	-	-	5.5	-	<0.010	<0.010	<0.010	< 0.010
2-methylnaphthalene	-	-	15	-	<0.010	<0.010	<0.010	<0.010
naphthalene	10	10	80	-	<0.050	<0.050	<0.050	< 0.050
phenanthrene	3	3	-	-	<0.020	<0.020	<0.020	<0.020
pyrene	0.2	0.2	100	-	<0.010	<0.010	<0.010	<0.010
quinoline	34	34	0.05	-	< 0.050	< 0.050	< 0.050	< 0.050

GREY SHADING	Concentration greater than CSR standards that apply irrespective of water use			
BLUE TEXT	Concentration less than Laboratory Method Detection Limit			
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard			
RED SHADING	Concentration greater than CSR Aquatic Life - Freshwater (AWf) Water Use Standard			
BOLD, RED SHADING	Concentration greater than CSR Aquatic Life - Marine (AWm) Water Use Standard			
BOLD, BLUE SHADING	Concentration greater than CSR Drinking Water (DW) Water Use Standard			

Active Earth Engineering Ltd. Page 2 of 7 Table 1: Analytical Results for Hydrocarbons in Groundwater

			Sample Lo	cation	AE22-MW104D	AE22-MW105	AE22-MW106
			Sam	ple ID	MW104D-220526	MW105-220527	MW106-220527
		Screene	d Interval Dep	th (m)	16.8-22.9	6.7-12.8	27.4-36.6
	Date Sampled					26-May-22	26-May-22
Completed by: MM	CSF	R Water Use S	tandards ⁽¹⁾			-	•
Review by: AL				<u> </u>			
	Aquatic Life Freshwater (AWf)	- Aquatic Life - Marine (AWm)	Drinking Water (DW)	Irrespective of Water Use (IWU)			
Extractible Petroleum Hydro	carbons (ug/L)						
EPHw ₁₀₋₁₉	-	-	-	5,000	<250	<250	<250
EPHw ₁₉₋₃₂	-	-	-	-	<250	<250	<250
LEPH _W	500	500	-	-	<250	<250	<250
HEPH _w	-	-	-	-	<250	<250	<250
Polycyclic Aromatic Hydroca	rbons (ug/L)						
acenaphthene	60	60	250	-	< 0.010	<0.010	< 0.010
acenaphthylene	-	-	-	-	< 0.010	< 0.010	< 0.010
acridine	0.5	0.5	-	-	< 0.010	<0.010	< 0.010
anthracene	1	1	1,000	-	< 0.010	<0.010	< 0.010
benz(a)anthracene	1	1	0.07	-	< 0.010	< 0.010	< 0.010
benzo(a)pyrene	0.1	0.1	0.01	-	< 0.0050	< 0.0050	< 0.0050
benzo(b+j)fluoranthenes	-	-	0.07	-	< 0.010	<0.010	< 0.010
benzo(b+j+k)fluoranthenes	-	-	-	-	< 0.015	< 0.015	< 0.015
benzo(g,h,i)perylene	-	-	-	-	< 0.010	< 0.010	< 0.010
benzo(k)fluoranthene	-	-	-	-	< 0.010	< 0.010	< 0.010
chrysene	1	1	7	-	< 0.010	< 0.010	< 0.010
dibenz(a,h)anthracene	-	-	0.01	-	< 0.0050	< 0.0050	< 0.0050
fluoranthene	2	2	150	-	< 0.010	< 0.010	< 0.010
fluorene	120	120	150	-	< 0.010	< 0.010	< 0.010
indeno(1,2,3-cd)pyrene	-	-	-	-	<0.010	<0.010	<0.010
1-methylnaphthalene	-	-	5.5	-	<0.010	<0.010	<0.010
2-methylnaphthalene	-	-	15	-	<0.010	<0.010	<0.010
naphthalene	10	10	80	-	<0.050	<0.050	< 0.050
phenanthrene	3	3	-	-	<0.020	<0.020	<0.020
pyrene	0.2	0.2	100	-	<0.010	<0.010	<0.010
quinoline	34	34	0.05	-	< 0.050	< 0.050	< 0.050

GREY SHADING	Concentration greater than CSR standards that apply irrespective of water use			
BLUE TEXT	Concentration less than Laboratory Method Detection Limit			
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard			
RED SHADING	Concentration greater than CSR Aquatic Life - Freshwater (AWf) Water Use Standard			
BOLD, RED SHADING	Concentration greater than CSR Aquatic Life - Marine (AWm) Water Use Standard			
BOLD, BLUE SHADING	Concentration greater than CSR Drinking Water (DW) Water Use Standard			

Active Earth Engineering Ltd. Page 3 of 7

Table 2: Analytical Results for Dissolved Metals in Groundwater

Table 2: Analytical Results for Dissolv	ed wetais iii Groundwa	atti			Sample Location	AE22-MW101	AE22-MW102S	AE22-MW102D	AE22-MW104S
					Sample ID	MW101-220511	MW102S-220511	MW102D-220511	MW104S-220526
				Scree	ned Interval Depth (m)	11.7-14.9	12.1-15.1	27.0-30.0	4.6-10.7
	1				Date Sampled	11-May-22	11-May-22	11-May-22	26-May-22
					Regional Estimates for Local				
		CSR Water Use Stan	dards ⁽¹⁾		Background				
Completed by: MM					Concentrations ⁽¹¹⁾				
Review by: AL				4	· · · · · · · · · · · · · · · · · · ·				
				Irrespective of Water Use (IWU)					
	Aquatic Life -	Aquatic Life - Marine		à, ⊃̃ ≘	Interim Cobalt				
	Freshwater (AWf)	(AWm)	Drinking Water (DW)	ĕ fe S	Standard ⁽⁸⁾				
	, ,	, ,		esi Wa					
				=					
Physical Tests									
Hardness (as CaCO3)-mg/L	-				-	144	228	266	171
Dissolved Metals (ug/L)									
aluminum (AI)-dissolved	-	-	9,500	-	-	<1.0	3.9	3.8	5.3
antimony (Sb)-dissolved	90	2,500	6	-	-	<0.10	<0.10	<0.10	0.32
arsenic (As)-dissolved	50	125	10	-	-	1.71	<0.10	0.6	2.86
barium (Ba)-dissolved	10,000	5,000 1,000	1,000 8	-	-	3.36 <0.100	20.3 <0.100	48.7	50.1 <0.020
beryllium (Be)-dissolved	1.5			-	-	<0.050	<0.050	<0.100 <0.050	<0.020
bismuth (Bi)-dissolved boron (B)-dissolved	12,000	- 12,000	5,000	-	-	45	12	37	34
cadmium (Cd)-dissolved	0.5 @ H <30	12,000	0,000			40	12	- 01	04
saamam (sa) alsservsa	1.5 @ H 30-<90								
	2.5 @ H 90-<150	15	5	-	_	0.0092	0.0056	0.0137	0.0109
	3.5 @ H 150-<210]							
	4 @ H ≥210								
calcium (Ca)-dissolved		-	-	-	-	47,800	85,400	96,900	58,400
cesium (Cs)-dissolved	-	-	-		1	<0.010	<0.010	<0.010	0.062
chloride (CI)-dissolved	1,500,000	-	250,000	-		12,300	127,000	126,000	-
chromium (Cr)-dissolved (Total) (4)	10	15	50	-	-	<0.50	<0.50	<0.50	<0.50
cobalt (Co)-dissolved	40	50	1	-	20	<0.10	<0.10	<0.10	0.21
copper (Cu)-dissolved	20 @ H <50								
	30 @ H 50-<75								
	40 @ H 75-<100								
	50 @ H 100-<125	20	1,500	_	_	<0.20	1.49	2.08	3.18
	60 @ H 125-<150		1,000	_	-	40.20	1.45	2.00	0.10
	70 @ H 150-<175								
	80 @ H 175-<200								
	90@ H <u>></u> 200								
iron (Fe)-dissolved (3)		-	-	-	-	<10	<10	<10	<10
lead (Pb)-dissolved	40 @ H <50								
	50 @ H 50-<100								
	60 @ H 100-<200	20	10	-	-	<0.050	<0.050	0.062	0.053
	110 @ H 200-<300								
	160 @ H <u>></u> 300		_						
lithium (Li)-dissolved	-	-	8	-	-	1.4	<1.0	9.5	3.7
magnesium (Mg)-dissolved	-	•	-	-	-	6,020	3,650	5,860	6,150
manganese (Mn)-dissolved (3)	-		:	-	-	0.72	0.75	33.2	92.8
mercury (Hg)-dissolved	0.25	0.25	1 050	-	-	<0.0050	<0.0050	<0.0050	-
molybdenum (Mo)-dissolved	10,000	10,000	250	-	-	3.55	0.22	4.34	12
nickel (Ni)-dissolved	250 @ H<60								
	650 @ H 60 -<120 1,100 @ H 120-<180	83	80	-	-	<0.50	<0.50	0.53	0.53
	1,100 @ H 120-<180 1,500 @ H <u>></u> 180								
phosphorus (P)-dissolved	-	-	-	-	-	<50 422	<50 740	<50	<50 10700
potassium (K)-dissolved	-	-	-	-	-	422	740	1,030	10700
rubidium (Rb)-dissolved	-	- 20	- 10	-	-	0.35	0.27	0.82	34
selenium (Se)-dissolved	20	20	10	-		0.076	0.109	0.206	0.076
silicon (Si)-dissolved silver (Ag)-dissolved	0.5 @ H < 100	-	-	-	-	6,910	3,700	5,380	5200
silver (Ag)-ulssolved	0.5 @ H <u><</u> 100 15 @ H > 100	15	20	-	-	<0.010	<0.010	<0.010	<0.010
sodium (Na)-dissolved	15 @ H > 100	_	200,000	-	-	6,710	53,100	109,000	11,700
strontium (Sr)-dissolved	- :	-	2,500	-	-	269	184	450	494
sulphur (S)-dissolved	-	-	-	-	-	6,320	5,080	60,700	16,200
tellurium (Te)-dissolved	-	-	-	-	-	<0.20	<0.20	<0.20	<0.20
thallium (TI)-dissolved	3	3	-	-	-	<0.010	<0.010	<0.010	0.031
thorium (Th)-dissolved		-		-	-	<0.10	<0.10	<0.10	<0.10
tin (Sn)-dissolved		-	2,500	-	-	<0.10	<0.10	0.17	0.24
titanium (Ti)-dissolved	1,000	1,000	-,	-	-	<0.30	<0.30	<0.30	<0.30
tungsten (W)-dissolved	-	-	3		-	0.63	<0.10	0.22	<0.10
uranium (U)-dissolved	85	85	20		i	0.263	0.186	6.6	3.2
vanadium (V)-dissolved	-	-	20		ī	1.34	<0.50	0.59	<0.50
zinc (Zn)-dissolved	75 @ H < 90								
* *	150 @ H 90-<100			l					
	900 @ H 100-<200	400	2 000	l		-40	4.0	2.0	2.5
	1,650 @ H 200-<300	100	3,000	-	-	<1.0	4.2	2.6	3.5
	2,400 @ H 300-<400			l					
	3150 @ H 400 -<500	1	ı			I			
zirconium (Zr)-dissolved	3150 @ H 400 -<500		<u> </u>			<0.20		<0.20	

GREY SHADING	Concentration greater than CSR standards that apply irrespective of water use
BLUE TEXT	Concentration less than Laboratory Method Detection Limit
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard
	Concentration greater than one or more applicable CSR Water Use Standard but less than Regional Estimates for Local Background Concentrations
RED SHADING	Concentration greater than CSR Aquatic Life - Freshwater (AWf) Water Use Standard
BOLD, RED SHADING	Concentration greater than CSR Aquatic Life - Marine (AWm) Water Use Standard
BOLD, BLUE SHADING	Concentration greater than CSR Drinking Water (DW) Water Use Standard

Active Earth Engineering Ltd. Page 4 of 7

Completed by: MM Review by: AL Physical Tests Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (A)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved cesium (Cs)-dissolved cesium (Cs)-dissolved chloride (Cl)-dissolved chromium (Cr)-dissolved chornium (Cr)-dissolved cobait (Co)-dissolved copper (Cu)-dissolved	Aquatic Life - Freshwater (AWf) 90 50 10,000 1.5 12,000 0.5 @ H s0.<90 2.5 @ H 90.<150 3.5 @ H 150.<210 4 @ H ≥210	CSR Water Use Stan Aquatic Life - Marine (AWm) 2,500 125 5,000 1,000 - 12,000	Drinking Water (DW)	irrespective of Water Use (IWU)	Sample ID ned Interval Depth (m) Date Sampled Regional Estimates for Local Background Concentrations(*11) Interim Cobalt Standard(*8)	MW104D-220526 16.8-22.9 26-May-22 151 151 5.4 0.25 3.411 37 <0.020 <0.050 100	MW105-220527 6.7-12.8 26-May-22 26-May-22 263 7.7 1.89 3 52.4 <0.020 <0.050 38	MW106-220527 27.4-36.6 26-May-22 90.9 12.4 0.72 0.44 21 -0.020 -0.050
Physical Tests Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (Al)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved beryilium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved cadmium (Co)-dissolved critical (Ci)-dissolved coloride (Ci)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cs)-dissolved chromium (Cs)-dissolved chromium (Cs)-dissolved (Total) (Cs) cobalt (Co)-dissolved		Aquatic Life - Marine (AWm) 2,500 125 5,000 1,000 - 12,000	Drinking Water (DW) 9,500 6 10 1,000 8 5,000	Irrespective of Water Use (IWU)	Date Sampled Regional Estimates for Local Background Concentrations ⁽¹¹⁾ Interim Cobalt Standard ⁽⁸⁾	26-May-22 151 5.4 0.25 3.41 37 <0.020 <0.050	263 263 7.7 1.89 3 52.4 <0.020 <0.050	90.9 90.9 12.4 0.72 0.44 21 <0.020 <0.050
Physical Tests Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (Al)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved beryilium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved cadmium (Co)-dissolved critical (Ci)-dissolved coloride (Ci)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cs)-dissolved chromium (Cs)-dissolved chromium (Cs)-dissolved (Total) (Cs) cobalt (Co)-dissolved		Aquatic Life - Marine (AWm) 2,500 125 5,000 1,000 - 12,000	Drinking Water (DW) 9,500 6 10 1,000 8 5,000	Irrespective Water Use (IWU)	Regional Estimates for Local Background Concentrations(11) Interim Cobalt Standard(8)	151 5.4 0.25 3.41 37 <0.020 <0.050	263 7.7 1.89 3 52.4 <0.020 <0.050	90.9 12.4 0.72 0.44 21 <0.020 <0.050
Physical Tests Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (Al)-dissolved arstenic (As)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved cadmium (Cf)-dissolved calcium (Ca)-dissolved chronie (Ci)-dissolved chloride (Ci)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cs)-dissolved chronium (Cs)-dissolved chronium (Cs)-dissolved (Total) (4)		Aquatic Life - Marine (AWm) 2,500 125 5,000 1,000 - 12,000	Drinking Water (DW) 9,500 6 10 1,000 8 5,000	Irrespective Water Use (IWU)	for Local Background Concentrations(11) Interim Cobalt Standard(8)	5.4 0.25 3.41 37 <0.020 <0.050	7.7 1.89 3 52.4 <0.020 <0.050	12.4 0.72 0.44 21 <0.020 <0.050
Physical Tests Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (Al)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved beryilium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved cadmium (Co)-dissolved critical (Ci)-dissolved coloride (Ci)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cr)-dissolved chromium (Cs)-dissolved chromium (Cs)-dissolved chromium (Cs)-dissolved (Total) (Cs) cobalt (Co)-dissolved		Aquatic Life - Marine (AWm) 2,500 125 5,000 1,000 - 12,000	Drinking Water (DW) 9,500 6 10 1,000 8 5,000	Irrespective Water Use (IWU)	Concentrations(11) Interim Cobalt Standard(8)	5.4 0.25 3.41 37 <0.020 <0.050	7.7 1.89 3 52.4 <0.020 <0.050	12.4 0.72 0.44 21 <0.020 <0.050
Physical Tests Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (Al)-dissolved arstenic (As)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved cadmium (Cf)-dissolved calcium (Ca)-dissolved chronie (Ci)-dissolved chloride (Ci)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cs)-dissolved chronium (Cs)-dissolved chronium (Cs)-dissolved (Total) (4)		2,500 125 5,000 1,000 1,000	9,500 6 10 1,000 8 -	Irrespective Water Use (IWU)	Interim Cobalt Standard ⁽⁶⁾	5.4 0.25 3.41 37 <0.020 <0.050	7.7 1.89 3 52.4 <0.020 <0.050	12.4 0.72 0.44 21 <0.020 <0.050
Physical Tests Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (A)-dissolved antimony (Sb)-dissolved barium (Ba)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved boron (B)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved cesium (Cs)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved chromium (Cr)-dissolved (Total) (4) cobatt (Co)-dissolved		2,500 125 5,000 1,000 1,000	9,500 6 10 1,000 8 -	Irrespective Water Use (IWU)	Standard ⁽⁸⁾	5.4 0.25 3.41 37 <0.020 <0.050	7.7 1.89 3 52.4 <0.020 <0.050	12.4 0.72 0.44 21 <0.020 <0.050
Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (Al)-dissolved antimony (Sb)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved boron (B)-dissolved boron (B)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved cesium (Cs)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved	90 50 10,000 1.5 - 12,000 0.5 @ H <30 1.5 @ H 30-<90 2.5 @ H 90-<150 3.5 @ H 150-<210 4 @ H ≥210	2,500 125 5,000 1,000 - 12,000	9,500 6 10 1,000 8 - 5,000	-		5.4 0.25 3.41 37 <0.020 <0.050	7.7 1.89 3 52.4 <0.020 <0.050	12.4 0.72 0.44 21 <0.020 <0.050
Hardness (as CaCO3)-mg/L Dissolved Metals (ug/L) aluminum (A)-dissolved antimony (Sb)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bimuth (Bi)-dissolved boron (B)-dissolved boron (B)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved cesium (Cs)-dissolved choride (Cl)-dissolved chromium (Cr)-dissolved choridi (Co)-dissolved choridi (Co)-dissolved choridi (Co)-dissolved choridi (Co)-dissolved clobalt (Co)-dissolved clobalt (Co)-dissolved	90 50 10,000 1.5 - 12,000 0.5 @ H <30 1.5 @ H 30-<90 2.5 @ H 90-<150 3.5 @ H 150-<210 4 @ H ≥210	2,500 125 5,000 1,000 - 12,000	9,500 6 10 1,000 8 - 5,000			5.4 0.25 3.41 37 <0.020 <0.050	7.7 1.89 3 52.4 <0.020 <0.050	12.4 0.72 0.44 21 <0.020 <0.050
Dissolved Metals (ug/L) aluminum (Al)-dissolved antimony (Sb)-dissolved arsenic (As)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved clicium (Ca)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cr)-dissolved chronium (Cs)-dissolved chronium (Cs)-dissolved chronium (Cs)-dissolved (Total) (4)	50 10,000 1.5 - 12,000 0.5 @ H <30 1.5 @ H 30 <90 2.5 @ H 90 <150 3.5 @ H 150 <210 4 @ H ≥210	125 5,000 1,000 - 12,000	6 10 1,000 8 - 5,000	-	- - -	5.4 0.25 3.41 37 <0.020 <0.050	7.7 1.89 3 52.4 <0.020 <0.050	12.4 0.72 0.44 21 <0.020 <0.050
aluminum (Al)-dissolved antimony (Sb)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved cadmium (Cd)-dissolved cadmium (Cd)-dissolved cassium (Ca)-dissolved cesium (Ca)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved (Total) (4) cobalt (Co)-dissolved	50 10,000 1.5 - 12,000 0.5 @ H <30 1.5 @ H 30 <90 2.5 @ H 90 <150 3.5 @ H 150 <210 4 @ H ≥210	125 5,000 1,000 - 12,000	6 10 1,000 8 - 5,000	-	- - -	0.25 3.41 37 <0.020 <0.050	1.89 3 52.4 <0.020 <0.050	0.72 0.44 21 <0.020 <0.050
antimony (Sb)-dissolved arsenic (As)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved boron (B)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved calcium (Cs)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved chloride (Cl)-dissolved (Total) (4) cobatt (Co)-dissolved (Total) (4)	50 10,000 1.5 - 12,000 0.5 @ H <30 1.5 @ H 30 <90 2.5 @ H 90 <150 3.5 @ H 150 <210 4 @ H ≥210	125 5,000 1,000 - 12,000	6 10 1,000 8 - 5,000	-	- - -	0.25 3.41 37 <0.020 <0.050	1.89 3 52.4 <0.020 <0.050	0.72 0.44 21 <0.020 <0.050
arsenic (As)-dissolved barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved bismuth (Bi)-dissolved boron (B)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved cesium (Cs)-dissolved chioride (Cl)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved (Total) (5)	50 10,000 1.5 - 12,000 0.5 @ H <30 1.5 @ H 30 <90 2.5 @ H 90 <150 3.5 @ H 150 <210 4 @ H ≥210	125 5,000 1,000 - 12,000	10 1,000 8 - 5,000	- - -	- - -	3.41 37 <0.020 <0.050	3 52.4 <0.020 <0.050	0.44 21 <0.020 <0.050
barium (Ba)-dissolved beryllium (Be)-dissolved bismuth (Bi)-dissolved boron (B)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved cesium (Cs)-dissolved chloride (Ci)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved (Total) (5)	10,000 1.5 - 12,000 0.5 @ H <30 1.5 @ H 30.<90 2.5 @ H 90.<150 3.5 @ H 150.<210 4 @ H ≥210	5,000 1,000 - 12,000	1,000 8 - 5,000	-		37 <0.020 <0.050	52.4 <0.020 <0.050	21 <0.020 <0.050
beryllium (Be)-dissolved bismuth (Bi)-dissolved boron (B)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved calcium (Cs)-dissolved cesium (Cs)-dissolved chloride (Ci)-dissolved chromium (Cr)-dissolved (Total) (4)	1.5 12,000 0.5 @ H <30 1.5 @ H 30<90 2.5 @ H 90<150 3.5 @ H 150<210 4 @ H \(\frac{2}{2}\) 210	1,000 - 12,000	5,000	-	-	<0.020 <0.050	<0.020 <0.050	<0.020 <0.050
bismuth (Bi)-dissolved boron (B)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved cesium (Cs)-dissolved chloride (Cl)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved		- 12,000	- 5,000	-	-	< 0.050	<0.050	< 0.050
boron (B)-dissolved cadmium (Cd)-dissolved calcium (Ca)-dissolved cesium (Cs)-dissolved chloride (Cl)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved (Total) (5)	12,000 0.5 @ H <30 1.5 @ H 30-<90 2.5 @ H 90-<150 3.5 @ H 150-<210 4 @ H ≥210	12,000	5,000					
cadmium (Cd)-dissolved calcium (Ca)-dissolved cesium (Cs)-dissolved chloride (Cl)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved	0.5 @ H <30 1.5 @ H 30-<90 2.5 @ H 90-<150 3.5 @ H 150-<210 4 @ H ≥210	·		-	-	100		107
calcium (Ca)-dissolved cesium (Cs)-dissolved chloride (Cl)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved	1.5 @ H 30-<90 2.5 @ H 90-<150 3.5 @ H 150-<210 4 @ H <u>></u> 210	15	5	Ī				
cesium (Cs)-dissolved chloride (Cl)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved	-			-	-	0.0085	<0.0250	<0.0100
chloride (CI)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved	-	-	-		-	50,900	82,800	30,400
chloride (CI)-dissolved chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved				-	-	< 0.010	<0.010	0.026
chromium (Cr)-dissolved (Total) (4) cobalt (Co)-dissolved	1,500,000	-	250,000			-	-	10,600
cobalt (Co)-dissolved	10	15	50		-	< 0.50	< 0.50	< 0.50
	40	50	1	-	20	0.14	0.49	0.3
	30 @ H 50-<75 40 @ H 75-<100 50 @ H 100-<125 60 @ H 125-<150 70 @ H 150-<175 80 @ H 175-<200 90@ H ≥200	20	1,500	-	-	1.83	3.12	4.67
iron (Fe)-dissolved (3)		•	-	-	-	13	<10	11
lead (Pb)-dissolved	40 @ H <50 50 @ H 50-<100 60 @ H 100-<200 110 @ H 200-<300 160 @ H <u>></u> 300	20	10	-	-	0.07	0.088	0.092
lithium (Li)-dissolved	-	-	8	-	-	8.7	3.3	8.8
magnesium (Mg)-dissolved	-	-	-		-	5,880	13,600	3,640
manganese (Mn)-dissolved (3)	-				-	32.8	48.2	86.4
mercury (Hg)-dissolved	0.25	0.25	1		-	-	-	-
molybdenum (Mo)-dissolved	10,000	10,000	250		-	5.7	35.2	23.4
nickel (Ni)-dissolved	250 @ H<60 650 @ H 60 -<120 1,100 @ H 120-<180 1,500 @ H ≥180	83	80	-	-	<0.50	1.93	1.83
phosphorus (P)-dissolved	-		•		-	<50	<50	<50
potassium (K)-dissolved	-		-	-	-	1650	2360	1840
rubidium (Rb)-dissolved	-		-	-	-	1.67	1.03	1.48
selenium (Se)-dissolved	20	20	10	-	-	0.168	2.43	0.571
silicon (Si)-dissolved	-			-	-	7950	5990	4550
silver (Ag)-dissolved	0.5 @ H <u><</u> 100 15 @ H > 100	15	20	-	-	<0.010	<0.010	<0.010
sodium (Na)-dissolved	-		200,000	-	-	16,000	28,600	22,300
strontium (Sr)-dissolved	-		2,500		-	1,770	327	382
sulphur (S)-dissolved	-	-	-		-	12,300	39,900	13,000
tellurium (Te)-dissolved	-				-	<0.20	<0.20	<0.20
thallium (TI)-dissolved	3	3	-		-	0.011	0.019	0.013
thorium (Th)-dissolved	-	-	-		-	<0.10	<0.10	<0.10
tin (Sn)-dissolved	-		2,500	-	-	<0.10	0.49	1.06
titanium (Ti)-dissolved	1,000	1,000	-	-	-	< 0.30	< 0.30	< 0.30
tungsten (W)-dissolved	-		3		-	0.57	<0.10	0.26
uranium (U)-dissolved	85	85	20	-	-	4.41	11.6	1.47
vanadium (V)-dissolved	-	-	20	-	-	<0.50	<0.50	< 0.50
zinc (Zn)-dissolved	75 @ H < 90 150 @ H 90-<100 900 @ H 100-<200 1,650 @ H 200-<300 2,400 @ H 300-<400	100	3,000	-	-	3.7	2.2	23.8
zirconium (Zr)-dissolved	3150 @ H 400 -<500 -	-	-	-	-	<0.30	<0.30	<0.30

GREY SHADING	Concentration greater than CSR standards that apply irrespective of water use
BLUE TEXT	Concentration less than Laboratory Method Detection Limit
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard
BLUE ETCHING	Concentration greater than one or more applicable CSR Water Use Standard but less than Regional Estimates for Local Background Concentrations
RED SHADING	Concentration greater than CSR Aquatic Life - Freshwater (AWf) Water Use Standard
BOLD, RED SHADING	Concentration greater than CSR Aquatic Life - Marine (AWm) Water Use Standard
BOLD, BLUE SHADING	Concentration greater than CSR Drinking Water (DW) Water Use Standard

Active Earth Engineering Ltd. Page 5 of 7

for Nutrients in Gro	undwater						
				AE22-MW101	AE22-MW102S	AE22-MW102D	AE22-MW104S
			MW101-220526	MW102S-220526	MW102D-220526	MW104S-220526	
	Sc			11.7-14.9	12.1-15.1	27.0-30.0	4.6-10.7
Date Sample					26-May-22	26-May-22	26-May-22
CSR Water Use Standards ⁽¹⁾							
Aquatic Life - Freshwater (AWf)	Aquatic Life - Marine (AWm)	Drinking Water (DW)	Irrespective of Water Use (IWU)				
-	-	-	-	8.12	7.71	7.87	8
11.3 (pH=7.5-<8.0)	20 (pH=7.5-<8.0)	-	-	<0.0050	0.0115	0.0843	0.0192
400	-	10	-	0.0298	<0.0250	<0.0250	<0.0050
0.2 (CI< 2 mg/L) 0.4 (CI=2-<4) 0.6 (CI=4-<6) 0.8 (CI=6-<8) 1 (CI=8-<10) 2 (CI>10)	0.2 (CI< 2 mg/L) 0.4 (CI=2-<4) 0.6 (CI=4-<6) 0.8 (CI=6-<8) 1 (CI=8-<10) 2 (CI>10)	1		<0.0010	<0.0050	<0.0050	<0.0010
	•	-	-	0.037	0.076	0.304	0.096
		CSR Water Use Stan Aquatic Life - Freshwater (AWf) 18.4 (pH<7.0) 18.5 (pH=7.0<-7.5) 11.3 (pH=7.5<-8.0) 3.7 (pH=8.0<-8.5) 1.31 (pH≥8.5) 400 - 0.2 (CI< 2 mg/L) 0.4 (CI=2<-4) 0.6 (CI=4<-6) 0.8 (CI=6<-8) 1 (CI=8<-10) CSR Water Use Stan Aquatic Life - Marine (AWm) 200 (pH<7.0) 64 (pH=7.0<-7.5) 20 (pH=7.5<-8.0) 6.85 (pH=8.0<-8.5) 2.3 (pH≥8.5) 0.2 (CI< 2 mg/L) 0.4 (CI=2<-4) 0.6 (CI=4<-6) 0.8 (CI=6<-8) 1 (CI=8<-10)	Sample Lo San Screened Interval Dep Date Sa CSR Water Use Standards ⁽¹⁾ Aquatic Life - Freshwater (AWf) 18.4 (pH<7.0) 18.5 (pH=7.0<-7.5) 11.3 (pH=7.5<-8.0) 3.7 (pH=8.0<-8.5) 1.31 (pH≥8.5) 400 - 10 0.2 (Cl< 2 mg/L) 0.4 (Cl=2<4) 0.6 (Cl=4<6) 0.8 (Cl=6<-8) 1 (Cl=8<-10) 1 (Cl=8<-10)	Sample Location Sample ID	Sample Location Sample ID MW101-220526	Sample Location Sample ID MW101-220526 MW102S-220526 MW102S-220526	Sample Location AE22-MW102 AE22-MW102

Note: all results on this table are in mg/L unless otherwise indicated.

GREY SHADING	Concentration greater than CSR standards that apply irrespective of water use
BLUE TEXT	Concentration less than Laboratory Method Detection Limit
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard
RED SHADING	Concentration greater than CSR Aquatic Life - Freshwater (AWf) Water Use Standard
BOLD, RED SHADING	Concentration greater than CSR Aquatic Life - Marine (AWm) Water Use Standard
BOLD, BLUE SHADING	Concentration greater than CSR Drinking Water (DW) Water Use Standard

Page 6 of 7 Active Earth Engineering Ltd.

Client: Coast Mountain Resources (2020) Ltd. Site: Bamberton Mine

Table 3: Analytical Results	for Nutrients in Gro	undwater					
					AE22-MW104D	AE22-MW105	AE22-MW106
					MW104D-220526	MW105-220527	MW106-220527
		Sc	reened Interval Dep		16.8-22.9	6.7-12.8	27.4-36.6
			Date Sa	mpled	26-May-22	26-May-22	26-May-22
Completed by: MM	CSR Water Use Standards ⁽¹⁾						
Review by: AL	Aquatic Life - Freshwater (AWf)	Aquatic Life - Marine (AWm)	Drinking Water (DW)	Irrespective of Water Use (IWU)			
Physical Tests							
рН	-	-	-	-	8.01	7.96	7.98
Anions and Nutrients							
ammonia, total (N) - mg/L	18.4 (pH<7.0) 18.5 (pH=7.0-<7.5) 11.3 (pH=7.5-<8.0) 3.7 (pH=8.0-<8.5) 1.31 (pH≥8.5)	200 (pH<7.0) 64 (pH=7.0-<7.5) 20 (pH=7.5-<8.0) 6.85 (pH=8.0-<8.5) 2.3 (pH≥8.5)	-	-	0.0117	<0.0050	0.0585
nitrate, total (N) - mg/L	400		10	-	< 0.0050	5.35	2.22
nitrite, total (N) - mg/L	0.2 (CI< 2 mg/L) 0.4 (CI=2-<4) 0.6 (CI=4-<6) 0.8 (CI=6-<8) 1 (CI=8-<10) 2 (CI>10)	0.2 (CI< 2 mg/L) 0.4 (CI=2-<4) 0.6 (CI=4-<6) 0.8 (CI=6-<8) 1 (CI=8-<10) 2 (CI>10)	1		<0.0010	0.0229	0.221
nitrogen, total - mg/L			-	-	0.069	4.96	2.37

Note: all results on this table are in mg/L unless otherwise indicated.

GREY SHADING	Concentration greater than CSR standards that apply irrespective of water use
BLUE TEXT	Concentration less than Laboratory Method Detection Limit
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard
RED SHADING	Concentration greater than CSR Aquatic Life - Freshwater (AWf) Water Use Standard
BOLD, RED SHADING	Concentration greater than CSR Aquatic Life - Marine (AWm) Water Use Standard
BOLD, BLUE SHADING	Concentration greater than CSR Drinking Water (DW) Water Use Standard

Page 7 of 7 Active Earth Engineering Ltd.

Client: Coast Mountain Resources (2020) Ltd.

AE Project No: 2315a

Site: Bamberton Mine

Date: July 2022

Analytical Table Footnotes: Analytical Results for Water

Tables should be viewed and printed in colour.

All concentrations in $\mu g/L,$ except where otherwise noted.

All terms defined within the body of Active Earth's report.

- < Result is less than the laboratory detection limit indicated.
- Parameter not analyzed or no standard or guideline applies.
- * RPDs are not normally calculated where one or more concentrations are less than five times MDL.
- BC Approved Water Quality Guidelines (BC WQG) for the Protection of Freshwater Aquatic Life (August 2019) and BC Working Water

 (1) Quality Guidelines (BC WWQG) for the Protection of Freshwater Aquatic Life (June 2017), considering the guidelines for Chronic (long-term) exposure, Acute (short-term) exposure, and Phototoxicity.

Water Quality Guidelines (BC WQG) - Surface Water						
BC WQG - Freshwater	Applicable to the Site					
BC WWQG - Freshwater	Applicable to the Site					

- Where total chromium analysis has been conducted, results are compared to the more conservative of the standards for hexavalent and trivalent chromium.
- (3) Standard varies with pH and temperature.

BLUE TEXT	Concentration less than Laboratory Method Detection Limit
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard
GREY SHADING	Concentration greater than BC WQG - Freshwater Phototoxic Guideline
TEAL SHADING	Concentration greater than BC WQG - Freshwater Long-Term Guideline
BOLD, TEAL SHADING	Concentration greater than BC WQG - Freshwater Short-Term Guideline

Associated Lab Files: VA22B2363

Active Earth Engineering Ltd. Page 1 of 4

AE Project No: 2315a Date: July 2022

Table 1: Analytical Results for Surface Water - Inorganics

Sample Location			SW1-220602	SW2-220602	
	Date Sampled			2-Jun-22	
Completed by: MM	BC Water Quali	ty Guidelines ⁽¹⁾			
Review by: AL	Freshwater Long-Term (Chronic)	Freshwater Short-Term (Acute)			
Anions (mg/L)			3.55		
Chloride (CI)-dissolved	150	150 600		18.8	
lutrients (mg/L)					
Total Ammonia (N)	0.681-28.3 ⁽³⁾	-	0.124	< 0.0050	
Total Nitrogen (N)	-	-	1.61	0.686	
Total Nitrite (N)	0.02 @ CI < 2 0.04 @ CI 2-<4 0.06 @ CI 4-<6 0.08 @ CI 6-<8 0.10 @ CI 8-<10 0.20 @ CI >10	0.06 @ CI < 2 0.12 @ CI 2-<4 0.18 @ CI 4-<6 0.24 @ CI 6-<8 0.30 @ CI 8-<10 0.60 @ CI >10	0.0519	<0.0010	
Total Nitrate (N)	3	32.8	1.45	0.676	

^{*25} mg/L above backgrd for 24 hr in clear flow 5 mg/L above backgrd for 30 day in turbid flow 10 mg/L above backgrd when backgrd 25-100 10 mg/L above backgrd when backgrd >100

BLUE TEXT	Concentration less than Laboratory Method Detection Limit
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard
TEAL SHADING	Concentration greater than BC WQG - Freshwater Long-Term Guideline
BOLD, TEAL SHADING	Concentration greater than BC WQG - Freshwater Short-Term Guideline

Active Earth Engineering Ltd. Page 2 of 4

Table 2: Analytical Results for Total Metals & TSS in Surface Water

		Sample Location	SW1-220602	SW2-220602
	Date Sampled		2-Jun-22	2-Jun-22
mpleted by: MM	BC Water Qual	ity Guidelines ⁽¹⁾		
view by: AL				
,	Freshwater	Freshwater		
		Short-Term (Acute)		
	Long-Term (Chronic)	Short-renn (Acute)		
veigel Teete				
ysical Tests	<u> </u>		70.7	202
Hardness (as CaCO3)-mg/L	-	-	79.7	203
otal Metals (μg/L)	<u> </u>		200	44
aluminum (AI)		-	209	14
antimony (Sb)	9	-	2.49	2.06
arsenic (As)	5	5	1.56	3.11
parium (Ba)	1,000	-	23.1	36.4
peryllium (Be)	0.13	-	<0.100	<0.100
oismuth (Bi)	-	-	<0.050	<0.050
oron (B)	1,200	-	26	17
	Hardness Dependent	Hardness Dependent	<0.0050	< 0.0150
cadmium (Cd)				
· ·	Hardness Dependent Long-Term (0	Chronic) Guideline	0.18	0.36
	Hardness Dependent Short-Term (A		0.47	1.22
alcium (Ca)	-		25,200	72,100
cesium (Cs)	<u> </u>	-	0.038	<0.010
	8.9	-	<0.50	1.15
chromium (Cr) ⁽²⁾				
cobalt (Co)	4	110	0.16	<0.10
	Hardness Dependent	Hardness Dependent	0.86	1.65
copper (Cu)	•	•		
. ,	Hardness Dependent Long-Term (C		3	8
	Hardness Dependent Short-Term (9.49	21.08
on (Fe)	-	1,000	<10	<10
	Hardness Dependent	Hardness Dependent	<0.050	<0.050
ead (Pb)	•	•		
odd (. 2)	Hardness Dependent Long-Term (C		5.70	11.15
	Hardness Dependent Short-Term (A	Acute) Guideline	61.14	200.97
ithium (Li)	-	-	1.5	<1.0
magnesium (Mg)	-	-	4,080	5,570
	Hardness Dependent	Hardness Dependent	8	0.24
manganese (Mn)	•	•	0	0.24
nanganese (Min)	Hardness Dependent Long-Term (C	Chronic) Guideline	956	1498
	Hardness Dependent Short-Term (A	Acute) Guideline	1418	2777
	0.02 (seeming MeHa			
mercury (Hg)	0.02 (assuming MeHg <	-	<0.0050	< 0.0050
	0.5% total Hg)			
nolybdenum (Mo)	1,000	2,000	15.6	11.4
	25 @ H<60			
	65 @ H60-<120			
nickel (Ni)	110 @ H120-<180	-	<0.50	<0.50
	150 @ H≥180			
-hh (D)	150 @ FIZ 100	 	-50	-50
phosphorus (P)	-	-	<50 6.370	<50 1.500
ootassium (K)	-	-	6,370	1,500
ubidium (Rb)	-	-	4.21	1.34
selenium (Se)	2	-	0.351	0.543
silicon (Si)	-	-	2,130	5,150
silver (Aa)	0.05 @ H < 100	0.1 @ H < 100	<0.010	<0.010
silver (Ag)	1.5 @ H > 100	3.0 @ H > 100	~U.U1U	~0.010
sodium (Na)	-	-	6,910	12,000
strontium (Sr)	-	-	158	337
sulfur (S)	-	-	10,300	18,600
ellurium (Te)	-	-	<0.20	<0.20
nallium (TI)	0.8	-	0.012	<0.010
	-	-	<0.10	<0.10
		-	<0.10	<0.10
norium (Th)			<0.30	<0.30
horium (Th) in (Sn)	-	_		
horium (Th) in (Sn) itanium (Ti)	-	-		
horium (Th) in (Sn) itanium (Ti) ungsten (W)	-	-	0.27	<0.10
thorium (Th) in (Sn) itanium (Ti) ungsten (W) uranium (U)	- - - 8.5	-	0.27 0.358	4.49
thorium (Th) tin (Sn) titanium (Ti) tungsten (W) uranium (U)	-	-	0.27	
thorium (Th) tin (Sn) titanium (Ti) tungsten (W) uranium (U)	- - - - 8.5 50	-	0.27 0.358 0.69	4.49 1.56
horium (Th) in (Sn) itanium (Ti) ungsten (W) uranium (U) vanadium (V)	- - - 8.5 50 Hardness Dependent		0.27 0.358 0.69 1.6	4.49 1.56 2.9
horium (Th) in (Sn) itanium (Ti) ungsten (W) uranium (U) vanadium (V)	- 8.5 50 Hardness Dependent Hardness Dependent Long-Term (6	- - - - - - - - 	0.27 0.358 0.69 1.6	4.49 1.56 2.9 92
titalium (Ti) tin (Sn) tit (Sn) titanium (Ti) tungsten (W) uranium (U) vanadium (V) zinc (Zn) zirconium (Zr)	- - - 8.5 50 Hardness Dependent	- - - - - - - - 	0.27 0.358 0.69 1.6	4.49 1.56 2.9

BLUE TEXT	Concentration less than Laboratory Method Detection Limit
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard
TEAL SHADING	Concentration greater than BC WQG - Freshwater Long-Term Guideline
BOLD, TEAL SHADING	Concentration greater than BC WQG - Freshwater Short-Term Guideline

Active Earth Engineering Ltd. Page 3 of 4

Client: Coast Mountain Resources (2020) Ltd.

AE Project No: 2315a
Site: Bamberton Mine

AE Project No: 2315a
Date: July 2022

Table 3: Analytical Results for Hydrocarbons in Surface Water

		S	ample Location	SW1-220602	SW2-220602
Date Sampled			18-Mar-21	17-Jun-21	
Completed by: MM	BC Water Quality Guidelines ⁽¹⁰⁾				
Review by: AL	Freshwater Long-Term (Chronic)	Freshwater Short-Term (Acute)	Freshwater Phototoxic		
xtractible Petroleum Hydroca	rbons (μg/L)				
EPHw ₁₀₋₁₉	-	-	-	<250	<250
EPHw ₁₉₋₃₂	-	-	-	<250	<250
LEPH _W	-	-	-	<250	<250
HEPH _W	-	-	-	<250	<250
olycyclic Aromatic Hydrocark	ons (μg/L)				
acenaphthene	6	-	-	< 0.010	0.033
acenaphthylene	-	-	-	< 0.010	< 0.010
acridine	3	-	0.05	<0.010	<0.010
anthracene	4	-	0.1	<0.010	< 0.010
benz(a)anthracene	0.1	-	0.1	<0.010	< 0.010
benzo(a)pyrene	0.01	-	-	<0.0050	< 0.0050
benzo(b+j)fluoranthenes	-	-	-	<0.010	< 0.010
benzo(b+j+k)fluoranthenes	-	-	-	< 0.015	< 0.015
benzo(g,h,i)perylene	-	-	-	<0.010	< 0.010
benzo(k)fluoranthene	-	-	-	<0.010	<0.010
chrysene	-	-	-	<0.010	< 0.010
dibenz(a,h)anthracene	-	-	-	<0.0050	< 0.0050
fluoranthene	4	-	0.2	<0.010	< 0.010
fluorene	12	-	-	<0.010	0.037
indeno(1,2,3-cd)pyrene	-	-	-	<0.010	<0.010
1-methylnaphthalene	-	-	-	<0.010	0.02
2-methylnaphthalene	-	-	-	<0.010	0.036
naphthalene	1	-	-	<0.050	0.085
phenanthrene	0.3	-	-	<0.020	0.041
pyrene	-	-	0.02	0.011	<0.010
quinoline	3.4	-	-	< 0.050	< 0.050

BLUE TEXT	Concentration less than Laboratory Method Detection Limit		
BOLD, UNDERLINE	Laboratory Method Detection Limit exceeds one or more standard		
GREY SHADING	Concentration greater than BC WQG - Freshwater Phototoxic Guideline		
BLUE SHADING	Concentration greater than BC WQG - Freshwater Long- Term Guideline		
BOLD, TEAL SHADING	Concentration greater than BC WQG - Freshwater Short- Term Guideline		

Active Earth Engineering Ltd. Page 4 of 4



www.activeearth.ca

PHOTOGRAPHS

PHOTOGRAPHS

Photo 1: AE21-MW101S/D



Photo 2: Packer Testing



Client Name	Site Location	Project No.	Date
Coast Mountain Resources Ltd.	Bamberton Quarry, Bamberton, BC	2315A	July 2022



PHOTOGRAPHS

Photo 3: AE22-MW105 (after drilling)



Photo 4: Overseeing Packer Testing



Client Name	Site Location	Project No.	Date
Coast Mountain Resources Ltd.	Bamberton Quarry, Bamberton, BC	2315A	July 2022



PHOTOGRAPHS

Photo 5: AE22-MW104S/D



Photo 6: Packer test in AE22-MW104



Client Name	Site Location	Project No.	Date
Coast Mountain Resources Ltd.	Bamberton Quarry, Bamberton, BC	2315A	July 2022





www.activeearth.ca

APPENDIX ABC Water Resource Atlas Search Results

1. AQUIFER DESCRIPTION FOR AQUIFER 208

Aquifer Name: Malahat Ridge

Date of Mapping: November 2018

1.1 Conceptual Understanding of Hydrostratigraphy

1.1.1 Aquifer Extents

The aquifer is located along the east and southeast slopes of Malahat Ridge. The aquifer is bound along the east by Saanich Inlet. The western aquifer extents follow the watershed boundaries for Shawnigan Creek and Goldstream River (Freshwater Atlas). Bedrock aquifer extents assume near-surface flow within the bedrock to justify the use of topographical features.

1.1.2 Geologic Formation (Overlying Materials)

Near surface bedrock (less than 1 m below surface) has been mapped within the majority of the aquifer area. A blanket of till and clay inferred to be Vashon till exists where surficial materials are present. Capilano Sediments consisting of gravel, sand, and clayey silt may overlie till at elevations below 100 to 150 masl.

1.1.3 Geologic Formation (Aquifer) – 6b Fractured Crystalline Rock

Bedrock belonging to Bonanza Group, Island Plutonic Suite, Westcoast Crystalline Complex, and Leech River Complex have been mapped within the aquifer extents along with several faults (Cui et. al. 2017).

Volcanic rocks of the Bonanza Group (erupted on land) include massive amygdaloidal and pillowed basalt to andesite flows, dacite to rhyolite massive or laminated lava, green and maroon tuff, fledspar crystal tuff, breccia, tuffaceous sandstone, argillite, pebble conglomerate and minor limestone.

The intrusive rocks of the Island Plutonic Suite include granodiorite, quartz diorite, quartz monozonite, diorite, agmatite, feldspar, feldspar porphyry, as well as minor gabbro and aplite.

Intrusive rocks of Westcoast Crystalline Complex include quartz diorite, tonalite, hornblende-plagioclase gneiss, quartz-feldspar gneiss, amphibolite, diorite, agmatite, gabbro, marble, and metasediments.

Volcanic rocks of the Leech River Complex consist of metabasalt, metarhyolite, chlorite schist, ribbon chert, and cherty argillite.

1.1.4 Vulnerability - Moderate

The DRASTIC method was used to complete intrinsic groundwater vulnerability mapping as part of the Vancouver Island Water Resources Vulnerability Mapping Project (Newton and Gilchrist, 2010). The intrinsic vulnerability for the majority of the area was classified as low to moderate.

Well lithology records indicate a confining layer of low permeability material (till, clay) exists, ranging from approximately 1 to 24 m thick but typically 5 m thick. However, the confining layer may be thin or absent in some areas. Water-bearing fracture zones are typically 90 m deep based on the median depth of existing wells. The hydraulic conductivity of the aquifer material is assumed to be relatively low (i.e. fracture dominated flow in the aquifer) Based on this description, the vulnerability of the aquifer to surface contamination is moderate.

1.2 Conceptual Understanding of Flow Dynamics

1.2.1 Groundwater Levels and Flow Direction

Water levels are considered shallow based on an average of 14.3 m with a range of 0.6 to 131.1 m. Groundwater is inferred to flow east towards Saanich Inlet predominantly through bedrock deformities (e.g. fractures). A saltwater-freshwater interface is expected to exist along the coastline. Groundwater flow may also occur at depth and across adjacent surface watersheds.

Mapped faults are inferred as enhanced permeability areas; however, they could potentially reduce permeability and create barriers to groundwater flow or act as combined conduit-barrier systems. Additional studies are required to confirm fault zone hydrogeology.

4.3 Recharge

Recharge is likely to occur where precipitation or runoff infiltrates through bedrock deformities, such as fractures. Lakes and wetlands in the mountainous area to the west may also act as a source of recharge.

4.3.1 Potential for Hydraulic Connection

Significant watersheds in the area include Arbutus Creek, Irving Creek, Johns Creek, and Spectacle Creek (MOE 2006). Additional studies are required to confirm/determine surface-ground water interactions for drainage features in the area. The extent of any hydraulic connections with seawater along the coastline and mapped faults is unknown.

4.4 Additional Information on Water Use and Management

Based on regional land-use, all groundwater use is expected to be conjunctive (drinking water, commercial/industrial and agricultural). Well records indicate a potential for sulphur odour. Deepening of a few wells is also noted.

Mapping of local water systems for the region is available from the Cowichan Valley Regional District (cvrdnewnormalcowichan.ca). Additional water use in the area includes licensed diversion of water from local creeks and springs.

4.5 Additional Assessments or Management Actions

The following groundwater characterization studies have been completed based on analytical methods:


- Carmichael, Vicki, March 2014. Compendium of Re-evaluated Pumping Tests in the Cowichan Valley Regional District, Vancouver Island, British Columbia. Environmental Sustainability Division, Ministry of Environment.
- Harris, M. & S. Usher, October 2017. Preliminary Groundwater Budgets, Cobble Hill/Mill Bay Area, Vancouver Island, BC.
- Ministry of Environment (MOE), February 2006. Shawnigan-Goldstream Water Allocation Plan.
- Newton, P. & A. Gilchrist, April 2010. Technical Summary of Intrinsic Vulnerability Mapping Methods for Vancouver Island.
- van der Gulik, T., Neilsen, D., Fretwell, R. and Tam, S. June 2013. Agricultural Water Demand Model, Report for the Cowichan Valley Regional District. Victoria, BC: BC Ministry of Agriculture and Agricult
- WorleyParsons, February 2009. South Cowichan Water Plan Study: A Preliminary Assessment of Water Supply & Needs within the South Cowichan Region.

4.6 Aquifer References

- Blyth, H. E., N.W. Rutter, & L.M. Sankeralli, 1993. Surficial geology of the Shawnigan Lake Area. Victoria, BC: BC Ministry of Energy and Mines.
- Cowichan Valley Regional District http://cvrdnewnormalcowichan.ca/water-systems/ accessed March 2019.
- Cui, Y., D. Miller, P. Schiarizza, & L.J. Diakow, 2017. British Columbia digital geology. British Columbia Ministry of Energy, Mines and Petroleum Resources, British Columbia Geological Survey Open File 2017- 8, 9p.
- Geographic datasets from the BC Data Catalogue, accessed February 2017 https://data.gov.bc.ca/
- Hammond, Z.M., A.C. Hinnell, J.J. Clague. 2018. Stage II Detailed Aquifer Mapping Study: Shawnigan Lake Area, Vancouver Island, B.C. Water Science Series, WSS2019-02. Prov. B.C., Victoria B.C.




Aquifer #208 Malahat Ridge



Aquifer Description (Mapping Report - 2019): Fractured crystalline (igneous intrusive or metamorphic, meta-sedimentary, meta-volcanic, volcanic) rock aquifer (subtype = 6b).

Aquifer Details	
Region	West Coast
Water District	Victoria
Aquifer Area	58 km ²
No. Wells Correlated to Aquifer	289
Vulnerability to Contamination	Moderate
Productivity	Unknown
Aquifer Classification	Unknown
Hydraulic Connectivity ¹	Not Likely
Aquifer Stress Index	Less stressed
No. Water Licences Issued to Wells	1
Observation Wells (Active, Inactive)	None

¹ Based on broad regional assessment



Disclaimer: Use of information from Aquifer factsheets (accessed by BC government website) is subject to limitation of liability provisions (further described on that website). That information is provided by the BC government as a public service on an "as is" basis, without warranty of any kind, whether express or implied, and its use is at your own risk. Under no circumstances will the BC government, or its staff, agents and contractors, be responsible or liable to any person or business entity, for any direct, indirect, special, incidental, consequential or any other loss or damages to any person or business entity based on this factsheet or any use of information from it.



COLUMBIA Groundwater Wells and Aquifers

Well Summary

Well Tag Number: 69043 Well Identification Plate Number: Owner Name: REGENCY DEVELOPMENT Intended Water Use: Not Applicable Artesian Condition: No

Well Status: New Well Class: Unknown Well Subclass: Aquifer Number: 208 Observation Well Number: Observation Well Status: Environmental Monitoring System (EMS) ID: Alternative specs submitted: No

Licensing Information

Licensed Status: Unlicensed

Licence Number:

Location Information

Street Address: Town/City:

Legal Description:

Lot	1
Plan	45935
District Lot	74/75
Block	
Section	
Township	
Range	
Land District	29
Property Identification Description (PID)	009077162

Description of Well Location:



Geographic Coordinates - North American Datum of 1983 (NAD 83)

Latitude: 48.5887 UTM Easting: 460872

Zone: 10

UTM Northing: 5381871 Coordinate Acquisition Code:

Longitude: -123.530601

unknown, accuracy based on parcel size) ICF cadastre, poor or no location sketch, arbitrarily located in

center of parcel

Well Activity

Activity \$\psi\$	Work Start Date	Work End Date	Drilling Company \$	Date Entered
Legacy record	1987-09-22		Tri-K Drilling	August 13th 2003 at 8:57 AM

Well Work Dates

Start Date of	End Date of	Start Date of	End Date of	Start Date of	End Date of
Construction	Construction	Alteration	Alteration	Decommission	Decommission
1987-09-22					

Well Completion Data

Total Depth Drilled: Finished Well Depth: 230 ft bgl Final Casing Stick Up: Depth to Bedrock: Ground elevation:

Estimated Well Yield: 3 USgpm

Well Cap:

Well Disinfected Status: Not Disinfected

Drilling Method:

Method of determining elevation: Unknown

Static Water Level (BTOC):

Artesian Flow:

Artesian Pressure (head): Artesian Pressure (PSI): Orientation of Well: VERTICAL

Lithology

From (ft bgl)	To (ft bgl)	Raw Data	Description	Moisture	Colour	Hardness	Observations	Water Bearing Flow Estimate (USGPM)
0	230	DEPTH OF WELL 10 FT CASING						
0	5	RED CLAY						
5	230	VOLCANIC ROCK						
0	0	FRACTURE AT 105 FT - 1/2 GPM WATER						
0	0	FRACTURE AT 170 FT WATER INCREASED TO 2						

Casing Details

From (ft bgl)	To (ft bgl)	Casing Type	Casing Material	Diameter (in)	Wall Thickness (in)	Drive Shoe
There are no records to show						

Surface Seal and Backfill Details

Surface Seal Material:

Surface Seal Installation Method:

Surface Seal Thickness: Surface Seal Depth:

Backfill Material Above Surface Seal:

Backfill Depth:

Liner Details

Liner Material: Liner Diameter:

Liner from:

Liner Thickness: Liner to:

Liner perforations

From (ft bgl) To (ft bgl)

There are no records to show

Screen Details

Intake Method: Type: Material: Opening: Bottom:

Installed Screens

To (ft bgl) From (ft bgl) Diameter (in) Assembly Type Slot Size There are no records to show

Well Development

Developed by:

Development Total Duration:

Well Yield

Estimation Method:

Static Water Level Before Test: Hydrofracturing Performed: No Estimation Rate:

Drawdown:

Increase in Yield Due to Hydrofracturing:

Estimation Duration:

Well Decommission Information

Reason for Decommission: Sealant Material: Decommission Details:

Method of Decommission: Backfill Material:

https://apps.nrs.gov.bc.ca/gwells/well/69043

_	_	m	m	_	<u>-</u>	٠.
L	n	rm	m	$\boldsymbol{\omega}$	m	rc

CASING

Alternative Specs Submitted: Yes

Documents

• WTN 69043 Well Record.pdf

Disclaimer

The information provided should not be used as a basis for making financial or any other commitments. The Government of British Columbia accepts no liability for the accuracy, availability, suitability, reliability, usability, completeness or timeliness of the data or graphical depictions rendered from the data.



COLUMBIA Groundwater Wells and Aquifers

Well Summary

Well Tag Number: 69045 Well Identification Plate Number: Owner Name: REGENCY DEVELOPMENT Intended Water Use: Not Applicable Artesian Condition: No

Well Status: New Well Class: Unknown Well Subclass: Aquifer Number: 208 Observation Well Number: Observation Well Status: Environmental Monitoring System (EMS) ID: Alternative specs submitted: No

Licensing Information

Licensed Status: Unlicensed

Licence Number:

Location Information

Street Address: Town/City:

Legal Description:

Lot	2
Plan	
District Lot	
Block	
Section	
Township	
Range	
Land District	29
Property Identification Description (PID)	

Description of Well Location:



Geographic Coordinates - North American Datum of 1983 (NAD 83)

Latitude: 48.586402 UTM Easting: 460963 **Zone:** 10

Longitude: -123.529343 UTM Northing: 5381615 Coordinate Acquisition Code: unknown, accuracy based on parcel

size) ICF cadastre, poor or no location sketch, arbitrarily located in

center of parcel

Well Activity

Activity \$\psi\$	Work Start Date	Work End Date	Drilling Company \$	Date Entered
Legacy record	1987-09-22		Tri-K Drilling	August 13th 2003 at 8:57 AM

Well Work Dates

	rt Date of	End Date of	Start Date of	End Date of	Start Date of	End Date of
	struction	Construction	Alteration	Alteration	Decommission	Decommission
198	37-09-22					

Well Completion Data

Total Depth Drilled: Finished Well Depth: 190 ft bgl Final Casing Stick Up: Depth to Bedrock: Ground elevation: Estimated Well Yield: 1 USgpm

Well Cap:

Well Disinfected Status: Not Disinfected

Drilling Method:

Method of determining elevation: Unknown

Static Water Level (BTOC):

Artesian Flow:

Artesian Pressure (head): Artesian Pressure (PSI): Orientation of Well: VERTICAL

Lithology

From (ft bgl)	To (ft bgl)			Moisture	Colour	Hardness	Observations	Water Bearing Flow Estimate (USGPM)
0	190	DEPTH OF WELL 10 FT CASING						
0	80	VOLCANIC ROCK 1/2 GPM WATER AT 80 FT						
80	190	GRANITE						
0	0	WATER INCREASED TO 1 GPM AT 190 FT						

Casing Details

From (ft bgl)	To (ft bgl)	Casing Type	Casing Material	Diameter (in)	Wall Thickness (in)	Drive Shoe
			There are no records	to show		

Surface Seal and Backfill Details

Surface Seal Material:

Surface Seal Installation Method:

Surface Seal Thickness: Surface Seal Depth: Backfill Material Above Surface Seal:

Backfill Depth:

Liner Details

Liner Material: Liner Diameter: Liner from:

Liner Thickness: Liner to: Liner perforations

From (ft bgl) To (ft bgl)

There are no records to show

Screen Details

Intake Method: Type: Material: Opening: Bottom: Installed Screens

From (ft bgl)

To (ft bgl)

Diameter (in)

Assembly Type

Slot Size

There are no records to show

Well Development

Developed by:

Development Total Duration:

Well Yield

Estimation Method:
Static Water Level Before Test:

Estimation Rate: Drawdown: Estimation Duration:

Hydrofracturing Performed: No Increase in Yield Due to Hydrofracturing:

Well Decommission Information

Reason for Decommission: Sealant Material: Decommission Details: Method of Decommission: Backfill Material:

Comments

CASING

Alternative Specs Submitted: Yes

Documents

• WTN 69045 Well Record.pdf

Disclaimer

The information provided should not be used as a basis for making financial or any other commitments. The Government of British Columbia accepts no liability for the accuracy, availability, suitability, reliability, usability, completeness or timeliness of the data or graphical depictions rendered from the data.



COLUMBIA Groundwater Wells and Aquifers

Well Summary

Well Tag Number: 109033

Well Identification Plate Number: 39137

Owner Name: BOB ROTH

Intended Water Use: Private Domestic

Artesian Condition: No

Well Status: New
Well Class: Water Supply
Well Subclass: Not Applicable
Aquifer Number: 208

Observation Well Number: Observation Well Status:

Environmental Monitoring System (EMS) ID:

Alternative specs submitted: No

Licensing Information

Licensed Status: Unlicensed

Licence Number:

Location Information

Street Address: 1239 TRANS CANADA HIGHWAY

Town/City: MALAHAT

Legal Description:

Lot	2
Plan	45935
District Lot	74
Block	
Section	
Township	
Range	
Land District	29
Property Identification Description (PID)	009077171

Description of Well Location: DOWN NEAR BOTTOM OF NEW ACCESS ROAD.



Geographic Coordinates - North American Datum of 1983 (NAD 83)

Latitude: 48.58452 **UTM Easting:** 461070

Zone: 10

Longitude: -123.527873 UTM Northing: 5381405

Coordinate Acquisition Code: (10 m accuracy) Handheld GPS with accuracy of +/- 10 metres

Well Activity

Activity	Work Start Date	Work End Date \$	Drilling Company \$	Date Entered
Legacy record	2014-04-16	2014-04-17	Drillwell Enterprises	June 6th 2014 at 8:16 AM

Well Work Dates

Start Date of	End Date of	Start Date of	End Date of	Start Date of	End Date of
Construction	Construction	Alteration	Alteration	Decommission	Decommission
2014-04-16	2014-04-17				

Well Completion Data

Total Depth Drilled: 260 ft bgl Finished Well Depth: 260 ft bgl Final Casing Stick Up: 24 inches Depth to Bedrock: 1 feet bgl Ground elevation: 691 feet Estimated Well Yield: 10 USgpm Well Cap: BOLTED

Well Disinfected Status: Not Disinfected Drilling Method: Dual Rotary Method of determining elevation: GPS

Static Water Level (BTOC): Artesian Flow: Artesian Pressure (head): Artesian Pressure (PSI): Orientation of Well: VERTICAL

Lithology

From (ft bgl)	(ft	Raw Data	Description	Moisture	Colour	Hardness	Observations	Water Bearing Flow Estimate (USGPM)
0	1	O. BURDEN						
1	260	BEDROCK (WHITE, GREEN)					FRACTURE @ 106'; FLOW AT 120': 3GPM; AT 140': 4GPM; AT 200': 4 GPM; FRACTURE AT 235': FRACTURE AT 240': 7GPM; AT 260': 10GPM. GROUT IN 4" PVC WITH SHAKE TRAP AT 30 FT. CEMENT GROUT UP TO 4 FT.	

Casing Details

From (ft bgl)	To (ft bgl)	Casing Type	Casing Material	Diameter (in)	Wall Thickness (in)	Drive Shoe
0	18	Steel Removed		10		Not Installed
0	18		Steel	6	0.219	Not Installed
18	260		Open hole	6		Not Installed

Surface Seal and Backfill Details

Surface Seal Material: Bentonite clay Surface Seal Installation Method: Pumped Surface Seal Thickness: 2 inches Surface Seal Depth: 18 feet Backfill Material Above Surface Seal: Backfill Depth:

Liner Details

Liner Material: PVC Liner Diameter: Liner from:

Liner Thickness: Liner to: From (ft bgl)

To (ft bgl)

There are no records to show

Screen Details

Intake Method: Uncased Hole Type: Material: Opening: Bottom: Installed Screens

From (ft bgl)

To (ft bgl)

Diameter (in)

Assembly Type

Slot Size

Well Development

Developed by: Air lifting

Development Total Duration:

Increase in Yield Due to Hydrofracturing:

Well Yield

Estimation Method: Air Lifting Static Water Level Before Test: Hydrofracturing Performed: No Estimation Rate: Drawdown:

tion Rate: Estimation Duration:

Well Decommission Information

Reason for Decommission: Sealant Material: Decommission Details: Method of Decommission: Backfill Material:

Comments

CEMENT GROUT 4" WITH PACKER AT 30FT. FINAL FLOW AT 4GPM. WELL RECORD SUBMITTED THROUGH EWELLS.

Alternative Specs Submitted: Yes

Documents

No additional documentation available for this well.

Disclaimer

The information provided should not be used as a basis for making financial or any other commitments. The Government of British Columbia accepts no liability for the accuracy, availability, suitability, reliability, usability, completeness or timeliness of the data or graphical depictions rendered from the data.



www.activeearth.ca

APPENDIX BLaboratory Analytical Results



CLIENT NAME: ACTIVE EARTH ENGINEERING #304-2600 GLADYS AVE ABBOTSFORD, BC V2S0E9 (778) 888-0473

ATTENTION TO: Steve Boyce

PROJECT: 2315A

AGAT WORK ORDER: 22V940974

ROCK ANALYSIS REVIEWED BY: Meredith White, Senior Technician

DATE REPORTED: Sep 23, 2022

PAGES (INCLUDING COVER): 16 VERSION*: 1

Should you require any information regarding this analysis please contact your client services representative at (403) 735-2005

*Notes

Disclaimer:

- All work conducted herein has been done using accepted standard protocols, and generally accepted practices and methods. AGAT test methods may
 incorporate modifications from the specified reference methods to improve performance.
- All samples will be disposed of within 30 days after receipt unless a Long Term Storage Agreement is signed and returned. Some specialty analysis may
 be exempt, please contact your Client Project Manager for details.
- AGAT's liability in connection with any delay, performance or non-performance of these services is only to the Client and does not extend to any other
 third party. Unless expressly agreed otherwise in writing, AGAT's liability is limited to the actual cost of the specific analysis or analyses included in the
 services.
- This Certificate shall not be reproduced except in full, without the written approval of the laboratory.
- The test results reported herewith relate only to the samples as received by the laboratory.
- Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, warranties of
 merchantability, fitness for a particular purpose, or non-infringement. AGAT assumes no responsibility for any errors or omissions in the guidelines
 contained in this document.
- All reportable information as specified by ISO/IEC 17025:2017 is available from AGAT Laboratories upon request.

AGAT Laboratories (V1)

Page 1 of 16

Member of: Association of Professional Engineers and Geoscientists of Alberta (APEGA)

Western Enviro-Agricultural Laboratory Association (WEALA) Environmental Services Association of Alberta (ESAA) AGAT Laboratories is accredited to ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA) and/or Standards Council of Canada (SCC) for specific tests listed on the scope of accreditation. AGAT Laboratories (Mississauga) is also accredited by the Canadian Association for Laboratory Accreditation Inc. (CALA) for specific drinking water tests. Accreditations are location and parameter specific. A complete listing of parameters for each location is available from www.cala.ca and/or www.scc.ca. The tests in this report may not necessarily be included in the scope of accreditation. Measurement Uncertainty is not taken into consideration when stating conformity with a specified requirement.



AGAT WORK ORDER: 22V940974

PROJECT: 2315A

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

ATTENTION TO: Steve Boyce

					(18	1-703) A	BA Pack	age (CG	SY)					
DATE SAMPLED: Sep	MPLED: Sep 01, 2022 DATE RECEIVED: Sep 02, 2022 DATE REPOR									REPORTED: Sep 23, 2022				Soil
	Analyte:	Paste pH	Fizz Rating	Total Sulfur	Sulphate Sulphur	Maximum Potential Acidity (MPA)		Neutralizatio n Potential Ratio	Siderite NP	Total Carbon	Inorganic Carbon - Total	CaCO3 Equivalents		
	Unit:	pH units		%	% k	gCaCO3/to nne	kg CaCO3/tonn e		kg CaCO3/tonn e	%	%	kgCaCO3/to nne		
Sample ID (AGAT ID)	RDL:	0.2		0.01	0.01	0.2				0.02	0.02	3.0	3	
SS-ARD-220901/ No jat. 2. bag (4270286)	/3 ziplock	8.94	Moderate	0.16	<0.01	5.0	168.1	34.6	173.1	1.17	1.09	90.8	3	

Comments: RDL - Reported Detection Limit

4270286 NA = A result is not calculated when the MPA is <0.2

Analysis performed at AGAT Calgary (unless marked by *)

CLIENT NAME: ACTIVE EARTH ENGINEERING

Insufficient Sample : IS Sample Not Received : SNR





AGAT WORK ORDER: 22V940974

PROJECT: 2315A

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

CLIENT NAME: ACTIVE EARTH ENGINEERING ATTENTION TO: Steve Boyce

(181-706) Sulphate-Sulphur HCl Leach (%) (CGY)											
DATE SAMPLED: Sep 01	, 2022		DATE RECEIVED: Sep 02, 2022	DATE REPORTED: Sep 23, 2022	SAMPLE TYPE: Soil						
,	Analyte:	Sulphate Sulphur									
	Unit:	%									
Sample ID (AGAT ID)	RDL:	0.01									
SS-ARD-220901/ No jat. 2/3 z bag (4270286)	iplock	<0.01									

Comments: RDL - Reported Detection Limit

Analysis performed at AGAT Calgary (unless marked by *)

Insufficient Sample : IS Sample Not Received : SNR





AGAT WORK ORDER: 22V940974

PROJECT: 2315A

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

CLIENT NAME: ACTIVE EARTH ENGINEERING

ATTENTION TO: Steve Boyce

			(181-	·752) Dis	solved I	Metals -	Shake Fl	ask Extr	action (mg/L) (C	GY)					
DATE SAMPLED:				DATE RE	CEIVED: S	ep 02, 2022	!	DATI	DATE REPORTED: Sep 23, 2022				SAMPLE TYPE: Soil			
	Analyte:	рН	Electrical Conductivity	Silver Dissolved	Aluminum Dissolved	Arsenic Dissolved	Boron Dissolved	Barium Dissolved	Beryllium Dissolved	Bismuth Dissolved	Calcium Dissolved	Cadmium Dissolved	Chromium Dissolved	Cobalt Dissolved	Copper Dissolved	
	Unit:	pH units	uS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Sample ID (AGAT ID)	RDL:	0.01	2	0.00008	0.001	0.0002	0.01	0.0002	0.0001	0.0001	0.05	0.00001	0.0005	0.0001	0.0005	
SFE ON SS-ARD-220901 ziplock bag (4274534)	/ No jat. 2/3	8.39	41.37	<0.00008	0.367	0.0013	<0.01	0.0242	<0.0001	<0.0001	8.09	<0.00001	<0.0005	<0.0001	<0.0005	
	Analyte:	Iron Dissolved	Mercury Dissolved	Potassium Dissolved	Lithium Dissolved	Magnesium Dissolved		Molybdenu m Dissolved	Sodium Dissolved	Nickel Dissolved	Phosphorus Dissolved	Lead Dissolved	Sulphur Dissolved	Antimony Dissolved	Selenium Dissolved	
	Unit:	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Sample ID (AGAT ID)	RDL:	0.01	0.00005	0.05	0.0005	0.05	0.001	0.0001	0.02	0.0005	0.05	0.0005	0.5	0.0001	0.0005	
SFE ON SS-ARD-220901 ziplock bag (4274534)	/ No jat. 2/3	<0.01	<0.00005	1.25	<0.0005	0.82	<0.001	0.0030	2.30	<0.0005	<0.05	<0.0005	2.3	0.0004	<0.0005	
	Analyte:	Silicon Dissolved	Tin Dissolved	Strontium Dissolved	Tellurium Dissolved	Thallium Dissolved	Thorium Dissolved	Titanium Dissolved	Uranium Dissolved	Vanadium Dissolved	Tungsten Dissolved	Zinc Dissolved	Zirconium Dissolved			
	Unit:	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L			
Sample ID (AGAT ID)	RDL:	0.05	0.00005	0.0002	0.0002	0.0001	0.0001	0.0005	0.00005	0.001	0.0001	0.001	0.0001			
SFE ON SS-ARD-220901 ziplock bag (4274534)	/ No jat. 2/3	1.38	<0.00005	0.0652	<0.0002	<0.0001	<0.0001	<0.0005	<0.00005	0.003	<0.0001	<0.001	<0.0001			

Comments: RDL - Reported Detection Limit
Analysis performed at AGAT Calgary (unless marked by *)

Insufficient Sample : IS Sample Not Received : SNR





AGAT WORK ORDER: 22V940974

PROJECT: 2315A

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

CLIENT NAME: ACTIVE EARTH ENGINEERING ATTENTION TO: Steve Boyce

		((283-071) 4 Acid	Digest -	Metals P	ackage,	ICP-OES	S/ICP-MS	Sfinish (CGY)						
DATE SAMPLED: Se	p 01, 2022			DATE REC	EIVED: Sep	02, 2022		DATE REPORTED: Sep 23, 2022 SAMPLE TYP							PE: Soil		
	Analyte:	Ag	Al	As	Ва	Ве	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe		
	Unit:	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%		
Sample ID (AGAT ID)	RDL:	0.001	0.001	0.005	0.05	0.02	0.002	0.0001	0.005	0.005	0.005	1.0	0.005	0.5	0.001		
SS-ARD-220901/ No jat. bag (4270286)	2/3 ziplock	0.087	6.95	5.24	511	0.62	0.081	4.78	0.117	24.9	19.9	157	0.862	41.7	4.44		
	Analyte:	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Мо	Na	Nb	Ni	Р		
	Unit:	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm		
Sample ID (AGAT ID)	RDL:	0.005	0.01	0.001	0.001	0.001	0.05	0.05	0.001	1.0	0.005	0.001	0.005	1.0	10.0		
SS-ARD-220901/ No jat. bag (4270286)	2/3 ziplock	15.6	0.05	1.84	0.064	1.41	12.0	10.9	2.43	1210	1.63	2.31	4.13	43.6	572		
	Analyte:	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Та	Te	Th	Ti	TI		
	Unit:	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm		
Sample ID (AGAT ID)	RDL:	0.005	0.005	0.0003	0.001	0.01	0.005	0.002	0.05	0.005	0.05	0.005	0.001	0.0001	0.005		
SS-ARD-220901/ No jat. bag (4270286)	2/3 ziplock	5.23	48.3	0.0211	0.211	0.49	19.1	0.757	1.07	424	0.40	0.130	2.15	0.396	0.271		
	Analyte:	U	V	W	Υ	Zn	Zr										
	Unit:	ppm	ppm	ppm	ppm	ppm	ppm										
Sample ID (AGAT ID)	RDL:	0.001	0.5	0.005	0.005	0.5	0.02										
SS-ARD-220901/ No jat. bag (4270286)	2/3 ziplock	0.955	130	0.657	18.8	63.3	54.8										

Comments: RDL - Reported Detection Limit

4270286 As, Sb values may be low due to digestion losses.

Analysis performed at AGAT Calgary (unless marked by *)

Insufficient Sample : IS Sample Not Received : SNR





Quality Assurance

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22V940974 PROJECT: 2315A ATTENTION TO: Steve Boyce

SAMPLING SITE:							5	SAMPI	LED B	Y:					
				Rock	κ An	alysi	S								
RPT Date: Sep 23, 2022				UPLICATE			REFERE	NCE MA	TERIAL	METHOD	BLANK	SPIKE	МАТ	RIX SPI	KE
PARAMETER	Batch	Sample	Dup #1	Dup #2	RPD	Method Blank	Measured Value		ptable nits	Recovery	1 :-	ptable nits	Recovery	1 1:0	ptable nits
		lu lu					value	Lower	Upper		Lower	Upper		Lower	Upper
(181-703) ABA Package (CGY)															
Paste pH	1	4275437	8.82	8.84	0.2%	< 0.2	101%	90%	110%						
Fizz Rating	1	4275437	Moderate	Moderate	0.0%	<									
Total Sulfur	1	4215847	1.39	1.38	0.7%	< 0.01	100%	90%	110%						
Sulphate Sulphur	4270286	4270286	<0.01	< 0.01	NA	< 0.01	98%	80%	120%		85%	115%			
Siderite NP	1	4275437	967.8	967.5	0.0%	<	99%	85%	115%						
Total Carbon	1	4215847	<0.02	<0.02	NA	< 0.02	106%	90%	110%						
Inorganic Carbon - Total	1	4215847	<0.02	<0.02	NA	< 0.02	94%	80%	120%						
Comments: RPDs are calculated us	ing raw ana	lytical data	and not the	e rounded d	uplicate	values rep	orted.								
(181-706) Sulphate-Sulphur HCI	Leach (%)	(CGY)													
Sulphate Sulphur	4270286	4270286	<0.01	<0.01	NA	< 0.01	98%	80%	120%		85%	115%			
Comments: RPDs are calculated us	ing raw ana	lytical data	and not the	e rounded d	uplicate	values rep	orted.								

(181-752) Dissolved Metals - Sha	ike Flask E	xtraction	(mg/L) (C	GY)					
pH	1	4264202	8.14	8.28	1.7%	< 0.01	102%	90%	110%
Electrical Conductivity	1	4264202	70.10	67.46	3.8%	< 2	102%	90%	110%
Silver Dissolved	4264202	4264202	<0.00008	<0.00008	NA	< 0.00008	102%	80%	120%
Aluminum Dissolved	4264202	4264202	0.091	0.099	8.4%	< 0.001	106%	80%	120%
Arsenic Dissolved	4264202	4264202	0.0027	0.0024	11.8%	< 0.0002	102%	80%	120%
Boron Dissolved	4264202	4264202	0.02	0.01	NA	< 0.01	104%	80%	120%
Barium Dissolved	4264202	4264202	0.0120	0.0101	17.2%	< 0.0002	104%	80%	120%
Beryllium Dissolved	4264202	4264202	<0.0001	<0.0001	NA	< 0.0001	102%	80%	120%
Bismuth Dissolved	4264202	4264202	< 0.0001	<0.0001	NA	< 0.0001	104%	80%	120%
Calcium Dissolved	4264202	4264202	6.59	5.83	12.2%	< 0.05	102%	80%	120%
Cadmium Dissolved		4264202		<0.00001	NA	< 0.00001	102%	80%	120%
Chromium Dissolved	4264202	4264202	<0.0005	<0.0005	NA	< 0.0005	100%	80%	120%
Cobalt Dissolved	4264202	4264202	<0.0001	<0.0001	NA	< 0.0001	102%	80%	120%
Copper Dissolved	4264202	4264202	0.0027	0.0024	NA	< 0.0005	102%	80%	120%
Iron Dissolved	4264202	4264202	0.02	0.03	NA	< 0.01	109%	80%	120%
Mercury Dissolved	4264202	4264202	<0.00005	<0.00005	NA	< 0.00005	102%	80%	120%
Potassium Dissolved	4264202	4264202	1.44	1.40	2.8%	< 0.05	104%	80%	120%
Lithium Dissolved	4264202	4264202	0.0006	< 0.0005	NA	< 0.0005	102%	80%	120%
Magnesium Dissolved	4264202	4264202	1.08	0.94	13.9%	< 0.05	109%	80%	120%
Manganese Dissolved	4264202	4264202	0.003	0.004	NA	< 0.001	96%	80%	120%
Molybdenum Dissolved	4264202	4264202	0.0006	0.0005	18.2%	< 0.0001	100%	80%	120%
Sodium Dissolved		4264202	0.39	0.36	8.0%	< 0.02	105%	80%	120%
Nickel Dissolved		4264202	0.0020	0.0017	NA	< 0.0005	102%	80%	120%
Phosphorus Dissolved		4264202	0.08	0.08	NA	< 0.05	105%	80%	120%
									,,,

4264202 4264202 < 0.0005 < 0.0005

AGAT QUALITY ASSURANCE REPORT (V1)

Lead Dissolved

Page 6 of 16

NA

< 0.0005 104% 80% 120%



Quality Assurance

CLIENT NAME: ACTIVE EARTH ENGINEERING

AGAT WORK ORDER: 22V940974

PROJECT: 2315A

ATTENTION TO: Steve Boyce

SAMPLING SITE: SAMPLED BY:

			Rock	Anal	ysis	(Con	tinue	ed)							
RPT Date: Sep 23, 2022				UPLICATE			REFERE	NCE MA	TERIAL	METHOD	BLANK	SPIKE	MAT	RIX SPI	KE
		Sample				Method Blank	Measured		ptable nits			ptable nits		Acce Lin	ptable
PARAMETER	Batch	ld	Dup #1	Dup #2	RPD	DIAIIK	Value	Lower	Upper	Recovery	Lower	Upper	Recovery	Lower	Uppe
Sulphur Dissolved	4264202 4	4264202	<0.5	<0.5	NA	< 0.5	106%	80%	120%						
Antimony Dissolved	4264202	4264202	0.0001	0.0001	NA	< 0.0001	98%	80%	120%						
Selenium Dissolved	4264202	4264202	< 0.0005	<0.0005	NA	< 0.0005	104%	80%	120%						
Silicon Dissolved	4264202	4264202	1.57	1.41	10.7%	< 0.05	106%	80%	120%						
Tin Dissolved	4264202	4264202	<0.00005	<0.00005	NA	< 0.0000	5 98%	80%	120%						
Strontium Dissolved	4264202	4264202	0.0250	0.0209	17.9%	< 0.0002	100%	80%	120%						
Tellurium Dissolved	4264202	4264202	<0.0002	<0.0002	NA	< 0.0002	104%	80%	120%						
Thallium Dissolved	4264202	4264202	<0.0001	<0.0001	NA	< 0.0001	106%	80%	120%						
Thorium Dissolved	4264202			<0.0001	NA	< 0.0001			120%						
Titanium Dissolved	4264202		0.0014	0.0011	NA	< 0.0005			120%						
Uranium Dissolved	4264202 4	4264202	<0.00005	<0.00005	NA	< 0.00005	5 104%	80%	120%						
Vanadium Dissolved	4264202		0.001	0.001	NA	< 0.001	102%	80%	120%						
Tungsten Dissolved	4264202			<0.0001	NA	< 0.0001	106%		120%						
Zinc Dissolved	4264202		<0.001	<0.001	NA	< 0.001	104%		120%						
Zirconium Dissolved	4264202			<0.0001	NA	< 0.0001	98%		120%						
(283-071) 4 Acid Digest - Meta Ag	3 ,	P-OES/IC 4307034	P-MS finis 0.141	sh (CGY) 0.066	72.7%	< 0.001		80%	120%						
Al	4307034		2.01	2.00	0.5%	< 0.001	97%		120%						
As		4307034	1.88	1.74	7.7%	< 0.005			120%						
Ва	4307034 4		345	342	1.0%	< .05			120%						
Be	4307034		0.32	0.36	10.8%	< 0.02			120%						
Bi	3 4	4307034	0.057	0.017	109.3%	< 0.002		80%	120%						
Ca	4307034	4307034	1.06	1.05	0.9%	< 0.0001	105%	80%	120%						
Cd	3 4	4307034	0.049	0.047	4.5%	< 0.005		80%	120%						
Ce	4307034	4307034	14.6	16.1	9.8%	< 0.005		80%	120%						
Co	4307034	4307034	2.34	2.32	0.6%	< 0.005		80%	120%						
Cr	4307034	4307034	308	284	8.1%	< 1.0	105%	80%	120%						
Cs	4307034	4307034	0.310	0.303	2.3%	< 0.005		80%	120%						
Cu	4307034	4307034	5.4	5.4	0.0%	< 0.5	101%	80%	120%						
Fe	4307034	4307034	0.76	0.75	1.3%	< 0.001	106%	80%	120%						
Ga	3 4	4307034	4.00	3.93	1.8%	< 0.005		80%	120%						
Ge	4307034	4307034	0.01	0.02	29.1%	< 0.01		80%	120%						
Hf	3 4	4307034	0.854	0.844	1.1%	< 0.001		80%	120%						
In	3 4	4307034	0.005	0.006	16.4%	< 0.001		80%	120%						
K	4307034	4307034	0.87	0.89	2.3%	< 0.001	97%	80%	120%						
La	4307034	4307034	7.83	8.65	10.0%	< 0.05		80%	120%						
Li	4307034	4307034	4.83	4.89	1.3%	< 0.05		80%	120%						
Mg	4307034	4307034	0.20	0.19	5.1%	< 0.001	102%	80%	120%						

AGAT QUALITY ASSURANCE REPORT (V1)

Page 7 of 16



Quality Assurance

CLIENT NAME: ACTIVE EARTH ENGINEERING

AGAT WORK ORDER: 22V940974

PROJECT: 2315A

ATTENTION TO: Steve Boyce

SAMPLING SITE: SAMPLED BY:

			Rock	Anal	ysis	(Con	tinue	ed)							
RPT Date: Sep 23, 2022				UPLICATI	E		REFEREN	NCE MA	TERIAL	METHOD	BLANK	SPIKE	MAT	RIX SPI	KE
PARAMETER	Batch	Sample	Dup #1	Dup #2	RPD	Method Blank	Measured		ptable nits	Recovery	Lie	ptable nits	Recovery		ptable nits
		ld		·			Value	Lower	Upper	ĺ	Lower	Upper		Lower	Upper
Mn	4307034	4307034	135	128	5.3%	< 1.0	105%	80%	120%						
Мо	3	4307034	3.17	3.02	4.7%	< 0.005		80%	120%						
Na	4307034	4307034	0.67	0.68	1.5%	< 0.001	105%	80%	120%						
Nb	4307034	4307034	0.833	0.829	0.5%	< 0.005		80%	120%						
Ni	4307034	4307034	15.0	13.9	7.6%	< 1.0	98%	80%	120%						
P	4307034	4307034	146	142	2.8%	< 10.0	99%	80%	120%						
Pb	4307034	4307034	6.01	6.00	0.3%	< 0.005		80%	120%						
Rb	4307034	4307034	25.3	24.8	2.0%	< 0.005		80%	120%						
Re	3	4307034	0.0193	0.0248	24.8%	< 0.0003	}	80%	120%						
S	4307034	4307034	0.02	0.02	0.0%	< 0.001	100%	80%	120%						
Sb	4307034	4307034	0.17	0.16	4.4%	< 0.01		80%	120%						
Sc	4307034	4307034	1.11	1.02	8.6%	< 0.005		80%	120%						
Se	3	4307034	0.240	0.134	56.5%	< 0.002		80%	120%						
Sn	3	4307034	0.45	0.36	23.5%	< 0.05		80%	120%						
Sr	4307034	4307034	102	99.7	2.2%	< 0.005		80%	120%						
Та	4307034	4307034	0.05	0.05	0.2%	< 0.05		80%	120%						
Те	3	4307034	0.090	0.046	65.6%	< 0.005		80%	120%						
Th	4307034	4307034	1.89	2.86	40.7%	< 0.001		80%	120%						
Ti	4307034	4307034	0.03	0.03	0.0%	< 0.0001	101%	80%	120%						
TI	3	4307034	0.179	0.178	0.5%	< 0.005		80%	120%						
U	4307034	4307034	0.470	0.509	8.0%	< 0.001		80%	120%						
V	3	4307034	6.6	6.1	8.0%	< 0.5		80%	120%						
W	4307034	4307034	0.309	0.302	2.2%	< 0.005		80%	120%						
Υ	3	4307034	3.32	3.42	3.0%	< 0.005		80%	120%						
Zn	4307034	4307034	7.7	7.4	4.9%	< 0.5		80%	120%						
Zr	3	4307034	27.7	27.0	2.4%	< 0.02		80%	120%						

Certified By:

M. Whit

Method Summary

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22V940974
PROJECT: 2315A ATTENTION TO: Steve Boyce

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Rock Analysis			
Paste pH	ARD-283-18003	Sobek A.A. et al; Report EPA-600/2-78-054 (1978)	PH-METER
Fizz Rating	ARD-181-18000	MEND Project 1.16.1b (Sect. 6.2.3) (March 1991)	PH-METER
Total Sulfur	MIN-283-12001		LECO
Sulphate Sulphur	ARD-181-18009; INOR-181-6028	MEND Report 1.20.1 (09); mod from SM 4500-SO4 E	ICP/OES
Maximum Potential Acidity (MPA)	ARD-181-18004	MEND Project 1.16.1b (Sect. 6.2.3) (March 1991)	PH-METER
Net Neutralization Potential	ARD-181-18000	MEND Project 1.16.1b (Sect. 6.2.3) (March 1991)	PH-METER
Neutralization Potential Ratio	ARD-181-18004	MEND Project 1.16.1b (Sect. 6.2.3) (March 1991)	PH-METER
Siderite NP	ARD-181-18015	Skousen et al. J Env Quality 26: 673-681 (1997)	TITRATION
Total Carbon	MIN-283-12001		LECO
Inorganic Carbon - Total	MIN-283-12001	Modified from ASTM E1915-11	LECO
pH	ARD-283-18011	Modified from SM 4500-H+	PH METER
Electrical Conductivity	ARD-283-18012	Modified from SM 2510B	EC METER
Silver Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Aluminum Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Arsenic Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Boron Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Barium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Beryllium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Bismuth Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Calcium Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Cadmium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Chromium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Cobalt Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Copper Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Iron Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Mercury Dissolved	ARD-181-18006, MIN-283-12026	Modified from EPA 245.7	ICP-MS
Potassium Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Lithium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Lithium Dissolved Magnesium Dissolved		Modified from SM 3125 B Modified from SM 3120 B	ICP-MS ICP-OES

Method Summary

CLIENT NAME: ACTIVE EARTH ENGINEERING

AGAT WORK ORDER: 22V940974

PROJECT: 2315A

ATTENTION TO: Steve Boyce

SAMPLING SITE.		SAMPLED BY.	
PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Molybdenum Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Sodium Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Nickel Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Phosphorus Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Lead Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Sulphur Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Antimony Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Selenium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Silicon Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Tin Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Strontium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Tellurium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Thallium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Thorium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Titanium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Uranium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Vanadium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Tungsten Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Zinc Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Zirconium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Ag	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Al	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
As	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ва	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ве	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ві	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ca	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Cd	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS

Method Summary

CLIENT NAME: ACTIVE EARTH ENGINEERING

AGAT WORK ORDER: 22V940974

PROJECT: 2315A

ATTENTION TO: Steve Boyce

SAMPLING SITE.	,	SAMPLED BY.	
PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Се	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Co	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Cr	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Cs	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Cu	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Fe	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Ga	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ge	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Hf	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
In	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
К	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
La	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Li	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Mg	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Mn	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Мо	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Na	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Nb	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ni	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Р	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Pb	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Rb	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Re	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
S	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Sb	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Sc	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Se	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Sn	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS



Method Summary

CLIENT NAME: ACTIVE EARTH ENGINEERING

AGAT WORK ORDER: 22V940974

PROJECT: 2315A

ATTENTION TO: Steve Boyce

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Sr	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Та	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Те	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Th	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ті	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
ті	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
U	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
V	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
W	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Υ	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Zn	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Zr	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS





120 - 8600 Glenlyon Parkway Burnaby, BC

Arrival Temperature: V5J 0B6

Laboratory Use Only

1000

P: 778.452.4000 · F: 778.452.4074

AGAT Job Number: 22/940 974

Notes:

2952 8:278M

Chain of C	Custody Record						Wolcos.		S	18EP (2 9M	.
Report Inform Company: Contact: Address:	ation Active Earth Engineering homore Boerman 201-3989 Henning Drivernuby, OC, VSC 6Pa Produzs444 Fax:	Lth.	2. Name: Anou	as Boerman Bactive earth. in Landry ports @ active earth. co	Multipl Mage Page	e per e es per	Turnarou Regular TA Rush TAT	□ Sam □ 1 Bu □ 2 Bu	7 workin e Busine siness D siness D)% %	%	
AGAT Quote #: Client Project #			☐ BC CSR Soil	□ BC CSR - Water □ DW	Excel For Include	ormat d		ired: CONTACT LABO					LE
Phone:	Same as above Yes Chive Earth Engineerity Pactive earth ca Joy - 2600 Cladys A boots ford DC, V25 P7722222 Fax: MR as Project #		☐ IL ☐ PL ☐ CL ☐ RL-LD ☐ RL-HD ☐ WL-N ☐ WL-R Schedule 3.3 (Please S CCME (Please S Other (Please S	pecify)	ind ABA Pactage nate - Sulphu Hollast	extraction	ago, 100-0Es/10PMS				NUMBER OF CONTAINERS	ED (Y/N)	OS (T/N) □ 60 DAYS
LABORATORY USE (LAB ID #)	SAMPLE IDENTIFICATION SS_ARD-22 0901	SAMPLE MATRIX	DATE/TIME SAMPLED	COMMENTS - SITE SAMPLE INFO. SAMPLE CONTAINMENT DO jur, 2/3 of ziphuth bog	X NoAlfie Sulphit	Ajssolve Plank	orch Fini					A PRESERVED	Hold for: □ 60 DA
Samples Relinquished By (Prints) Samples Relinquished By (Prints) Samples Relinquished By (Prints)	nt Name and Sign):	Date/Time Date/Time	Samples Received By	(Print Name and Sign): (Print Name and Sign): [Print Name and Sign):	Date	/Time				ge 047			
Document #: DIV-186-1500.00	5			TEFAY							Date Revi	sed; May	11, 2020





SAMPLE INTEGRITY RECEIPT **FORM**

RECEIVING BASICS - Shipping	Temperature (Rottles/Jars only) N/A it only Sail Boss Bossins
Company/Consultant: ACTIVE EARTH - TES FA	Temperature (Bottles/Jars only) N/A if only Soil Bags Received
10:	FROZEN (Please Circle if samples received Frozen) 1 (Bottle/Jan) + + 10 = 10 °C 2 (Bottle/Jar) + + = °C
Waybill#	3 (Bottle/Jar) + + = °C 4 (Bottle/Jar) + + = °C
Branch: EDM GP RN FM RD VAN LYD FSJ EST SASK Other:	5 (Bottle/Jar) + + = °C 6 (Bottle/Jar) + + = °C 7 (Bottle/Jar) + + = °C
If multiple sites were submitted at once: Yes No	9 (Bottle)/Jar) + + = °C 10 (Bottle/Jar) + + = °C
Custody Seal Intact: Yes No No NA	(If more than 10 coolers are received use another sheet of paper and attach)
TATE ADMINISTRATION OF THE PROPERTY OF THE PRO	the most and the received use another sheet of paper and attachy
TAT: <24hr	LOGISTICS USE ONLY
cooler Quantity:	Workorder No: 22 / 940 974
TIME SENSITIVE ISSUES - Shipping	Samples Damaged: Yes No If YES why?
ALREADY EXCEEDED HOLD TIME? Yes No	No Bubble Wrap Frozen Courier
Inorganic Tests (Please Circle): Mibi, BOD, Nitrate/Nitrite, Turbidity, Color, Microtox, Ortho PO4, Tedlar Bag, Residual Chlorine, Chlorophyll*, Chloroamines*	Other:have they been notified of the above issues: Yes No
Earliest Expiry:	Whom spoken to: Date/Time:
Hydrocarbons: Earliest Expiry	CPM Initial
	General Comments:
SAMPLE INTEGRITY - Shipping Hazardous Samples: YES NO Precaution Taken:	*
Legal Samples: Yes No	
International Samples: Yes No	
Tana Scalati Variation	54
Tape Sealed: Yes No	
Coolant Used: Icepack Bagged Ice Free Ice Free Water None	
	the state of the s

* Subcontracted Analysis (See CPM)

Page 15 of 16



SAMPLE SUBMISSION CHECKLIST

ADDITIONAL COMMENTS:	Direct to laboratory by Ac Courier from Active Earth Courier from Site Harbour Air / courier com Other: ACE Courier	Analysis selected	Project Number 2315 A Bill containers lab For N/A Blind field-duplica Sample IDs on CC Container count of Turnaround time Different media s Sufficient ice and Cooler contains s COCs in cooler, in	
	Direct to laboratory by Active Earth staff Courier from Active Earth office (seal co-Courier from Site Harbour Air / courier combination (seal of ther:	Analysis selected on COC $\ \underline{\mathbf{or}} \ \square$ To be emailed by (name):	Samples Collected By Type of Sample Type of	
no soil jass, but riploch bog	Direct to laboratory by Active Earth staff Courier from Active Earth office (seal coolers with packing tape) Courier from Site Harbour Air / courier combination (seal coolers with packing tape) Other: ACE Courier	mailed by (name):	Submitted By Submitted By Submitted By Submission Dat Type of Sample Type of Sample Type of Sample Uapour Uapour All containers labelled with Sample ID and listed on the COC in numerical order. Blind field-duplicate samples collected, submitted, and included on the COC. Sample IDs on COCs exactly match sample IDs on containers. Container count on COCs matches container count in cooler. Turnaround time selected and results date specified. Different media submitted separately (soil, vapour, water, etc. on separate COCs). Samples from parceis/areas with different property owners are on separate COCs. Sufficient ice and/or freezer packs included. Ice is not loose. Cooler contains samples for one project only. COCs in cooler, in ziplock bag along with this form. Methanol vials include an Excepted Quantities Label on the outside of the cooler.	
bog	e)		Submission Date 22/09/1 Other: Onumerical order. on the COC. separate COCs). on separate COCs.	

Signature:

Date:

Tel 778-737-3488



WARNING:
THIS SHIPMENT IS NOT COVERED BY LIABILITY
INSURANCE FOR DIELAYED DELIVERY, LOSS OF MARKET, OR
PENALTY EXPENSE DUE TO LATE RECEPT, PIEASE SEE ALL
TERMS AND CONDITIONS OF CARBER

01/SEP/2022

DATE:





AGAT LABORATORIES/VIC & VAN ONLY C/O ACE VICTORIA COURIER VICTORIA, BC V8Z 1G1 (403) 736-2000	VIC & VAN ONL IRIER (403) 736-2000	NLY		PREPAID 1103014	×	X CONSIGNEE AGAT LABS 3681 E 1ST AVI	CONSIGNEE AGAT LABS 3681 E 1ST AVE VANCOUVER, BC V5M 1C2	COLLECT
SHIPPER'S SIGNATURE				TIME	CON	CONSIGNEE'S SIGNATURE	NATURE	DATE
	*5				7	PLEASE PRINT NAME	ME	TIME
Reference #		Link #	*	5.			DELIVERY CHARGE	
PIECES PACKAGING WEIGHT	WEIGHT (LBS)	LENGTH W	WfDTH	неснт	TOTAL WEIGHT	VEIGHT	DANGEROUS GOODS	
1 COOLERS	22	0	0	0	22		YES NO X EXTRA CHARGES	
į.							CONNECT CARRIER EXTRA INSURANCE VES NO VO	
TOTAL # DELIVERY INSTRUCTION 1 9:00 AM DELIVERY	TRUCTION			1000	VALUE OF SHIPMENT	SHIPMENT	ΗĚ	
CITY MESSENGER	INTER CITY	ж		PU DRI VER DETAIL	R DETAIL	00		
GR	GROUND	AIR	DRIVER	NUMBER	DATE	TIME	.o. o.	
Regular Reg	Regular	Regular					GST /HST	
Expedite		Expedite		D/O DRIVER	RDETAILS		COD AMOUNT	
Rush Direct (Hot Shat)	sct (Hot Shot)	Direct (Hot Shat) Direct (Hot Shat)	DRIVER	NUMBER DATE	DATE	TIME	COD FEE	
The Control of the Co	Chan and a	A 01 mol 1					TOTAL	



CLIENT NAME: ACTIVE EARTH ENGINEERING #304-2600 GLADYS AVE ABBOTSFORD , BC V2S 0E9

(250) 686-9850

PROJECT: 2315-a

ATTENTION TO: Marek

AGAT WORK ORDER: 22C857836

ROCK ANALYSIS REVIEWED BY: Jewel Shibu, Lab Supervisor WATER ANALYSIS REVIEWED BY: Jewel Shibu, Lab Supervisor

DATE REPORTED: Feb 18, 2022

PAGES (INCLUDING COVER): 17 VERSION*: 1

Should you require any information regarding this analysis please contact your client services representative at (403) 735-2005

*Notes	

Disclaimer:

- All work conducted herein has been done using accepted standard protocols, and generally accepted practices and methods. AGAT test methods may
 incorporate modifications from the specified reference methods to improve performance.
- All samples will be disposed of within 30 days after receipt unless a Long Term Storage Agreement is signed and returned. Some specialty analysis may
 be exempt, please contact your Client Project Manager for details.
- AGAT's liability in connection with any delay, performance or non-performance of these services is only to the Client and does not extend to any other
 third party. Unless expressly agreed otherwise in writing, AGAT's liability is limited to the actual cost of the specific analysis or analyses included in the
 services.
- This Certificate shall not be reproduced except in full, without the written approval of the laboratory.
- The test results reported herewith relate only to the samples as received by the laboratory.
- Application of guidelines is provided "as is" without warranty of any kind, either expressed or implied, including, but not limited to, warranties of
 merchantability, fitness for a particular purpose, or non-infringement. AGAT assumes no responsibility for any errors or omissions in the guidelines
 contained in this document.
- All reportable information as specified by ISO/IEC 17025:2017 is available from AGAT Laboratories upon request.

AGAT Laboratories (V1)

Page 1 of 17

Member of: Association of Professional Engineers and Geoscientists of Alberta (APEGA)

Western Enviro-Agricultural Laboratory Association (WEALA) Environmental Services Association of Alberta (ESAA)



CLIENT NAME: ACTIVE EARTH ENGINEERING

SAMPLING SITE:

Certificate of Analysis

AGAT WORK ORDER: 22C857836

PROJECT: 2315-a

ATTENTION TO: Marek

SAMPLED BY:

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

(181-704) Modified ABA Package (CGY)

(101-704) Modified ADA Lackage (OOT)							
DATE RECEIVED: 2022-01-27						DATE REPORTED: 2022-02-18	
	SAI	MPLE DESCRIP	PTION:	MW101	MW102		
		SAMPLE	TYPE:	Rock	Rock		
		DATE SAM	PLED:	2022-01-27 10:08	2022-01-27 10:08		
Parameter	Unit	G/S F	RDL	3459282	3459284		
Paste pH	pH units	(0.2	9.04	8.87		
Modified ABA NP	kgCaCO3/tonne		2	24	27		
Fizz Rating				Slight	Slight		
CaCO3 Equivalents	kgCaCO3/tonne		0.8	2.1	2.1		
Maximum Potential Acidity (MPA)	kgCaCO3/tonne		0.2	<0.2	1.3		
С	%	C	0.02	.28	.35		
S	%	C	0.01	0.01	0.04		
Inorganic Carbon - Total	%	0.	.020	0.254	0.248		

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

Analysis performed at AGAT Calgary (unless marked by *)

Certified By:

Jewel Shibu



AGAT WORK ORDER: 22C857836

PROJECT: 2315-a

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

CLIENT NAME: ACTIVE EARTH ENGINEERING

ATTENTION TO: Marek

SAMPLING SITE: SAMPLED BY:

(181-706) Sulphate-Sulphur HCl Leach (%) (CGY)								
DATE RECEIVED: 2022-01-27						DATE REPORTED: 2022-02-18		
	5	SAMPLE DES	CRIPTION:	MW101	MW102			
		SAMI	PLE TYPE:	Rock	Rock			
		DATE SAMPLED:		2022-01-27 10:08	2022-01-27 10:08			
Parameter	Unit	G/S	RDL	3459282	3459284			
Sulphate Sulphur	%		0.01	<0.01	<0.01			
Sulphate HCI Prep				Υ	Υ			

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

Analysis performed at AGAT Calgary (unless marked by *)

Certified By:

Jewel Shibu



SAMPLING SITE:

Certificate of Analysis

AGAT WORK ORDER: 22C857836

PROJECT: 2315-a

ATTENTION TO: Marek

SAMPLED BY:

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

(181-752) Dissolved Metals - Shake Flask Extraction (mg/L) (CGY)

		(101-732) DIS	Surveu iviei	lais - Silake Flas	K Extraction (mg/L) (CGY)	
DATE RECEIVED: 2022-01-2	27				DATE REPORTED: 2022-	02-18
	S.	AMPLE DESCRIPTION:	SFE on MW101	SFE on MW102		
		SAMPLE TYPE:	Rock	Rock		
		DATE SAMPLED:	2022-01-27	2022-01-27		
Danasatas	11.2	0.40	10:08	10:08		
Parameter	Unit	G/S RDL	3459285	3459286		
Weight of Dry Sample	g		250.03	249.92		
/olume of DI Water	mL		750	750		
oH	pH units	0.01	9.49	9.15		
Electrical Conductivity	uS/cm	1	48	61		
Silver Dissolved	mg/L	0.00008	<0.00008	<0.00008		
Aluminum Dissolved	mg/L	0.001	0.796	0.764		
Arsenic Dissolved	mg/L	0.0002	0.0005	0.0006		
Boron Dissolved	mg/L	0.01	<0.01	<0.01		
Barium Dissolved	mg/L	0.0002	0.0050	0.0091		
Beryllium Dissolved	mg/L	0.0001	<0.0001	<0.0001		
Bismuth Dissolved	mg/L	0.0001	<0.0001	<0.0001		
Calcium Dissolved	mg/L	0.05	4.75	6.44		
Cadmium Dissolved	mg/L	0.00001	0.00002	0.00001		
Chromium Dissolved	mg/L	0.0005	< 0.0005	<0.0005		
Cobalt Dissolved	mg/L	0.0001	0.0001	0.0002		
Copper Dissolved	mg/L	0.0005	0.0012	0.0017		
Iron Dissolved	mg/L	0.01	0.21	0.30		
Mercury Dissolved	mg/L	0.0005	< 0.0005	<0.0005		
Potassium Dissolved	mg/L	0.05	1.14	2.21		
Lithium Dissolved	mg/L	0.0005	< 0.0005	<0.0005		
Magnesium Dissolved	mg/L	0.05	0.62	0.67		
Manganese Dissolved	mg/L	0.001	0.018	0.037		
Molybdenum Dissolved	mg/L	0.0001	0.0009	0.0009		
Sodium Dissolved	mg/L	0.02	1.87	3.69		
Nickel Dissolved	mg/L	0.0005	< 0.0005	0.0006		
Phosphorus Dissolved	mg/L	0.05	<0.05	<0.05		
Lead Dissolved	mg/L	0.0005	< 0.0005	0.0006		
Sulphur Dissolved	mg/L	0.5	<0.5	1.3		
Antimony Dissolved	mg/L	0.0001	0.0001	0.0002		

Certified By:



SAMPLING SITE:

Certificate of Analysis

AGAT WORK ORDER: 22C857836

PROJECT: 2315-a

ATTENTION TO: Marek

SAMPLED BY:

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

(181-752) Dissolved Metals - Shake Flask Extraction (mg/L) (CGY)

		· ,			
DATE RECEIVED: 2022-01-2	7				DATE REPORTED: 2022-02-18
	SAMF	PLE DESCRIPTION:	SFE on MW101	SFE on MW102	
		SAMPLE TYPE:	Rock	Rock	
		DATE SAMPLED:	2022-01-27 10:08	2022-01-27 10:08	
Parameter	Unit	G/S RDL	3459285	3459286	
Selenium Dissolved	mg/L	0.0005	< 0.0005	<0.0005	
Silicon Dissolved	mg/L	0.05	1.52	1.63	
Tin Dissolved	mg/L	0.00005	< 0.00005	<0.00005	
Strontium Dissolved	mg/L	0.0002	0.0208	0.0135	
Tellurium Dissolved	mg/L	0.0002	< 0.0002	< 0.0002	
Thallium Dissolved	mg/L	0.0001	< 0.0001	<0.0001	
Thorium Dissolved	mg/L	0.0001	< 0.0001	<0.0001	
Titanium Dissolved	mg/L	0.0005	0.0022	0.0030	
Uranium Dissolved	mg/L	0.00005	< 0.00005	<0.00005	
Vanadium Dissolved	mg/L	0.001	0.002	0.002	
Tungsten Dissolved	mg/L	0.0001	0.0026	0.0230	
Zinc Dissolved	mg/L	0.001	0.009	0.012	
Zirconium Dissolved	mg/L	0.0001	<0.0001	<0.0001	
Hardness	mgCaCO3/L	0.5	14.4	18.8	

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

Analysis performed at AGAT Calgary (unless marked by *)

Certified By:



SAMPLING SITE:

Certificate of Analysis

AGAT WORK ORDER: 22C857836

PROJECT: 2315-a

ATTENTION TO: Marek

SAMPLED BY:

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

(283-071) 4 Acid Digest - Metals Package, ICP-OES/ICP-MS finish (CGY)

DATE RECEIVED: 2022-01-27					DATE REPORTED: 2022-02-18
		SAMPLE DESCRIPTION:	MW101	MW102	
		SAMPLE TYPE:	Rock	Rock	
		DATE SAMPLED:	2022-01-27	2022-01-27	
5 .	11.2	0.40	10:08	10:08	
Parameter	Unit	G/S RDL	3459282	3459284	
∖ g	ppm	0.001	0.100	0.656	
AI	%	0.001	7.96	8.59	
As	ppm	0.005	2.51	3.82	
3a	ppm	0.05	826	311	
Be .	ppm	0.02	0.85	0.95	
3i	ppm	0.002	0.086	0.076	
Ca	%	0.0001	2.83	1.46	
Cd	ppm	0.005	0.296	0.103	
Ce	ppm	0.005	33.3	34.1	
Co	ppm	0.005	14.1	12.0	
Cr	ppm	1.0	195	60.4	
Cs	ppm	0.005	0.727	0.834	
Cu	ppm	0.5	19.3	24.0	
[∓] e	%	0.001	4.16	3.67	
Ga	ppm	0.005	16.6	17.6	
Ge	ppm	0.01	0.17	0.16	
-l f	ppm	0.001	1.44	1.40	
n	ppm	0.001	0.075	0.092	
<	%	0.001	1.57	1.87	
.a	ppm	0.05	14.1	14.0	
i	ppm	0.05	9.01	5.02	
Лg	%	0.001	1.86	1.40	
/n	ppm	1.0	1820	1130	
Ло	ppm	0.005	1.41	0.462	
la	%	0.001	1.92	3.08	
Nb	ppm	0.005	6.96	4.50	
li	ppm	1.0	10.6	7.7	
P	ppm	10.0	798	140	
Pb	ppm	0.005	6.42	5.81	

Certified By:



SAMPLING SITE:

Certificate of Analysis

AGAT WORK ORDER: 22C857836

PROJECT: 2315-a

ATTENTION TO: Marek

SAMPLED BY:

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

(283-071) 4 Acid Digest - Metals Package, ICP-OES/ICP-MS finish (CGY)

		(=00 01 1) 171010		motare : acrage	
DATE RECEIVED: 2022-01-27					DATE REPORTED: 2022-02-18
		SAMPLE DESCRIPTION:	MW101	MW102	
		SAMPLE TYPE:	Rock	Rock	
		DATE SAMPLED:	2022-01-27 10:08		
Parameter	Unit	G/S RDL	3459282	3459284	
Rb	ppm	0.005	39.2	46.4	
Re	ppm	0.0003	0.0048	0.0042	
S	%	0.001	0.002	0.045	
Sb	ppm	0.01	0.39	0.30	
Sc	ppm	0.005	19.7	20.6	
Se	ppm	0.002	1.72	1.34	
Sn	ppm	0.05	1.10	1.28	
Sr	ppm	0.005	245	196	
Та	ppm	0.05	0.49	0.34	
Te	ppm	0.005	0.043	0.069	
Th	ppm	0.001	1.43	1.65	
Ti	%	0.0001	0.448	0.355	
TI	ppm	0.005	0.235	0.191	
U	ppm	0.001	0.627	0.121	
V	ppm	0.5	84.3	95.2	
W	ppm	0.005	0.875	6.66	
Υ	ppm	0.005	30.8	24.3	
Zn	ppm	0.5	125	72.8	
Zr	ppm	0.02	50.3	44.2	

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

3459282-3459284 As, Sb values may be low due to digestion losses.

Analysis performed at AGAT Calgary (unless marked by *)

Certified By:



SAMPLING SITE:

Sulfate

Certificate of Analysis

AGAT WORK ORDER: 22C857836

PROJECT: 2315-a

ATTENTION TO: Marek

SAMPLED BY:

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

ARD- Water Analysis

						•
DATE RECEIVED: 2022-01-27						DATE REPORTED: 2022-02-18
	5	SAMPLE DES	CRIPTION:	SFE on MW101	SFE on MW102	
		SAM	PLE TYPE:	Rock	Rock	
		DATE	SAMPLED:	2022-01-27 10:08	2022-01-27 10:08	
Parameter	Unit	G/S	RDL	3459285	3459286	
T - Alkalinity (as CaCO3)	mg/L		5	25	33	
Chloride	mg/L		1.0	<1.0	<1.0	
Fluoride	mg/L		0.01	<0.01	<0.01	

3.1

<1.0

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

mg/L

Analysis performed at AGAT Calgary (unless marked by *)

Certified By:



Quality Assurance

Rock Analysis

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

SAMPLING SITE: SAMPLED BY:

					. , , , , , , ,	ury or									
RPT Date: Feb 18, 2022			С	UPLICAT	E		REFERE	NCE MA	TERIAL	METHOD	BLANK	SPIKE	MAT	RIX SP	IKE
		Sample				Method Blank	Measured		ptable nits		Lin	ptable nits		1 1 1	eptable mits
PARAMETER	Batch	ld	Dup #1	Dup #2	RPD	Diank	Value	Lower	Upper	Recovery	Lower		Recovery	—	Upper
(181-704) Modified ABA Package	(CGY)	•													
Paste pH	1	3459282	9.04	9.03	0.1%	< 0.2	99%								
Modified ABA NP	1	3459282	24	24	0.0%	< 2	95%	80%	120%						
С	1	3490489	.0285	.0319	11.3%	< 0.02	90%	90%	110%						
S	1	3490489	0.035	0.030	NA	< 0.01	91%	90%	110%						
Inorganic Carbon - Total		3211752	2.33	2.09	10.9%	< 0.02	85%	80%	120%						
Comments: RPDs are calculated usi	ng raw ana	alytical data	and not the	e rounded	duplicate	values rep	orted.								
(283-071) 4 Acid Digest - Metals F	Package, I	CP-OES/IC	P-MS fini	sh (CGY)											
Ag	3467682		0.051	0.030	52.2%	< 0.001	103%	80%	120%						
Al	3467682		5.84	6.14	4.9%	< 0.001	105%	80%	120%					70%	
As	3467682		4.27	2.96	36.3%	< 0.005	106%	80%	120%						
Ва	3467682		829	840	1.3%	< .05	98%	80%	120%						
Be	3467682		1.04	0.85	20.2%	< 0.02	83%	80%	120%						
Bi	3467682		0.063	0.051	21.8%	< 0.002	123%	80%	120%						
Ca	3467682		6.58	6.82	3.6%	< 0.0001			120%						
Cd	3467682		0.065	0.072	10.5%	< 0.005	107%		120%					70%	
Ce	3467682		40.6	41.3	1.8%	< 0.005	103%		120%						
Со	3467682		5.98	5.95	0.5%	< 0.005	91%	80%	120%						
Cr	3467682		328	387	16.3%	< 1.0	91%	80%	120%						
Cs	3467682		0.968	1.01	4.2%	< 0.005	97%		120%						
Cu	3467682		16.5	13.3	21.6%	< 0.5	89%	80%	120%						
Fe	3467682		2.05	2.41	16.2%	< 0.001	84%		120%						
Ga	3467682		13.8	13.8	0.3%	< 0.005	92%	80%	120%						
Ge	3467682		0.11	0.11	1.3%	< 0.01	NA	80%	120%						
Hf	3467682		0.495	0.496	0.1%	< 0.001	90%	80%	120%						
In	3467682		0.019	0.021	6.4%	< 0.001	97%	80%	120%						
K	3467682		2.02	2.41	17.6%	< 0.001	94%	80%	120%						
La	3467682		19.6	19.8	1.2%	< 0.05	99%	80%	120%						
Li	3467682		10.5	10.8	3.3%	< 0.05	87%	80%	120%						
Mg	3467682		1.77	2.01	12.9%	< 0.001	108%	80%	120%						
Mn	3467682		452	542	18.0%	< 1.0	101%	80%	120%						
Mo	3467682		2.93	2.92	0.4%	< 0.005	90%	80%	120%						
Na	3467682		2.49	2.91	15.5%	< 0.001	97%	80%	120%						
Nb	3467682		5.68	5.84	2.7%	< 0.005	NA	80%	120%						
Ni	3467682		17.3	19.6	12.7%	< 1.0	85%	80%	120%						
P	3467682		1220	1440	16.5%	< 10.0	99%	80%	120%						
Pb	3467682		8.22	7.82	5.0%	< 0.005	95%	80%	120%						
Rb	3467682		31.9	32.9	3.2%	< 0.005	96%	80%	120%						
Re	3467682		0.0018	0.0019	1.8%	< 0.0003	91%	80%	120%						

AGAT QUALITY ASSURANCE REPORT (V1)

Page 9 of 17

AGAT Laboratories is accredited to ISO/IEC 17025 by the Canadian Association for Laboratory Accreditation Inc. (CALA) and/or Standards Council of Canada (SCC) for specific tests listed on the scope of accreditation. AGAT Laboratories (Mississauga) is also accredited by the Canadian Association for Laboratory Accreditation Inc. (CALA) for specific drinking water tests. Accreditations are location and parameter specific. A complete listing of parameters for each location is available from www.cala.ca and/or www.scc.ca. The tests in this report may not necessarily be included in the scope of accreditation. RPDs calculated using raw data. The RPD may not be reflective of duplicate values shown, due to rounding of final results.



Quality Assurance

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

SAMPLING SITE: SAMPLED BY:

Rock Analysis (Continued)															
RPT Date: Feb 18, 2022				UPLICATE			REFERE	NCE MA	TERIAL	METHOD	BLAN	SPIKE	MAT	RIX SP	IKE
PARAMETER	Batch	Sample	Dup #1	Dup #2	RPD	Method Blank	Measured		ptable nits	Recovery		ptable nits	Recovery		eptable mits
TATO WILLER	Date:	ld	Jup	Sup	2		Value	Lower	Upper	11000101	Lower	Upper		Lowe	Upper
S	3467682		<0.001	<0.001	0.0%	< 0.001	92%	80%	120%						
Sb	3467682		1.48	0.30	133.3%	< 0.01	130%	80%	120%						
Sc	3467682		3.34	3.34	0.0%	< 0.005	94%	80%	120%						
Se	3467682		0.626	0.496	23.2%	< 0.002	87%	80%	120%						
Sn	3467682		0.73	0.52	33.4%	< 0.05	85%	80%	120%						
Sr	3467682		511	514	0.5%	< 0.005	95%	80%	120%						
Та	3467682		0.48	0.48	1.3%	< 0.05	104%	80%	120%						
Те	3467682		0.038	0.010	117.4%	< 0.005	167%	80%	120%						
Th	3467682		6.82	5.72	17.6%	< 0.001	96%	80%	120%						
Ti	3467682		0.245	0.298	19.7%	< 0.0001	93%	80%	120%						
TI	3467682		0.226	0.261	14.5%	< 0.005	116%	80%	120%						
U	3467682		2.05	1.90	7.5%	< 0.001	99%	80%	120%						
V	3467682		41.5	42.2	1.8%	< 0.5	96%	80%	120%						
W	3467682		0.266	0.280	5.0%	< 0.005	93%	80%	120%						
Υ	3467682		6.57	6.53	0.6%	< 0.005	94%	80%	120%						
Zn	3467682		46.5	47.9	2.9%	< 0.5	95%	80%	120%						
Zr	3467682		9.54	9.63	1.0%	< 0.02	88%	80%	120%						
(181-706) Sulphate-Sulphur HCI L	each (%)	(CGY)													
Sulphate Sulphur	` '	3459282	<0.01	<0.01	0%	< 0.01	83%	80%	120%		85%	115%			
Comments: RPDs are calculated using	ng raw ana	lytical data	and not the	e rounded d	luplicate	values rep	orted.								
(181-752) Dissolved Metals - Shak	e Flask F	extraction	(ma/L) (C	GY)											
pH	1	3423890	6.81	6.84	0.4%	< 0.01	100%	90%	110%						
Electrical Conductivity	1	3423890	10.50	10.59	0.9%	< 2	99%		110%						
Silver Dissolved	1		<0.00008	<0.00008	0.0%	< 0.00008			120%						
Aluminum Dissolved	1	3423890	0.533	0.651	20.0%	< 0.001	104%		120%						
Arsenic Dissolved	1	3423890	0.0032	0.0033	2.5%	< 0.0002			120%						
Boron Dissolved	1	3423890	<0.01	<0.01	0.0%	< 0.01	101%	80°/-	120%						
Barium Dissolved	1	3423890	0.0151	0.0175	14.4%	< 0.0002			120%						
Beryllium Dissolved	1		<0.0001	<0.0001	0.0%	< 0.0002			120%						
Bismuth Dissolved	1	3423890		<0.0001	0.0%				120%						
Calcium Dissolved	1	3423890	0.40	0.40	0.5%	< 0.0001	102%		120%						
Cadmium Dissolved	1	2422000	0.00004				1 070/								
Chromium Dissolved	1 1	3423890 3423890	0.00001 0.0009	0.00001 0.0011	0.4% NA	< 0.0000° < 0.0005			120% 120%						
Cobalt Dissolved	1	3423890	0.0009	0.0011		< 0.0005			120%						
Copper Dissolved	1				NA 15.3%	< 0.0001									
Iron Dissolved	1	3423890 3423890	0.0096 0.43	0.0112 0.54	21.8%	< 0.0005			120% 120%						
ווטוו הופפחואבמ	1	J42309U	0.43	0.54	∠1.0%	< 0.01	111%	00%	120%						
Mercury Dissolved	1	3423890	<0.0005	<0.0005	0.0%	< 0.0005	99%	80%	120%						
Potassium Dissolved	1	3423890	1.20	1.20	0.4%	< 0.05	108%	80%	120%						

AGAT QUALITY ASSURANCE REPORT (V1)

Page 10 of 17



Quality Assurance

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

SAMPLING SITE: SAMPLED BY:

										• •							
Rock Analysis (Continued)																	
RPT Date: Feb 18, 2022				UPLICATE	Ē		REFERE	NCE MA	TERIAL	METHOD	BLANK	SPIKE	MAT	RIX SPI	KE		
PARAMETER	Batch	Sample	Dup #1	Dup #2	RPD	Method Blank	Measured Value	Acceptable Limits				Recovery	1 :-	ptable nits	Recovery		ptable nits
							value	Lower	Upper		Lower	Upper		Lower	Upper		
Lithium Dissolved	1	3423890	0.0007	0.0008	15.8%	< 0.0005	101%	80%	120%								
Magnesium Dissolved	1	3423890	0.28	0.33	16.0%	< 0.05	117%	80%	120%								
Manganese Dissolved	1	3423890	0.010	0.011	14.7%	< 0.001	102%	80%	120%								
Molybdenum Dissolved	1	3423890	0.0004	0.0005	14.3%	< 0.0001	100%		120%								
Sodium Dissolved	1	3423890	0.88	0.83	5.1%	< 0.02	113%	80%	120%								
Nickel Dissolved	1	3423890	0.0010	0.0010	2.0%	< 0.0005	98%	80%	120%								
Phosphorus Dissolved	1	3423890	0.12	0.12	0.3%	< 0.05	109%	80%	120%								
Lead Dissolved	1	3423890	<0.0005	<0.0005	0.0%	< 0.0005	100%	80%	120%								
Sulphur Dissolved	1	3423890	<0.5	<0.5	0.0%	< 0.5	106%	80%	120%								
Antimony Dissolved	1	3423890	0.0001	0.0001	0.9%	< 0.0001	94%	80%	120%								
Selenium Dissolved	1	3423890	<0.0005	<0.0005	0.0%	< 0.0005	97%	80%	120%								
Silicon Dissolved	1	3423890	1.20	1.34	11.1%	< 0.05	107%	80%	120%								
Tin Dissolved	1	3423890	<0.00005	<0.00005	0.0%	< 0.0000	5 93%	80%	120%								
Strontium Dissolved	1	3423890	0.0022	0.0026	15.2%	< 0.0002	100%	80%	120%								
Tellurium Dissolved	1	3423890	<0.0002	< 0.0002	0.0%	< 0.0002	99%	80%	120%								
Thallium Dissolved	1	3423890	<0.0001	<0.0001	0.0%	< 0.0001	103%	80%	120%								
Thorium Dissolved	1	3423890	<0.0001	<0.0001	0.0%	< 0.0001	100%	80%	120%								
Titanium Dissolved	1	3423890	0.0289	0.0414	35.4%	< 0.0005	99%	80%	120%								
Uranium Dissolved	1	3423890	<0.00005	0.00005	8.0%	< 0.0000	5 103%	80%	120%								
Vanadium Dissolved	1	3423890	0.003	0.003	10.1%	< 0.001	95%	80%	120%								
Tungsten Dissolved	1	3423890	<0.0001	<0.0001	0.0%	< 0.0001	104%	80%	120%								
Zinc Dissolved	1	3423890	0.015	0.014	8.5%	< 0.001	97%	80%	120%								
Zirconium Dissolved	1	3423890	<0.0001	<0.0001	0.0%	< 0.0001	94%	80%	120%								

Comments: RPDs are calculated using raw analytical data and not the rounded duplicate values reported.

Certified By:

Jewel Shibu

AGAT QUALITY ASSURANCE REPORT (V1)

Page 11 of 17



Quality Assurance

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

SAMPLING SITE: SAMPLED BY:

				Wate	er Ar	nalys	is										
RPT Date: Feb 18, 2022			Г	DUPLICAT	E		REFEREN	NCE MA	TERIAL	METHOD	BLANK	SPIKE	MAT	RIX SPI	KE		
PARAMETER	Batch	Sample	Dup #1	Dup #2	RPD	Method Blank	Measured		ptable nits	Recovery	Lie	ptable nits	Recovery	Lin	eptable mits		
		ld	.,	.,			Value	Lower	Upper	Lower		Upper	,		Upper		
ARD- Water Analysis																	
T - Alkalinity (as CaCO3)	3530698		146	149	2.0%	< 5	90%	80%	120%								
Bicarbonate	3530698		178	182	2.2%	< 5											
Chloride	3459285	3459285	<1.0	<1.0	NA	< 1.0	96%	70%	130%	96%	80%	120%	104%	70%	130%		
Fluoride	3459285	3459285	<0.01	< 0.01	NA	< 0.01	87%	70%	130%	93%	80%	120%	109%	70%	130%		
Sulfate	3459285	3459285	<1.0	<1.0	NA	< 1.0	92%	70%	130%	92%	80%	120%	102%	70%	130%		

Comments: Matrix spike NA: Spike level < native concentration. Matrix spike acceptance limits do not apply and are not calculated. Duplicate NA: results are less than 5X the RDL and RDP will not be calculated.

pH has been analyzed past the recommended holding time of 15 minutes from sampling (field measurement ideal if more accurate data required)

Nitrate and Nitrite: The regulatory hold time for the analysis of nitrate and/or nitrite in water is 72 hours.

Certified By:



QC Exceedance

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

RPT Date: Feb 18, 2022	_	REFERENC	E MATER	RIAL	METHOD	BLANK	SPIKE	MAT	RIX SPI	KE
PARAMETER	Sample Id	Measured	Accep Limi		Recovery	Lin	ptable nits	Recovery	Lin	ptable nits
		Value	Lower	Upper		Lower	Upper		Lower	Upper

(283-071) 4 Acid Digest - Metals Package, ICP-OES/ICP-MS finish (CGY)

Ві	123%	80%	120%
Sb	130%	80%	120%
Te	167%	80%	120%

Method Summary

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

SAMPLING SITE: SAMPLED BY:

SAMPLING SITE.		SAMPLED BY.	
PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Rock Analysis			
Paste pH	ARD-283-18003	Sobek A.A. et al; Report EPA-600/2-78-054 (1978)	PH METER
Modified ABA NP	ARD-283-18000	MEND Project 1.16.1b (Sect. 6.2.3) (March 1991)	TITRATION
Fizz Rating	ARD-181-18000	MEND Project 1.16.1b (Sect. 6.2.3) (March 1991)	PH METER
CaCO3 Equivalents			CALCULATION
Maximum Potential Acidity (MPA)	ARD-181-18000	MEND Project 1.16.1b (Sect. 6.2.3) (March 1991)	CALCULATION
C	MIN-283-12001		LECO
S	MIN-283-12001		LECO
Inorganic Carbon - Total	INOR-181-6027	Modified from ASTM E1915-11	LECO
Sulphate Sulphur	ARD-181-18009; INOR-181-6028	MEND Report 1.20.1 (09); mod from SM 4500-SO4 E	ICP/OES
Sulphate HCl Prep			N/A
Weight of Dry Sample			BALANCE
Volume of DI Water			
pH	ARD-283-18011	Modified from SM 4500-H+	PH METER
Electrical Conductivity	ARD-283-18012	Modified from SM 2510B	EC METER
Silver Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Aluminum Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Arsenic Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Boron Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Barium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Beryllium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Bismuth Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Calcium Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Cadmium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Chromium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Cobalt Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Copper Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Iron Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Mercury Dissolved	ARD-181-18006, MIN-283-12026	Modified from EPA 245.7	ICP-MS
Potassium Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES
Lithium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS
Magnesium Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES

SAMPLING SITE:

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

Method Summary

SAMPLED BY:

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE ANALYTICAL TECH				
Manganese Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES			
Molybdenum Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Sodium Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES			
Nickel Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Phosphorus Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES			
Lead Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Sulphur Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES			
Antimony Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Selenium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Silicon Dissolved	ARD-181-18006, MIN-283-12025	Modified from SM 3120 B	ICP-OES			
Tin Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Strontium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Tellurium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Thallium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Thorium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Titanium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Uranium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Vanadium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Tungsten Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Zinc Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Zirconium Dissolved	ARD-181-18006, MIN-283-12026	Modified from SM 3125 B	ICP-MS			
Hardness		SM 2340 B	N/A			
Ag	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS			
AI	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES			
As	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS			
Ва	MIN-283-12008.003 and MIN-283-12526.003	ICP-IVIS				
Ве	MIN-283-12008.003 and MIN-283-12526.003	ICP-MS				
Bi	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS			



SAMPLING SITE:

2910 12TH STREET NE CALGARY, ALBERTA CANADA T2E 7P7 TEL (403)735-2005 FAX (403)735-2771 http://www.agatlabs.com

Method Summary

SAMPLED BY:

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

SAMPLING SITE:		SAMPLED BY:	
PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Са	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Cd	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Се	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Со	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Cr	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Cs	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Cu	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Fe	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Ga	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ge	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Hf	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
In	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
К	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
La	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Li	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Mg	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Mn	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Мо	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Na	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Nb	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Ni	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
P	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Pb	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Rb	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Re	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
s	MIN-283-12008.003 & MIN-283-12025.003		ICP/OES
Sb	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS
Sc	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS

Method Summary

CLIENT NAME: ACTIVE EARTH ENGINEERING AGAT WORK ORDER: 22C857836

PROJECT: 2315-a ATTENTION TO: Marek

SAMPLING SITE: SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE				
Se	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
Sn	MIN-283-12008.003 and MIN-283-12526.003	ICP-MS					
Sr	MIN-283-12008.003 and MIN-283-12526.003	ICP-MS					
Та	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
Те	MIN-283-12008.003 and MIN-283-12526.003	ICP-MS					
Th	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
Ті	MIN-283-12008.003 & MIN-283-12025.003	ICP/OES					
ті	MIN-283-12008.003 and MIN-283-12526.003	ICD-MC					
U	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
V	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
W	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
Y	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
Zn	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
Zr	MIN-283-12008.003 and MIN-283-12526.003		ICP-MS				
Water Analysis							
T - Alkalinity (as CaCO3)	INST-0100, INST-0101	SM 2320 B	TITRATION				
Chloride	INST 0150	SM 4110 B	ION CHROMATOGRAPH				
Fluoride	INST 0150	SM 4110 B	ION CHROMATOGRAPH				
Sulfate	INST 0150	SM 4110 B	ION CHROMATOGRAPH				



CERTIFICATE OF ANALYSIS

Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Contact : Marek Downarowicz

Address : 160-2250 Boundary Road

Burnaby BC Canada V5M 3Z3

Telephone : ---

Project : 2315-A

PO : 2315-A

C-O-C number : --Sampler : ---

Site : ---

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)

No. of samples received : 3
No. of samples analysed : 3

Page : 1 of 5

Laboratory : Vancouver - Environmental

Account Manager : Sneha Sansare

Address : 8081 Lougheed Highway

Burnaby BC Canada V5A 1W9

Telephone : +1 604 253 4188

Date Samples Received : 13-May-2022 09:45

Date Analysis Commenced : 14-May-2022

Issue Date : 19-May-2022 16:36

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Christopher Li	Lab Assistant	Metals, Burnaby, British Columbia
Miles Gropen	Department Manager - Inorganics	Inorganics, Burnaby, British Columbia
Ophelia Chiu	Department Manager - Organics	Organics, Burnaby, British Columbia
Owen Cheng		Metals, Burnaby, British Columbia
Robin Weeks	Team Leader - Metals	Metals, Burnaby, British Columbia

Page : 2 of 5

Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

Unit	Description
-	No Unit
μg/L	micrograms per litre
mg/L	milligrams per litre

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Page : 3 of 5 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Results

Sub-Matrix: Water			CI	ient sample ID	MW101-220511	MW102D-22051	MW102S-22051	
(Matrix: Water)						1	1	
			Client samp	ling date / time	11-May-2022	11-May-2022	11-May-2022	
Analyte	CAS Number	Method	LOR	Unit	VA22B0421-001	VA22B0421-002	VA22B0421-003	
,					Result	Result	Result	
Physical Tests								
hardness (as CaCO3), dissolved		EC100	0.60	mg/L	144	266	228	
Anions and Nutrients								
chloride	16887-00-6	E235.CI	0.50	mg/L	12.3	126	127	
Dissolved Metals								
aluminum, dissolved	7429-90-5	E421	1.0	μg/L	<1.0	3.8	3.9	
antimony, dissolved	7440-36-0	E421	0.10	μg/L	<0.10	<0.10	<0.10	
arsenic, dissolved	7440-38-2	E421	0.10	μg/L	1.71	0.60	<0.10	
barium, dissolved	7440-39-3	E421	0.10	μg/L	3.36	48.7	20.3	
beryllium, dissolved	7440-41-7	E421	0.100	μg/L	<0.100	<0.100	<0.100	
bismuth, dissolved	7440-69-9	E421	0.050	μg/L	<0.050	<0.050	<0.050	
boron, dissolved	7440-42-8	E421	10	μg/L	45	37	12	
cadmium, dissolved	7440-43-9	E421	0.0050	μg/L	0.0092	0.0137	0.0056	
calcium, dissolved	7440-70-2	E421	50	μg/L	47800	96900	85400	
cesium, dissolved	7440-46-2	E421	0.010	μg/L	<0.010	<0.010	<0.010	
chromium, dissolved	7440-47-3	E421	0.50	μg/L	<0.50	<0.50	<0.50	
cobalt, dissolved	7440-48-4	E421	0.10	μg/L	<0.10	<0.10	<0.10	
copper, dissolved	7440-50-8	E421	0.20	μg/L	<0.20	2.08	1.49	
iron, dissolved	7439-89-6	E421	10	μg/L	<10	<10	<10	
lead, dissolved	7439-92-1	E421	0.050	μg/L	<0.050	0.062	<0.050	
lithium, dissolved	7439-93-2	E421	1.0	μg/L	1.4	9.5	<1.0	
magnesium, dissolved	7439-95-4	E421	5.0	μg/L	6020	5860	3650	
manganese, dissolved	7439-96-5	E421	0.10	μg/L	0.72	33.2	0.75	
mercury, dissolved	7439-97-6	E509	0.0050	μg/L	<0.0050	<0.0050	<0.0050	
molybdenum, dissolved	7439-98-7	E421	0.050	μg/L	3.55	4.34	0.220	
nickel, dissolved	7440-02-0	E421	0.50	μg/L	<0.50	0.53	<0.50	
phosphorus, dissolved	7723-14-0	E421	50	μg/L	<50	<50	<50	
potassium, dissolved	7440-09-7	E421	50	μg/L	422	1030	740	
rubidium, dissolved	7440-17-7	E421	0.20	μg/L	0.35	0.82	0.27	
selenium, dissolved	7782-49-2	E421	0.050	μg/L	0.076	0.206	0.109	
silicon, dissolved	7440-21-3	E421	50	μg/L	6910	5380	3700	
silver, dissolved	7440-22-4	E421	0.010	μg/L	<0.010	<0.010	<0.010	

Page : 4 of 5 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A

ALS

Analytical Results

Sub-Matrix: Water			Ci	lient sample ID	MW101-220511	MW102D-22051	MW102S-22051		
(Matrix: Water)						1	1		
			Client samp	oling date / time	11-May-2022	11-May-2022	11-May-2022		
Analyte	CAS Number	Method	LOR	Unit	VA22B0421-001	VA22B0421-002	VA22B0421-003		
					Result	Result	Result		
Dissolved Metals									
sodium, dissolved	7440-23-5	E421	50	μg/L	6710	109000	53100		
strontium, dissolved	7440-24-6	E421	0.20	μg/L	269	450	184		
sulfur, dissolved	7704-34-9	E421	500	μg/L	6320	60700	5080		
tellurium, dissolved	13494-80-9	E421	0.20	μg/L	<0.20	<0.20	<0.20		
thallium, dissolved	7440-28-0	E421	0.010	μg/L	<0.010	<0.010	<0.010		
thorium, dissolved	7440-29-1	E421	0.10	μg/L	<0.10	<0.10	<0.10		
tin, dissolved	7440-31-5	E421	0.10	μg/L	<0.10	0.17	<0.10		
titanium, dissolved	7440-32-6	E421	0.30	μg/L	<0.30	<0.30	<0.30		
tungsten, dissolved	7440-33-7	E421	0.10	μg/L	0.63	0.22	<0.10		
uranium, dissolved	7440-61-1	E421	0.010	μg/L	0.263	6.60	0.186		
vanadium, dissolved	7440-62-2	E421	0.50	μg/L	1.34	0.59	<0.50		
zinc, dissolved	7440-66-6	E421	1.0	μg/L	<1.0	2.6	4.2		
zirconium, dissolved	7440-67-7	E421	0.20	μg/L	<0.20	<0.20	<0.20		
dissolved mercury filtration location		EP509	-	-	Field	Field	Field		
dissolved metals filtration location		EP421	-	-	Field	Field	Field		
Hydrocarbons								'	
EPH (C10-C19)		E601A	250	μg/L	<250	<250	<250		
EPH (C19-C32)		E601A	250	μg/L	<250	<250	<250		
HEPHw		EC600A	250	μg/L	<250	<250	<250		
LEPHw		EC600A	250	μg/L	<250	<250	<250		
Hydrocarbons Surrogates								'	
bromobenzotrifluoride, 2- (EPH surr)	392-83-6	E601A	1.0	%	99.5	103	97.2		
Polycyclic Aromatic Hydrocarbons									
acenaphthene	83-32-9	E641A	0.010	μg/L	<0.010	<0.010	<0.010		
acenaphthylene	208-96-8	E641A	0.010	μg/L	<0.010	<0.010	<0.010		
acridine	260-94-6	E641A	0.010	μg/L	<0.010	<0.010	<0.010		
anthracene	120-12-7	E641A	0.010	μg/L	<0.010	<0.010	<0.010		
benz(a)anthracene	56-55-3	E641A	0.010	μg/L	<0.010	<0.010	<0.010		
benzo(a)pyrene	50-32-8	E641A	0.0050	μg/L	<0.0050	<0.0050	<0.0050		
benzo(b+j)fluoranthene	n/a	E641A	0.010	μg/L	<0.010	<0.010	<0.010		
benzo(b+j+k)fluoranthene	n/a	E641A	0.015	μg/L	<0.015	<0.015	<0.015		
benzo(g,h,i)perylene	191-24-2	E641A	0.010	μg/L	<0.010	<0.010	<0.010		
J	.5.2.2		I			I			l

Page : 5 of 5 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A

ALS

Analytical Results

Sub-Matrix: Water			CI	ient sample ID	MW101-220511	MW102D-22051	MW102S-22051	
(Matrix: Water)						1	1	
			Client samp	oling date / time	11-May-2022	11-May-2022	11-May-2022	
Analyte	CAS Number	Method	LOR	Unit	VA22B0421-001	VA22B0421-002	VA22B0421-003	
					Result	Result	Result	
Polycyclic Aromatic Hydrocarbons								
benzo(k)fluoranthene	207-08-9	E641A	0.010	μg/L	<0.010	<0.010	<0.010	
chrysene	218-01-9	E641A	0.010	μg/L	<0.010	<0.010	<0.010	
dibenz(a,h)anthracene	53-70-3	E641A	0.0050	μg/L	<0.0050	<0.0050	<0.0050	
fluoranthene	206-44-0	E641A	0.010	μg/L	<0.010	<0.010	<0.010	
fluorene	86-73-7	E641A	0.010	μg/L	<0.010	<0.010	<0.010	
indeno(1,2,3-c,d)pyrene	193-39-5	E641A	0.010	μg/L	<0.010	<0.010	<0.010	
methylnaphthalene, 1-	90-12-0	E641A	0.010	μg/L	<0.010	<0.010	<0.010	
methylnaphthalene, 2-	91-57-6	E641A	0.010	μg/L	<0.010	<0.010	<0.010	
naphthalene	91-20-3	E641A	0.050	μg/L	<0.050	<0.050	<0.050	
phenanthrene	85-01-8	E641A	0.020	μg/L	<0.020	<0.020	<0.020	
pyrene	129-00-0	E641A	0.010	μg/L	<0.010	<0.010	<0.010	
quinoline	91-22-5	E641A	0.050	μg/L	<0.050	<0.050	<0.050	
Polycyclic Aromatic Hydrocarbons Surrogates								
chrysene-d12	1719-03-5	E641A	0.1	%	83.3	88.4	85.2	
naphthalene-d8	1146-65-2	E641A	0.1	%	91.0	96.0	95.7	
phenanthrene-d10	1517-22-2	E641A	0.1	%	96.1	99.4	101	

Please refer to the General Comments section for an explanation of any qualifiers detected.



QUALITY CONTROL INTERPRETIVE REPORT

Page

Laboratory

Address

Telephone

Issue Date

Account Manager

Date Samples Received

: 1 of 7

· Sneha Sansare

: +1 604 253 4188

: 13-May-2022 09:45

: 19-May-2022 16:36

: Vancouver - Environmental

: 8081 Lougheed Highway

Burnaby, British Columbia Canada V5A 1W9

Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Contact : Marek Downarowicz

Address : 160-2250 Boundary Road

Burnaby BC Canada V5M 3Z3

Telephone : ----

Project : 2315-A PO : 2315-A

C-O-C number : ---Sampler : ---Site : ----

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)

No. of samples received :3
No. of samples analysed :3

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers: Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples


• No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

• No Analysis Holding Time Outliers exist.

Outliers: Frequency of Quality Control Samples

• No Quality Control Sample Frequency Outliers occur.



Page : 3 of 7
Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water					Ev	raluation: 🗴 =	Holding time excee	edance ; 🔻	= Within	Holding Tim
Analyte Group	Method	Sampling Date	Ext	raction / Pr	eparation		Analysis			
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Chloride in Water by IC										
HDPE										
MW101-220511	E235.Cl	11-May-2022					14-May-2022	28 days	3 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE										
MW102D-220511	E235.CI	11-May-2022					14-May-2022	28 days	3 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE										
MW102S-220511	E235.CI	11-May-2022					14-May-2022	28 days	3 days	✓
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
HDPE dissolved (nitric acid)										
MW101-220511	E509	11-May-2022	19-May-2022	28	8 days	✓	19-May-2022	20 days	0 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
HDPE dissolved (nitric acid)										
MW102D-220511	E509	11-May-2022	19-May-2022	28	8 days	✓	19-May-2022	20 days	0 days	✓
				days						
Dissolved Metals : Dissolved Mercury in Water by CVAAS										
HDPE dissolved (nitric acid)										,
MW102S-220511	E509	11-May-2022	19-May-2022	28	8 days	✓	19-May-2022	20 days	0 days	✓
				days						
Dissolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE dissolved (nitric acid)										,
MW101-220511	E421	11-May-2022	18-May-2022				18-May-2022	180	7 days	✓
								days		

 Page
 : 4 of 7

 Work Order
 : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix: Water Evaluation: × = Holding time exceedance; ✓ = Within Holding Time

atrix: water					LV	aluation	Holding time exce	euance,	– vviti iii i	Holding
Analyte Group	Method	Sampling Date	Ex	traction / Pr	eparation		Analysis			
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	g Times	Eva
			Date	Rec	Actual			Rec	Actual	
issolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE dissolved (nitric acid)										
MW102D-220511	E421	11-May-2022	18-May-2022				18-May-2022	180	7 days	✓
								days		
issolved Metals : Dissolved Metals in Water by CRC ICPMS										
HDPE dissolved (nitric acid)										
MW102S-220511	E421	11-May-2022	18-May-2022				18-May-2022	180	7 days	✓
								days		
ydrocarbons : BC PHCs - EPH by GC-FID										
Amber glass/Teflon lined cap (sodium bisulfate)										
MW101-220511	E601A	11-May-2022	18-May-2022	14	8 days	✓	19-May-2022	40 days	0 days	✓
				days						
ydrocarbons : BC PHCs - EPH by GC-FID									'	
Amber glass/Teflon lined cap (sodium bisulfate)										
MW102D-220511	E601A	11-May-2022	18-May-2022	14	8 days	✓	19-May-2022	40 days	0 days	✓
				days						
lydrocarbons : BC PHCs - EPH by GC-FID										
Amber glass/Teflon lined cap (sodium bisulfate)										
MW102S-220511	E601A	11-May-2022	18-May-2022	14	8 days	✓	19-May-2022	40 days	0 days	✓
				days						
olycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS									1	
Amber glass/Teflon lined cap (sodium bisulfate)										
MW101-220511	E641A	11-May-2022	18-May-2022	14	8 days	✓	18-May-2022	40 days	0 days	✓
				days						
olycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS									1	
Amber glass/Teflon lined cap (sodium bisulfate)										
MW102D-220511	E641A	11-May-2022	18-May-2022	14	8 days	✓	18-May-2022	40 days	0 days	✓
				days						
olycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS										
Amber glass/Teflon lined cap (sodium bisulfate)										
MW102S-220511	E641A	11-May-2022	18-May-2022	14	8 days	✓	18-May-2022	40 days	0 days	✓
				days				1		

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).

Page : 5 of 7

Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water	Evaluation: × = QC frequency outside specification; √ = QC frequency within specification						
Quality Control Sample Type			Co	ount		Frequency (%)	ĺ .
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Chloride in Water by IC	E235.CI	487723	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	492799	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	491586	1	10	10.0	5.0	✓
Laboratory Control Samples (LCS)							
BC PHCs - EPH by GC-FID	E601A	491969	1	17	5.8	5.0	✓
Chloride in Water by IC	E235.CI	487723	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	492799	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	491586	1	10	10.0	5.0	✓
PAHs by Hexane LVI GC-MS	E641A	491970	1	13	7.6	5.0	✓
Method Blanks (MB)							
BC PHCs - EPH by GC-FID	E601A	491969	1	17	5.8	5.0	✓
Chloride in Water by IC	E235.CI	487723	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	492799	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	491586	1	10	10.0	5.0	✓
PAHs by Hexane LVI GC-MS	E641A	491970	1	13	7.6	5.0	✓
Matrix Spikes (MS)							
Chloride in Water by IC	E235.CI	487723	1	16	6.2	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	492799	1	20	5.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	491586	1	10	10.0	5.0	✓

Page : 6 of 7

Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Chloride in Water by IC	E235.CI	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	Vancouver -			
	Environmental			
Dissolved Metals in Water by CRC ICPMS	E421	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS.
	Vancouver -			
	Environmental			Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Mercury in Water by CVAAS	E509	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by
	Vancouver - Environmental			CVAAS.
BC PHCs - EPH by GC-FID	E601A	Water	BC MOE Lab Manual	Sample extracts are analyzed by GC-FID for BC hydrocarbon fractions.
	LOUIA	114151	Do moz zaz manaa	
	Vancouver -			
	Environmental			
PAHs by Hexane LVI GC-MS	E641A	Water	EPA 8270E (mod)	Polycyclic Aromatic Hydrocarbons (PAHs) are analyzed by large volume injection (LVI) GC-MS.
	Vancouver -			
	Environmental			
Dissolved Hardness (Calculated)	EC100	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and
				Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers
	Vancouver -			to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially
	Environmental			calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.
LEPH and HEPH: EPH-PAH	EC600A	Water	BC MOE Lab Manual (LEPH and HEPH)	Light Extractable Petroleum Hydrocarbons (LEPH) and Heavy Extractable Petroleum Hydrocarbons (HEPH) are calculated as follows: LEPH = Extractable Petroleum
	Vancouver -		(mod)	Hydrocarbons (EPH10-19) minus Acenaphthene, Acridine, Anthracene, Fluorene,
	Environmental		(Naphthalene and Phenanthrene; HEPH = Extractable Petroleum Hydrocarbons
				(EPH19-32) minus Benz(a)anthracene, Benzo(a)pyrene, Fluoranthene, and Pyrene.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Metals Water Filtration	EP421	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
	Vancouver -			
	Environmental			
Dissolved Mercury Water Filtration	EP509	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HCl.
	Vancouver -			
	Environmental			

 Page
 : 7 of 7

 Work Order
 : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
PHCs and PAHs Hexane Extraction	EP601	Water	EPA 3511 (mod)	Petroleum Hydrocarbons (PHCs) and Polycyclic Aromatic Hydrocarbons (PAHs) are extracted using a hexane liquid-liquid extraction.
	Vancouver -			
	Environmental			



QUALITY CONTROL REPORT

Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Contact : Marek Downarowicz

Address : 160-2250 Boundary Road

Burnaby BC Canada V5M 3Z3

Telephone : ----

Project : 2315-A PO : 2315-A

C-O-C number : --Sampler : --Site : ---

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)

No. of samples received : 3
No. of samples analysed : 3

Page : 1 of 12

Laboratory : Vancouver - Environmental

Account Manager : Sneha Sansare

Address : 8081 Lougheed Highway

Burnaby, British Columbia Canada V5A 1W9

Telephone : +1 604 253 4188

Date Samples Received : 13-May-2022 09:45

Date Analysis Commenced : 14-May-2022

Issue Date : 19-May-2022 16:36

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department	
Christopher Li	Lab Assistant	Vancouver Metals, Burnaby, British Columbia	
Miles Gropen	Department Manager - Inorganics	Vancouver Inorganics, Burnaby, British Columbia	
Ophelia Chiu	Department Manager - Organics	Vancouver Organics, Burnaby, British Columbia	
Owen Cheng		Vancouver Metals, Burnaby, British Columbia	
Robin Weeks	Team Leader - Metals	Vancouver Metals, Burnaby, British Columbia	

Page : 2 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Page : 3 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A

ALS

Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

ub-Matrix: Water					Laboratory Duplicate (DUP) Report							
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie	
nions and Nutrien	ts (QC Lot: 487723)											
/A22B0399-001	Anonymous	chloride	16887-00-6	E235.CI	0.50	mg/L	20.7	20.8	0.187%	20%		
issolved Metals (QC Lot: 491586)											
/A22B0293-011	Anonymous	aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR		
		antimony, dissolved	7440-36-0	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		barium, dissolved	7440-39-3	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR		
		bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		boron, dissolved	7440-42-8	E421	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR		
		cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR		
		calcium, dissolved	7440-70-2	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		cesium, dissolved	7440-46-2	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		copper, dissolved	7440-50-8	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		
		iron, dissolved	7439-89-6	E421	0.010	mg/L	<0.010	<0.010	0	Diff <2x LOR		
		lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		lithium, dissolved	7439-93-2	E421	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR		
		magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	<0.0050	<0.0050	0	Diff <2x LOR		
		manganese, dissolved	7439-96-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR		
		molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		nickel, dissolved	7440-02-0	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR		
		phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		potassium, dissolved	7440-09-7	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		
		selenium, dissolved	7782-49-2	E421	0.000050	mg/L	<0.000050	<0.000050	0	Diff <2x LOR		
		silicon, dissolved	7440-21-3	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR		
		sodium, dissolved	7440-23-5	E421	0.050	mg/L	<0.050	<0.050	0	Diff <2x LOR		
		strontium, dissolved	7440-24-6	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		
		sulfur, dissolved	7704-34-9	E421	0.50	mg/L	<0.50	<0.50	0	Diff <2x LOR		
		tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR		

Page : 4 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water				Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Dissolved Metals (QC Lot: 491586) - continued											
VA22B0293-011	Anonymous	thallium, dissolved	7440-28-0	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.00030	<0.00030	0	Diff <2x LOR	
		tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.00010	<0.00010	0	Diff <2x LOR	
		uranium, dissolved	7440-61-1	E421	0.000010	mg/L	<0.000010	<0.000010	0	Diff <2x LOR	
		vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.00050	<0.00050	0	Diff <2x LOR	
		zinc, dissolved	7440-66-6	E421	0.0010	mg/L	<0.0010	<0.0010	0	Diff <2x LOR	
		zirconium, dissolved	7440-67-7	E421	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	
Dissolved Metals (QC Lot: 492799)										
CG2205881-006	Anonymous	mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.0000050	<0.0000050	0	Diff <2x LOR	

 Page
 : 5 of 12

 Work Order
 : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A

ALS

Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Anions and Nutrients (QCLot: 4877)	23)				
chloride	16887-00-6 E235.CI	0.5	mg/L	<0.50	
Dissolved Metals (QCLot: 491586)					
aluminum, dissolved	7429-90-5 E421	0.001	mg/L	<0.0010	
antimony, dissolved	7440-36-0 E421	0.0001	mg/L	<0.00010	
arsenic, dissolved	7440-38-2 E421	0.0001	mg/L	<0.00010	
barium, dissolved	7440-39-3 E421	0.0001	mg/L	<0.00010	
beryllium, dissolved	7440-41-7 E421	0.00002	mg/L	<0.000020	
bismuth, dissolved	7440-69-9 E421	0.00005	mg/L	<0.000050	
ooron, dissolved	7440-42-8 E421	0.01	mg/L	<0.010	
cadmium, dissolved	7440-43-9 E421	0.000005	mg/L	<0.0000050	
calcium, dissolved	7440-70-2 E421	0.05	mg/L	<0.050	
cesium, dissolved	7440-46-2 E421	0.00001	mg/L	<0.000010	
chromium, dissolved	7440-47-3 E421	0.0005	mg/L	<0.00050	
cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	<0.00010	
copper, dissolved	7440-50-8 E421	0.0002	mg/L	<0.00020	
ron, dissolved	7439-89-6 E421	0.01	mg/L	<0.010	
ead, dissolved	7439-92-1 E421	0.00005	mg/L	<0.000050	
ithium, dissolved	7439-93-2 E421	0.001	mg/L	<0.0010	
magnesium, dissolved	7439-95-4 E421	0.005	mg/L	<0.0050	
manganese, dissolved	7439-96-5 E421	0.0001	mg/L	<0.00010	
molybdenum, dissolved	7439-98-7 E421	0.00005	mg/L	<0.000050	
nickel, dissolved	7440-02-0 E421	0.0005	mg/L	<0.00050	
phosphorus, dissolved	7723-14-0 E421	0.05	mg/L	<0.050	
ootassium, dissolved	7440-09-7 E421	0.05	mg/L	<0.050	
ubidium, dissolved	7440-17-7 E421	0.0002	mg/L	<0.00020	
selenium, dissolved	7782-49-2 E421	0.00005	mg/L	<0.000050	
silicon, dissolved	7440-21-3 E421	0.05	mg/L	<0.050	
silver, dissolved	7440-22-4 E421	0.00001	mg/L	<0.000010	
sodium, dissolved	7440-23-5 E421	0.05	mg/L	<0.050	
strontium, dissolved	7440-24-6 E421	0.0002	mg/L	<0.00020	
sulfur, dissolved	7704-34-9 E421	0.5	mg/L	<0.50	
ellurium, dissolved	13494-80-9 E421	0.0002	mg/L	<0.00020	
thallium, dissolved	7440-28-0 E421	0.00001	mg/L	<0.00010	

 Page
 : 6 of 12

 Work Order
 : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 491586						
thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	
tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	
titanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	
tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	
uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	
vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	
zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	
zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	
Dissolved Metals (QCLot: 492799	9)					
mercury, dissolved	7439-97-6	E509	0.000005	mg/L	<0.0000050	
Hydrocarbons (QCLot: 491969)						
EPH (C10-C19)		E601A	250	μg/L	<250	
EPH (C19-C32)		E601A	250	μg/L	<250	
Polycyclic Aromatic Hydrocarbon	ns (QCLot: 491970)					
acenaphthene	83-32-9	E641A	0.01	μg/L	<0.010	
acenaphthylene	208-96-8	E641A	0.01	μg/L	<0.010	
acridine	260-94-6	E641A	0.01	μg/L	<0.010	
anthracene	120-12-7	E641A	0.01	μg/L	<0.010	
benz(a)anthracene	56-55-3	E641A	0.01	μg/L	<0.010	
benzo(a)pyrene	50-32-8	E641A	0.005	μg/L	<0.0050	
benzo(b+j)fluoranthene	n/a	E641A	0.01	μg/L	<0.010	
benzo(g,h,i)perylene	191-24-2	E641A	0.01	μg/L	<0.010	
benzo(k)fluoranthene	207-08-9	E641A	0.01	μg/L	<0.010	
chrysene	218-01-9	E641A	0.01	μg/L	<0.010	
dibenz(a,h)anthracene	53-70-3	E641A	0.005	μg/L	<0.0050	
fluoranthene	206-44-0	E641A	0.01	μg/L	<0.010	
fluorene	86-73-7	E641A	0.01	μg/L	<0.010	
indeno(1,2,3-c,d)pyrene	193-39-5	E641A	0.01	μg/L	<0.010	
methylnaphthalene, 1-	90-12-0	E641A	0.01	μg/L	<0.010	
methylnaphthalene, 2-	91-57-6	E641A	0.01	μg/L	<0.010	
naphthalene	91-20-3	E641A	0.05	μg/L	<0.050	
phenanthrene	85-01-8	E641A	0.02	μg/L	<0.020	
pyrene	129-00-0	E641A	0.01	μg/L	<0.010	
quinoline	91-22-5	E641A	0.05	μg/L	<0.050	
				l .	l .	I.



Page : 7 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Page : 8 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water	Laboratory Control Sample (LCS) Report							
				Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Anions and Nutrients (QCLot: 487723)								
chloride	16887-00-6 E235.CI	0.5	mg/L	100 mg/L	94.0	90.0	110	
Dissolved Metals (QCLot: 491586)								
aluminum, dissolved	7429-90-5 E421	0.001	mg/L	2 mg/L	108	80.0	120	
antimony, dissolved	7440-36-0 E421	0.0001	mg/L	1 mg/L	102	80.0	120	
arsenic, dissolved	7440-38-2 E421	0.0001	mg/L	1 mg/L	99.5	80.0	120	
parium, dissolved	7440-39-3 E421	0.0001	mg/L	0.25 mg/L	98.9	80.0	120	
beryllium, dissolved	7440-41-7 E421	0.00002	mg/L	0.1 mg/L	101	80.0	120	
pismuth, dissolved	7440-69-9 E421	0.00005	mg/L	1 mg/L	98.4	0.08	120	
boron, dissolved	7440-42-8 E421	0.01	mg/L	1 mg/L	99.3	0.08	120	
cadmium, dissolved	7440-43-9 E421	0.000005	mg/L	0.1 mg/L	97.8	80.0	120	
calcium, dissolved	7440-70-2 E421	0.05	mg/L	50 mg/L	98.9	80.0	120	
cesium, dissolved	7440-46-2 E421	0.00001	mg/L	0.05 mg/L	97.4	80.0	120	
chromium, dissolved	7440-47-3 E421	0.0005	mg/L	0.25 mg/L	101	80.0	120	
cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	0.25 mg/L	98.6	80.0	120	
copper, dissolved	7440-50-8 E421	0.0002	mg/L	0.25 mg/L	98.8	80.0	120	
ron, dissolved	7439-89-6 E421	0.01	mg/L	1 mg/L	104	80.0	120	
ead, dissolved	7439-92-1 E421	0.00005	mg/L	0.5 mg/L	99.2	80.0	120	
ithium, dissolved	7439-93-2 E421	0.001	mg/L	0.25 mg/L	107	80.0	120	
magnesium, dissolved	7439-95-4 E421	0.005	mg/L	50 mg/L	100.0	80.0	120	
manganese, dissolved	7439-96-5 E421	0.0001	mg/L	0.25 mg/L	102	80.0	120	
molybdenum, dissolved	7439-98-7 E421	0.00005	mg/L	0.25 mg/L	99.7	80.0	120	
nickel, dissolved	7440-02-0 E421	0.0005	mg/L	0.5 mg/L	96.9	80.0	120	
phosphorus, dissolved	7723-14-0 E421	0.05	mg/L	10 mg/L	104	80.0	120	
potassium, dissolved	7440-09-7 E421	0.05	mg/L	50 mg/L	102	80.0	120	
rubidium, dissolved	7440-17-7 E421	0.0002	mg/L	0.1 mg/L	105	80.0	120	
selenium, dissolved	7782-49-2 E421	0.00005	mg/L	1 mg/L	99.2	80.0	120	
silicon, dissolved	7440-21-3 E421	0.05	mg/L	10 mg/L	102	80.0	120	
silver, dissolved	7440-22-4 E421	0.00001	mg/L	0.1 mg/L	92.5	80.0	120	
sodium, dissolved	7440-23-5 E421	0.05	mg/L	50 mg/L	103	80.0	120	
strontium, dissolved	7440-24-6 E421	0.0002	mg/L	0.25 mg/L	100	80.0	120	
sulfur, dissolved	7704-34-9 E421	0.5	mg/L	50 mg/L	104	80.0	120	
tellurium, dissolved	13494-80-9 E421	0.0002	mg/L	0.1 mg/L	102	80.0	120	
thallium, dissolved	7440-28-0 E421	0.00001	mg/L	1 mg/L	97.8	80.0	120	
iailiaiti, aissoivea	7770-20-0 1721	0.00001	mg/L	i ilig/L	91.0	00.0	120	

Page : 9 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



ub-Matrix: Water				Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier	
Dissolved Metals (QCLot: 491586) -	continued									
thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	101	80.0	120		
tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	96.5	80.0	120		
titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	99.1	80.0	120		
tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	95.0	80.0	120		
uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	103	80.0	120		
vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	101	80.0	120		
zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	99.0	80.0	120		
zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	98.8	80.0	120		
mercury, dissolved	7439-97-6	E509	0.000005	mg/L	0.0001 mg/L	90.4	80.0	120		
Hydrocarbons (QCLot: 491969)		E601A	250	ug/l	C404(I	404	70.0	130	I	
EPH (C10-C19)				μg/L	6491 μg/L	104	70.0	130		
EPH (C19-C32)		E601A	250	μg/L	3363 μg/L	115	70.0	130		
Polycyclic Aromatic Hydrocarbons	(QCLot: 491970)									
acenaphthene	83-32-9	E641A	0.01	μg/L	0.5 μg/L	114	60.0	130		
acenaphthylene	208-96-8	E641A	0.01	μg/L	0.5 μg/L	111	60.0	130		
acridine	260-94-6	E641A	0.01	μg/L	0.5 µg/L	100	60.0	130		
anthracene	120-12-7	E641A	0.01	μg/L	0.5 µg/L	116	60.0	130		
benz(a)anthracene	56-55-3	E641A	0.01	μg/L	0.5 μg/L	102	60.0	130		
benzo(a)pyrene	50-32-8	E641A	0.005	μg/L	0.5 μg/L	112	60.0	130		
benzo(b+j)fluoranthene	n/a	E641A	0.01	μg/L	0.5 μg/L	104	60.0	130		
benzo(g,h,i)perylene	191-24-2	E641A	0.01	μg/L	0.5 μg/L	118	60.0	130		
benzo(k)fluoranthene	207-08-9	E641A	0.01	μg/L	0.5 μg/L	113	60.0	130		
chrysene	218-01-9	E641A	0.01	μg/L	0.5 μg/L	117	60.0	130		
dibenz(a,h)anthracene	53-70-3	E641A	0.005	μg/L	0.5 μg/L	104	60.0	130		
fluoranthene	206-44-0	E641A	0.01	μg/L	0.5 μg/L	112	60.0	130		
fluorene	86-73-7	E641A	0.01	μg/L	0.5 μg/L	117	60.0	130		
indeno(1,2,3-c,d)pyrene	193-39-5	E641A	0.01	μg/L	0.5 μg/L	120	60.0	130		
methylnaphthalene, 1-	90-12-0		0.01	μg/L	0.5 μg/L	115	60.0	130		
methylnaphthalene, 2-	91-57-6		0.01	μg/L	0.5 μg/L	111	60.0	130		
naphthalene	91-20-3		0.05	μg/L	0.5 μg/L	111	50.0	130		
phenanthrene	85-01-8		0.02	μg/L	0.5 μg/L	120	60.0	130		
pyrene	129-00-0		0.01	μg/L	0.5 μg/L	113	60.0	130		
quinoline	91-22-5		0.05	μg/L	0.5 μg/L	120	60.0	130		
quinomic	31-ZZ-0		0.00	⊬9, -	υ.υ μg/L	120	55.5	100		

Page : 10 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Page : 11 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water						Matrix Spike (MS) Report								
					Spi	ke	Recovery (%)	Recovery Limits (%)						
aboratory sample	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie				
	ients (QCLot: 48772	3)												
VA22B0399-002	Anonymous	chloride	16887-00-6	E235.CI	102 mg/L	100 mg/L	102	75.0	125					
issolved Metals	(QCLot: 491586)													
/A22B0293-010	Anonymous	aluminum, dissolved	7429-90-5	E421	0.214 mg/L	0.2 mg/L	107	70.0	130					
		antimony, dissolved	7440-36-0	E421	0.0207 mg/L	0.02 mg/L	103	70.0	130					
		arsenic, dissolved	7440-38-2	E421	0.0206 mg/L	0.02 mg/L	103	70.0	130					
		barium, dissolved	7440-39-3	E421	ND mg/L	0.02 mg/L	ND	70.0	130					
		beryllium, dissolved	7440-41-7	E421	0.0415 mg/L	0.04 mg/L	104	70.0	130					
		bismuth, dissolved	7440-69-9	E421	0.00920 mg/L	0.01 mg/L	92.0	70.0	130					
		boron, dissolved	7440-42-8	E421	0.100 mg/L	0.1 mg/L	100	70.0	130					
		cadmium, dissolved	7440-43-9	E421	0.00407 mg/L	0.004 mg/L	102	70.0	130					
		calcium, dissolved	7440-70-2	E421	ND mg/L	4 mg/L	ND	70.0	130					
		cesium, dissolved	7440-46-2	E421	0.0101 mg/L	0.01 mg/L	101	70.0	130					
		chromium, dissolved	7440-47-3	E421	0.0416 mg/L	0.04 mg/L	104	70.0	130					
		cobalt, dissolved	7440-48-4	E421	0.0202 mg/L	0.02 mg/L	101	70.0	130					
		copper, dissolved	7440-50-8	E421	0.0205 mg/L	0.02 mg/L	102	70.0	130					
		iron, dissolved	7439-89-6	E421	ND mg/L	2 mg/L	ND	70.0	130					
		lead, dissolved	7439-92-1	E421	0.0195 mg/L	0.02 mg/L	97.4	70.0	130					
		lithium, dissolved	7439-93-2	E421	0.108 mg/L	0.1 mg/L	108	70.0	130					
		magnesium, dissolved	7439-95-4	E421	0.968 mg/L	1 mg/L	96.8	70.0	130					
		manganese, dissolved	7439-96-5	E421	ND mg/L	0.02 mg/L	ND	70.0	130					
		molybdenum, dissolved	7439-98-7	E421	0.0206 mg/L	0.02 mg/L	103	70.0	130					
		nickel, dissolved	7440-02-0	E421	0.0397 mg/L	0.04 mg/L	99.2	70.0	130					
		phosphorus, dissolved	7723-14-0	E421	10.2 mg/L	10 mg/L	102	70.0	130					
		potassium, dissolved	7440-09-7	E421	4.09 mg/L	4 mg/L	102	70.0	130					
		rubidium, dissolved	7440-17-7	E421	0.0210 mg/L	0.02 mg/L	105	70.0	130					
		selenium, dissolved	7782-49-2	E421	0.0404 mg/L	0.04 mg/L	101	70.0	130					
		silicon, dissolved	7440-21-3	E421	9.43 mg/L	10 mg/L	94.3	70.0	130					
		silver, dissolved	7440-22-4	E421	0.00435 mg/L	0.004 mg/L	109	70.0	130					
		sodium, dissolved	7440-23-5	E421	1.91 mg/L	2 mg/L	95.7	70.0	130					
		strontium, dissolved	7440-24-6	E421	ND mg/L	0.02 mg/L	ND	70.0	130					
		sulfur, dissolved	7704-34-9	E421	20.6 mg/L	20 mg/L	103	70.0	130					
		tellurium, dissolved	13494-80-9	 E421	0.0426 mg/L	0.04 mg/L	106	70.0	130					

Page : 12 of 12 Work Order : VA22B0421

Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water						Matrix Spike (MS) Report							
						ke	Recovery (%)		Recovery Limits (%)				
Laboratory sample	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier			
Dissolved Metals	(QCLot: 491586) - con	tinued											
VA22B0293-010	Anonymous	thallium, dissolved	7440-28-0	E421	0.00382 mg/L	0.004 mg/L	95.6	70.0	130				
		thorium, dissolved	7440-29-1	E421	0.0218 mg/L	0.02 mg/L	109	70.0	130				
		tin, dissolved	7440-31-5	E421	0.0198 mg/L	0.02 mg/L	99.1	70.0	130				
		titanium, dissolved	7440-32-6	E421	0.0398 mg/L	0.04 mg/L	99.5	70.0	130				
		tungsten, dissolved	7440-33-7	E421	0.0190 mg/L	0.02 mg/L	95.0	70.0	130				
		uranium, dissolved	7440-61-1	E421	0.00410 mg/L	0.004 mg/L	102	70.0	130				
		vanadium, dissolved	7440-62-2	E421	0.102 mg/L	0.1 mg/L	102	70.0	130				
		zinc, dissolved	7440-66-6	E421	0.427 mg/L	0.4 mg/L	107	70.0	130				
		zirconium, dissolved	7440-67-7	E421	0.0426 mg/L	0.04 mg/L	106	70.0	130				
Dissolved Metals	(QCLot: 492799)												
FJ2201184-003	Anonymous	mercury, dissolved	7439-97-6	E509	0.0000868 mg/L	0.0001 mg/L	86.8	70.0	130				

Chain of Custody (COC) / Analytical Request Form

COC Number: 22 -

Page

www.alsglobal.com

Canada Toll Free: 1 800 668 9878

Report To	Contact and company name below will appea	r on the final report		Reports / F	Recipients		1		Turr	around 7	ime (TAT)	Reques	ted				—		
Company:	Active Earth Engineering Ltd.	Se	elect Report Fo	ormat: 🖸 PDF [DD (DIGITAL)	D Ro	utine [R]	if receiv	ed by 3pm	M-F - no s	urcharges	apply						
Contact:				Reports with COA	_			4 day [P4] if received by 3pm M-F - 20% rush surcharge minimum				n	AFFIX ALS E	RAPCOL	EIAE	E1 UE	DE		
Phone:	(778) 752-2222							3 day [P3] if received by 3pm M-F - 25% rush surcharge minimum				m		LS use		11			
	Company address below will appear on the final		elect Distribution		MAIL 🗆		☐ 2 day [P2] if received by 3pm M-F - 50% rush surcharge minimum ☐ 1 day [F] if received by 3pm M-F - 100% rush surcharge minimum												
Street:	304 - 2600 Gladys Avenue	Fr	mail 1 or Fax	labreports@active	eerth.ca								sh surcharge.	'''					
City/Province:	Abbotsford, BC		mail 2 thomas, boerman@active eath.ca					A	dditional	fees may	apply to rush	requests	on weekends	, stalutory h	olidays and fo	r non-rout	ine test		\neg
Postal Code:	V2S 0E9		Email 3 march @ active couth Ca						1 Time F	equired for	r all E&P T	ATs:		dd-m	mm-yy hh:	mm am/	pm		\neg
Invaice To	Same as Report To ☐ YES ☑		77.517.5	Invoice R						For all test	s with rush T	ATs reque	ted, please co	ntact your Al	M to confirm av	allability.			\neg
	Copy of Invoice with Report ☑ YES ☐	NO Se	Select Invoice Distribution: ☑ EMAIL ☐ MAIL ☐ FAX									An	alysis Req	uest			-		\neg
Company:	Active Earth Engineering Ltd.	Er	nail 1 or Fax	ap@activeearth.c	a		œ		Ind	icate Filter	ed (F), Pres	erved (P)	or Filtered and	Preserved	(F/P) below			Ш	S
Contact:	Angie Steidle	. Er	nail 2			<u>, , , , , , , , , , , , , , , , , , , </u>	1 ツ			T		<u> </u>					1 '	≝	ğ
	Project Information		Oil	and Gas Require	d Fields (client	use)	CONTAINER			1							1	REQUIRE	8
ALS Account #	#/ Quote #: VA22-ACTI100-001	AF	E/Cost Center:	N/A	PO#	N/A	15			\$					4		ا _ ا	2	<u>ē</u>
Job #: 7	315-A	Ma	jor/Minor Code:	N/A	Routing Code:	N/A	ĺŌ		, O	2							НОГ	9	[윤]
PO / AFE:	(same as Job #)	Re	equisitioner:	N/A				1	T	O	1						모	<u> </u>	N I
LSD:	N/A	Lo	ocation:	N/A			Ь.	1	ğ	2							Ö	STORAGE	主
ALS Lab Worl	k Order # (ALS use only):	AL	LS Contact:	Sneha Sansare	Sampler:		NUMBER	17	2	Lis			⊥ Environ	ments	⊥ L Il Divisio		SAMPLES (EXTENDED 8	SUSPECTED HAZARD (see notes
ALS Sample #	· Sample Identification a	nd/or Coordinates		Date	Time	1	1 🗏	` ;	. 5	5		ĺ	Vancou	Vor	a Divisio	m	ΑF	🖫	%
(ALS use only)	(This description will ap			(dd-mmm-vy)	(bh:mm)	Sample Type	13	7	B	'		ì	Work	Order R	eference		Ψ	🖫	۱ڲ
	MW101-220			11-05-22	,	water	u	X	V	\overline{X}	1		VΔ	22E	3042	4			\dashv
	MW102D-220			1 .	-	1			쉬	+	+	l	V /7	22 L	704Z	. 1			\vdash
					 	+ + +	4			+	+ +			ii e w. e				\vdash	H
	MW 1025-221	0511			 	1	4	H				i		7C 044		W i	<u> </u>		\vdash
		•			<u> </u>											 			
											1 1		Mill IV			ll .			1
					T									577.5					
					<u> </u>						1	_	— in 1 11	ie. PWP		11			
				<u> </u>		 	+				+	T	elephone : -	1 604 253	3 4188		1		Н
					-	 		+			+ + `	-` ₁ -	1 - p	т —	-		\vdash		\vdash
		···				 	+		_			+-	-	 	+-+		₩	<u> </u>	\vdash
					<u> </u>		_							<u> </u>	\bot		ـــــــ		\vdash
														-					Ш
	·																		
		Notes / Specify Lim	its for result e	valuation by selecti	ng from drop-do	wn below					SAMPLE	RECE	PT DETAIL	S (ALS	use only)				\Box
Drinking	Water (DW) Samples¹ (client use)		(Ex	ccei COC only)			Cool	ing Me	thod:	□ NON		E 1	EPACKS	FROZE	N 🔲	COOLING	INITI	ATED	
-	en from a Regulated DW System?		· <u>-</u>				Subi	missior	Comr	nents ide	ntified on	Sample	Receipt No	otification	: YES		NO		
☐ YI	ES 🗆 NO				* •	•	Cool	er Cus	tody S	eals Inta	et: 🗆	YES 🛚	N/A Sam	ple Custo	ody Seals In	itact:	☐ YES		J/A
Are samples for	human consumption/ use?	·						IN	IITIAL C	OOLER TE	MPERATUR	RES °C		FJN	L COOLER T	EMPERA	TURES	°C	\Box
D YI	ES 🗆 NO]			_∑⊱	2				1
	SHIPMENT RELEASE (client use)			NITIAL SHIPMENT		ALS use only)			/	$\overline{}$	FIN	AL SHIF		CEPTION	(ALS use	only)			二
Released by	Date: 2121/05/	12	teceived by:		Date:		Time			yed by:	100	1	Date	au	13/2	2	Time	74	2
REFER TO BACK	K PAGE FOR ALS LOCATIONS AND SAMPLING	INFORMATION		WH	TE - LABORATO	RY COPY YEL	LOW-	CLIEN	T COP	IIIV	MA			17				FEB 20	22 FRONT

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy. 1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.



SAMPLE SUBMISSION CHECKLIST

Proj	ect Number	Samples Collected By	Submitted By	Submission Date
2315	-A	4B	at.	2022/05/12
		l ype oi	Sample	
□ Soil		∦ Water	□ Vapour	□ Other:
Y OI WA MA MA MA MA MA MA MA MA MA	Blind field dup Sample IDs on Container cour Turnaround tin Different medi Samples from Sufficient ice a Cooler contain COCs in cooler	licate samples collected, COCs exactly match sar nt on COCs matches con me selected and results of a submitted separately (parcels/areas with differ and/or freezer packs inclus samples for one project, in ziplock bag along with the context of the	tainer count in cooler. late specified. soil, vapour, water, etc. or ent property owners are uded. Ice is not loose. et only.	on the COC. n separate COCs). on separate COCs.
K	Analysis selec	ted on COC $\underline{\mathbf{or}}$ \square To be	emailed by (name):	
DELIVER	Y METHOD:	•		
		atory by Active Earth sta		· .
*Í		·	oolers with packing tape)
	Courier from S	· ·		
	Other:	ouner compination (sea	l coolers with packing taj	pe)
-				
ADDITIO	NAL COMMEN	ITS:		12 /26/19



CERTIFICATE OF ANALYSIS

Work Order : **VA22B1894** Page : 1 of 8

Amendment : 1

Address

Client : Active Earth Engineering Ltd. Laboratory : Vancouver - Environmental

Contact : Thomas Boerman Account Manager : Sneha Sansare

: 304-2600 Gladys Avenue Address : 8081 Lougheed Highway

Burnaby BC Canada V5A 1W9

: 06-Jun-2022 12:58

 Telephone
 : -- Telephone
 : +1 604 253 4188

 Project
 : 2315-A
 Date Samples Received
 : 30-May-2022 08:30

PO : 2315-A Date Analysis Commenced : 01-Jun-2022

C-O-C number : ---- Issue Date
Sampler : ---Site : ----

Abbotsford BC Canada V2S 0E9

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)

No. of samples received : 7
No. of samples analysed : 7

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Metals, Burnaby, British Columbia
Kyle Chang	Lab Assistant	Metals, Burnaby, British Columbia
Lindsay Gung	Supervisor - Water Chemistry	Inorganics, Burnaby, British Columbia
Ophelia Chiu	Department Manager - Organics	Organics, Burnaby, British Columbia

Page : 2 of 8

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

- No Unit μg/L micrograms per litre mg/L milligrams per litre	
mall milligrams per litro	
mg/L milligrams per litte	
pH units pH units	

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical
	Conductivity.
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference,
	colour, turbidity).

Page Work Order

: 3 of 8 : VA22B1894 Amendment 1 Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Results

Collect Sampling date / time	MW104S-22052	MW104D-22052
Analyte CAS Number Method LOR Unit VA22B1894-001 VA22B1894-002 VA22B1894-002 Result	6	6
Physical Tests Result	26-May-2022	26-May-2022
Physical Tests Pardness (as CaCO3), dissolved	VA22B1894-004	VA22B1894-005
hardness (as CaCO3), dissolved EC100 0.60 mg/L	Result	Result
pH E108 0.10 pH units 8.12 7.71 7.87 Anions and Nutrients ammonia, total (as N) 7664-41-7 E298 0.0050 mg/L <0.0050		
Anions and Nutrients Ammonia, total (as N) 7684-41-7 E298 0.0050 mg/L <0.0050	171	151
ammonia, total (as N) 7664-41-7 E298 0.0050 mg/L <0.0050	8.00	8.01
nitrate (as N) 14797-55-8 E235.NO3-L 0.0050 mg/L 0.0298 <0.0250		
nitrite (as N) 14797-85-0 received. E235.NO2-L received. 0.0010 received. ≪0.0010 received. <0.0050 received.	0.0192	0.0117
nitrogen, total 7727-37-9 E366 0.030 mg/L 0.037 0.076 0.304 Dissolved Metals aluminum, dissolved 7429-90-5 E421 1.0 µg/L antimony, dissolved 7440-38-2 E421 0.10 µg/L barium, dissolved 7440-38-2 E421 0.10 µg/L barium, dissolved 7440-43-9 E421 0.00 µg/L bismuth, dissolved 7440-48-9 E421 0.050 µg/L boron, dissolved 7440-42-8 E421 10 µg/L cadmium, dissolved 7440-43-9 E421 0.0050 µg/L cesium, dissolved 7440-46-2 E421 0.010 µg/L chromium, dissolved 7440-48-4		<0.0050
Dissolved Metals aluminum, dissolved 7429-90-5 E421 1.0 µg/L	s <0.0010	<0.0010
aluminum, dissolved 7429-90-5 E421 1.0 µg/L	0.096	0.069
antimony, dissolved arsenic, dissolved 7440-36-0 47440-38-2 5421 7440-38-2 5421 7440-39-3 5421 7440-39-3 5421 7440-41-7 7440-41-7 7		
arsenic, dissolved 7440-38-2 E421 0.10 µg/L	5.3	5.4
barium, dissolved 7440-39-3 E421 0.10 µg/L	0.32	0.25
beryllium, dissolved 7440-41-7 E421 0.020 µg/L	2.86	3.41
bismuth, dissolved boron, dissolved	50.1	37.0
boron, dissolved 7440-42-8 E421 10 µg/L	<0.020	<0.020
cadmium, dissolved 7440-43-9 E421 0.0050 µg/L	<0.050	<0.050
cesium, dissolved 7440-46-2 E421 0.010 µg/L	34	100
chromium, dissolved 7440-47-3 E421 0.50 μg/L	0.0109	0.0085
cobalt, dissolved 7440-48-4 E421 0.10 µg/L <	0.062	<0.010
copper, dissolved 7440-50-8 E421 0.20 µg/L	<0.50	<0.50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0.21	0.14
lead, dissolved 7439-92-1 E421 0.050 μg/L lithium, dissolved 7439-93-2 E421 1.0 μg/L manganese, dissolved 7439-96-5 E421 0.10 μg/L	3.18	1.83
lithium, dissolved 7439-93-2 E421 1.0 μ g/L manganese, dissolved 7439-96-5 E421 0.10 μ g/L	<10	13
manganese, dissolved 7439-96-5 E421 0.10 μg/L	0.053	0.070
	3.7	8.7
molybdenum, dissolved 7439-98-7 E421 0.050 μg/L	92.8	32.8
	12.0	5.70
nickel, dissolved 7440-02-0 E421 0.50 μg/L	0.53	<0.50
phosphorus, dissolved 7723-14-0 E421 50 μg/L	<50	<50
potassium, dissolved 7440-09-7 E421 50 μg/L	10700	1650
rubidium, dissolved 7440-17-7 E421 0.20 μg/L	34.0	1.67
selenium, dissolved 7782-49-2 E421 0.050 μg/L	0.076	0.168
silicon, dissolved 7440-21-3 E421 50 μg/L	5200	7950

Page Work Order

: 4 of 8 : VA22B1894 Amendment 1 : Active Earth Engineering Ltd. : 2315-A Client

Project



Analytical Results

Sub-Matrix: Water			CI	ient sample ID	MW101-220526	MW102S-22052	MW102D-22052	MW104S-22052	MW104D-22052
(Matrix: Water)						6	6	6	6
			Client samn	ling date / time	26-May-2022	26-May-2022	26-May-2022	26-May-2022	26-May-2022
Analyte	CAS Number	Method	LOR	Unit	VA22B1894-001	VA22B1894-002	VA22B1894-003	VA22B1894-004	VA22B1894-005
	<i>5,</i> 10, 710, 710, 710, 710, 710, 710, 710,				Result	Result	Result	Result	Result
Dissolved Metals									
silver, dissolved	7440-22-4	E421	0.010	μg/L				<0.010	<0.010
sodium, dissolved	7440-23-5	E421	50	μg/L				11700	16000
strontium, dissolved	7440-24-6	E421	0.20	μg/L				494	1770
sulfur, dissolved	7704-34-9	E421	500	μg/L				16200	12300
tellurium, dissolved	13494-80-9	E421	0.20	μg/L				<0.20	<0.20
thallium, dissolved	7440-28-0	E421	0.010	μg/L				0.031	0.011
thorium, dissolved	7440-29-1	E421	0.10	μg/L				<0.10	<0.10
tin, dissolved	7440-31-5	E421	0.10	μg/L				0.24	<0.10
titanium, dissolved	7440-32-6	E421	0.30	μg/L				<0.30	<0.30
tungsten, dissolved	7440-33-7	E421	0.10	μg/L				<0.10	0.57
uranium, dissolved	7440-61-1	E421	0.010	μg/L				3.20	4.41
vanadium, dissolved	7440-62-2	E421	0.50	μg/L				<0.50	<0.50
zinc, dissolved	7440-66-6	E421	1.0	μg/L				3.5	3.7
zirconium, dissolved	7440-67-7	E421	0.30	μg/L				<0.30	<0.30
calcium, dissolved	7440-70-2	E421	50	μg/L				58400	50900
magnesium, dissolved	7439-95-4	E421	5.0	μg/L				6150	5880
dissolved metals filtration location		EP421	-	-				Field	Field
Hydrocarbons									
EPH (C10-C19)		E601A	250	μg/L				<250	<250
EPH (C19-C32)		E601A	250	μg/L				<250	<250
HEPHw		EC600A	250	μg/L				<250	<250
LEPHw		EC600A	250	μg/L				<250	<250
Hydrocarbons Surrogates									
bromobenzotrifluoride, 2- (EPH surr)	392-83-6	E601A	1.0	%				91.6	85.3
Polycyclic Aromatic Hydrocarbons									
acenaphthene	83-32-9	E641A	0.010	μg/L				<0.010	<0.010
acenaphthylene	208-96-8	E641A	0.010	μg/L				<0.010	<0.010
acridine	260-94-6	E641A	0.010	μg/L				<0.010	<0.010
anthracene	120-12-7	E641A	0.010	μg/L				<0.010	<0.010
benz(a)anthracene	56-55-3	E641A	0.010	μg/L				<0.010	<0.010
benzo(a)pyrene	50-32-8	E641A	0.0050	μg/L				<0.0050	<0.0050
benzo(b+j)fluoranthene	n/a	E641A	0.010	μg/L				<0.010	<0.010

Page : 5 of 8

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Results

Sub-Matrix: Water			CI	ient sample ID	MW101-220526	MW102S-22052	MW102D-22052	MW104S-22052	MW104D-22052
(Matrix: Water)						6	6	6	6
			Client samp	ling date / time	26-May-2022	26-May-2022	26-May-2022	26-May-2022	26-May-2022
Analyte	CAS Number	Method	LOR	Unit	VA22B1894-001	VA22B1894-002	VA22B1894-003	VA22B1894-004	VA22B1894-005
					Result	Result	Result	Result	Result
Polycyclic Aromatic Hydrocarbons									
benzo(b+j+k)fluoranthene	n/a	E641A	0.015	μg/L				<0.015	<0.015
benzo(g,h,i)perylene	191-24-2	E641A	0.010	μg/L				<0.010	<0.010
benzo(k)fluoranthene	207-08-9	E641A	0.010	μg/L				<0.010	<0.010
chrysene	218-01-9	E641A	0.010	μg/L				<0.010	<0.010
dibenz(a,h)anthracene	53-70-3	E641A	0.0050	μg/L				<0.0050	<0.0050
fluoranthene	206-44-0	E641A	0.010	μg/L				<0.010	<0.010
fluorene	86-73-7	E641A	0.010	μg/L				<0.010	<0.010
indeno(1,2,3-c,d)pyrene	193-39-5	E641A	0.010	μg/L				<0.010	<0.010
methylnaphthalene, 1-	90-12-0	E641A	0.010	μg/L				<0.010	<0.010
methylnaphthalene, 2-	91-57-6	E641A	0.010	μg/L				<0.010	<0.010
naphthalene	91-20-3	E641A	0.050	μg/L				<0.050	<0.050
phenanthrene	85-01-8	E641A	0.020	μg/L				<0.020	<0.020
pyrene	129-00-0	E641A	0.010	μg/L				<0.010	<0.010
quinoline	91-22-5	E641A	0.050	μg/L				<0.050	<0.050
Polycyclic Aromatic Hydrocarbons Surrogates									
chrysene-d12	1719-03-5	E641A	0.1	%				98.6	82.0
naphthalene-d8	1146-65-2	E641A	0.1	%				104	85.8
phenanthrene-d10	1517-22-2	E641A	0.1	%				116	92.3

Please refer to the General Comments section for an explanation of any qualifiers detected.

Page Work Order

: 6 of 8 : VA22B1894 Amendment 1 Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Results

(Matrix: Water) Analyte	CAS Number							
Analyte	CAS Number							
Analyte	CAS Number		Client samp	ling date / time	27-May-2022	27-May-2022	 	
1 3 1		Method	LOR	Unit	VA22B1894-006	VA22B1894-007	 	
					Result	Result	 	
Physical Tests								
hardness (as CaCO3), dissolved		EC100	0.60	mg/L	263	90.9	 	
рН		E108	0.10	pH units	7.96	7.98	 	
Anions and Nutrients								
ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	<0.0050	0.0585	 	
chloride	16887-00-6	E235.CI	0.50	mg/L		10.6	 	
nitrate (as N)	14797-55-8	E235.NO3-L	0.0050	mg/L	5.35	2.22	 	
nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	0.0229	0.221	 	
nitrogen, total	7727-37-9	E366	0.030	mg/L	4.96	2.37	 	
Dissolved Metals								
aluminum, dissolved	7429-90-5	E421	1.0	μg/L	7.7	12.4	 	
antimony, dissolved	7440-36-0	E421	0.10	μg/L	1.89	0.72	 	
arsenic, dissolved	7440-38-2	E421	0.10	μg/L	3.00	0.44	 	
barium, dissolved	7440-39-3	E421	0.10	μg/L	52.4	21.0	 	
beryllium, dissolved	7440-41-7	E421	0.020	μg/L	<0.020	<0.020	 	
bismuth, dissolved	7440-69-9	E421	0.050	μg/L	<0.050	<0.050	 	
boron, dissolved	7440-42-8	E421	10	μg/L	38	107	 	
cadmium, dissolved	7440-43-9	E421	0.0050	μg/L	<0.0250 DLM	<0.0100 DLM	 	
cesium, dissolved	7440-46-2	E421	0.010	μg/L	<0.010	0.026	 	
chromium, dissolved	7440-47-3	E421	0.50	μg/L	<0.50	<0.50	 	
cobalt, dissolved	7440-48-4	E421	0.10	μg/L	0.49	0.30	 	
copper, dissolved	7440-50-8	E421	0.20	μg/L	3.12	4.67	 	
iron, dissolved	7439-89-6	E421	10	μg/L	<10	11	 	
lead, dissolved	7439-92-1	E421	0.050	μg/L	0.088	0.092	 	
lithium, dissolved	7439-93-2	E421	1.0	μg/L	3.3	8.8	 	
manganese, dissolved	7439-96-5	E421	0.10	μg/L	48.2	86.4	 	
molybdenum, dissolved	7439-98-7	E421	0.050	μg/L	35.2	23.4	 	
nickel, dissolved	7440-02-0	E421	0.50	μg/L	1.93	1.83	 	
phosphorus, dissolved	7723-14-0	E421	50	μg/L	<50	<50	 	
potassium, dissolved	7440-09-7	E421	50	μg/L	2360	1840	 	
rubidium, dissolved	7440-17-7	E421	0.20	μg/L	1.03	1.48	 	
selenium, dissolved	7782-49-2	E421	0.050	μg/L	2.43	0.571	 	
silicon, dissolved	7440-21-3	E421	50	μg/L	5990	4550	 	

Page Work Order

: 7 of 8 : VA22B1894 Amendment 1 : Active Earth Engineering Ltd. : 2315-A Client

Project



Analytical Results

Sub-Matrix: Water			CI	lient sample ID	MW105-220527	MW106-220527	 	
(Matrix: Water)								
			Client samp	oling date / time	27-May-2022	27-May-2022	 	
Analyte	CAS Number	Method	LOR	Unit	VA22B1894-006	VA22B1894-007	 	
					Result	Result	 	
Dissolved Metals								
silver, dissolved	7440-22-4	E421	0.010	μg/L	<0.010	<0.010	 	
sodium, dissolved	7440-23-5	E421	50	μg/L	28600	22300	 	
strontium, dissolved	7440-24-6	E421	0.20	μg/L	327	382	 	
sulfur, dissolved	7704-34-9	E421	500	μg/L	39900	13000	 	
tellurium, dissolved	13494-80-9	E421	0.20	μg/L	<0.20	<0.20	 	
thallium, dissolved	7440-28-0	E421	0.010	μg/L	0.019	0.013	 	
thorium, dissolved	7440-29-1	E421	0.10	μg/L	<0.10	<0.10	 	
tin, dissolved	7440-31-5	E421	0.10	μg/L	0.49	1.06	 	
titanium, dissolved	7440-32-6	E421	0.30	μg/L	<0.30	<0.30	 	
tungsten, dissolved	7440-33-7	E421	0.10	μg/L	<0.10	0.26	 	
uranium, dissolved	7440-61-1	E421	0.010	μg/L	11.6	1.47	 	
vanadium, dissolved	7440-62-2	E421	0.50	μg/L	<0.50	<0.50	 	
zinc, dissolved	7440-66-6	E421	1.0	μg/L	2.2	23.8	 	
zirconium, dissolved	7440-67-7	E421	0.30	μg/L	<0.30	<0.30	 	
calcium, dissolved	7440-70-2	E421	50	μg/L	82800	30400	 	
magnesium, dissolved	7439-95-4	E421	5.0	μg/L	13600	3640	 	
dissolved metals filtration location		EP421	-	-	Field	Field	 	
Hydrocarbons								
EPH (C10-C19)		E601A	250	μg/L	<250	<250	 	
EPH (C19-C32)		E601A	250	μg/L	<250	<250	 	
HEPHw		EC600A	250	μg/L	<250	<250	 	
LEPHw		EC600A	250	μg/L	<250	<250	 	
Hydrocarbons Surrogates								
bromobenzotrifluoride, 2- (EPH surr)	392-83-6	E601A	1.0	%	90.8	91.1	 	
Polycyclic Aromatic Hydrocarbons								
acenaphthene	83-32-9	E641A	0.010	μg/L	<0.010	<0.010	 	
acenaphthylene	208-96-8	E641A	0.010	μg/L	<0.010	<0.010	 	
acridine	260-94-6	E641A	0.010	μg/L	<0.010	<0.010	 	
anthracene	120-12-7	E641A	0.010	μg/L	<0.010	<0.010	 	
benz(a)anthracene	56-55-3	E641A	0.010	μg/L	<0.010	<0.010	 	
benzo(a)pyrene	50-32-8	E641A	0.0050	μg/L	<0.0050	<0.0050	 	
benzo(b+j)fluoranthene	n/a	E641A	0.010	μg/L	<0.010	<0.010	 	
	. 1		1	1 12				

Page : 8 of 8

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Results

Sub-Matrix: Water			CI	ient sample ID	MW105-220527	MW106-220527	 	
(Matrix: Water)								
			Client samp	ling date / time	27-May-2022	27-May-2022	 	
Analyte	CAS Number	Method	LOR	Unit	VA22B1894-006	VA22B1894-007	 	
					Result	Result	 	
Polycyclic Aromatic Hydrocarbons								
benzo(b+j+k)fluoranthene	n/a	E641A	0.015	μg/L	<0.015	<0.015	 	
benzo(g,h,i)perylene	191-24-2	E641A	0.010	μg/L	<0.010	<0.010	 	
benzo(k)fluoranthene	207-08-9	E641A	0.010	μg/L	<0.010	<0.010	 	
chrysene	218-01-9	E641A	0.010	μg/L	<0.010	<0.010	 	
dibenz(a,h)anthracene	53-70-3	E641A	0.0050	μg/L	<0.0050	<0.0050	 	
fluoranthene	206-44-0	E641A	0.010	μg/L	<0.010	<0.010	 	
fluorene	86-73-7	E641A	0.010	μg/L	<0.010	<0.010	 	
indeno(1,2,3-c,d)pyrene	193-39-5	E641A	0.010	μg/L	<0.010	<0.010	 	
methylnaphthalene, 1-	90-12-0	E641A	0.010	μg/L	<0.010	<0.010	 	
methylnaphthalene, 2-	91-57-6	E641A	0.010	μg/L	<0.010	<0.010	 	
naphthalene	91-20-3	E641A	0.050	μg/L	<0.050	<0.050	 	
phenanthrene	85-01-8	E641A	0.020	μg/L	<0.020	<0.020	 	
pyrene	129-00-0	E641A	0.010	μg/L	<0.010	<0.010	 	
quinoline	91-22-5	E641A	0.050	μg/L	<0.050	<0.050	 	
Polycyclic Aromatic Hydrocarbons Surrogates								
chrysene-d12	1719-03-5	E641A	0.1	%	95.5	97.7	 	
naphthalene-d8	1146-65-2	E641A	0.1	%	108	101	 	
phenanthrene-d10	1517-22-2	E641A	0.1	%	113	112	 	

Please refer to the General Comments section for an explanation of any qualifiers detected.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : VA22B1894 Page : 1 of 11

Amendment : 1

Client : Active Earth Engineering Ltd. Laboratory : Vancouver - Environmental

Contact : Thomas Boerman Account Manager : Sneha Sansare

Address : 304-2600 Gladys Avenue Address : 8081 Lougheed Highway

Burnaby, British Columbia Canada V5A 1W9

 Telephone
 : -- Telephone
 : +1 604 253 4188

 Project
 : 2315-A
 Date Samples Received
 : 30-May-2022 08:30

 PO
 : 2315-A
 Issue Date
 : 06-Jun-2022 12:58

C-O-C number : ---Sampler : ---Site : ----

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)

Abbotsford BC Canada V2S 0F9

No. of samples received : 7
No. of samples analysed : 7

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers: Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

• Analysis Holding Time Outliers exist - please see following pages for full details.

Outliers : Frequency of Quality Control Samples

<u>No</u> Quality Control Sample Frequency Outliers occur.		

Page : 3 of 11

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water					Ev	aluation: 🗴 =	Holding time exce	edance ; 🔻	= Within	Holding Time
Analyte Group	Method	Sampling Date	Ex	traction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
MW105-220527	E298	27-May-2022	02-Jun-2022	3 days	6 days	*	02-Jun-2022	28 days	0 days	✓
						EHTL				
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
MW106-220527	E298	27-May-2022	02-Jun-2022	3 days	6 days	*	02-Jun-2022	28 days	0 days	✓
						EHTL				
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
MW101-220526	E298	26-May-2022	02-Jun-2022	3 days	7 days	*	02-Jun-2022	28 days	0 days	✓
						EHTR				
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
MW102D-220526	E298	26-May-2022	02-Jun-2022	3 days	7 days	*	02-Jun-2022	28 days	0 days	✓
						EHTR				
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
MW102S-220526	E298	26-May-2022	02-Jun-2022	3 days	7 days	*	02-Jun-2022	28 days	0 days	✓
						EHTR				
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
MW104D-220526	E298	26-May-2022	02-Jun-2022	3 days	7 days	*	02-Jun-2022	28 days	0 days	✓
						EHTR				
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
MW104S-220526	E298	26-May-2022	02-Jun-2022	3 days	7 days	*	02-Jun-2022	28 days	0 days	✓
						EHTR				

Page : 4 of 11

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix: Water					Ev	aluation: 🗴 =	Holding time exce	edance ; 🛚	/ = Within	Holding Time
Analyte Group	Method	Sampling Date	Ex	traction / Pr	eparation			Analys	sis	
Container / Client Sample ID(s)			Preparation		g Times	Eval	Analysis Date		Times	Eval
A 1-22-21 N (1-22-21) 11-11-11 N (1-1-10			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Chloride in Water by IC HDPE							I			
MW106-220527	E235.CI	27-May-2022					02-Jun-2022	28 days	6 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE MW105-220527	E235.NO3-L	27-May-2022					02-Jun-2022	3 days	6 days	# EHTL
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE MW106-220527	E235.NO3-L	27-May-2022					02-Jun-2022	3 days	6 days	# EHTL
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE MW101-220526	E235.NO3-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE MW102D-220526	E235.NO3-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE MW102S-220526	E235.NO3-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE MW104D-220526	E235.NO3-L	26-May-2022					02-Jun-2022	3 days	7 days	# EHTR
Anions and Nutrients : Nitrate in Water by IC (Low Level)										
HDPE MW104S-220526	E235.NO3-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE MW105-220527	E235.NO2-L	27-May-2022					02-Jun-2022	3 days	6 days	# EHTL

Page

5 of 11 VA22B1894 Amendment 1 Work Order Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix: Water					Ev	/aluation: × =	Holding time exce	edance ; •	= Within	Holding Time
Analyte Group	Method	Sampling Date	Ex	traction / Pr	eparation			Analys	sis	
Container / Client Sample ID(s)			Preparation Date	Holding Rec	g Times Actual	Eval	Analysis Date	Holding Rec	7 Times Actual	Eval
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE MW106-220527	E235.NO2-L	27-May-2022					02-Jun-2022	3 days	6 days	* EHTL
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE MW101-220526	E235.NO2-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE MW102D-220526	E235.NO2-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE MW102S-220526	E235.NO2-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE MW104D-220526	E235.NO2-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Nitrite in Water by IC (Low Level)							<u> </u>			
HDPE MW104S-220526	E235.NO2-L	26-May-2022					02-Jun-2022	3 days	7 days	* EHTR
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (lab preserved) MW105-220527	E366	27-May-2022	02-Jun-2022	3 days	6 days	* EHTL	03-Jun-2022	28 days	1 days	✓
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (lab preserved) MW106-220527	E366	27-May-2022	02-Jun-2022	3 days	6 days	# EHTL	03-Jun-2022	28 days	1 days	✓
Anions and Nutrients : Total Nitrogen by Colourimetry										
Amber glass total (lab preserved) MW101-220526	E366	26-May-2022	02-Jun-2022	3 days	7 days	* EHTR	03-Jun-2022	28 days	1 days	✓

Page : 6 of 11

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix: Water Evaluation: x = Holding time exceedance; ✓ = Within Holding Time Analyte Group Extraction / Preparation Method Sampling Date Analysis Container / Client Sample ID(s) Preparation **Holding Times** Eval Analysis Date Holding Times Eval Rec Rec Actual Actual Date **Anions and Nutrients : Total Nitrogen by Colourimetry** Amber glass total (lab preserved) 26-May-2022 03-Jun-2022 MW102D-220526 E366 02-Jun-2022 3 days 7 days sc 28 days 1 days ✓ **EHTR** Anions and Nutrients: Total Nitrogen by Colourimetry Amber glass total (lab preserved) ✓ MW102S-220526 E366 26-May-2022 02-Jun-2022 3 days 7 days × 03-Jun-2022 28 days 1 days **EHTR** Anions and Nutrients: Total Nitrogen by Colourimetry Amber glass total (lab preserved) MW104D-220526 E366 26-May-2022 02-Jun-2022 3 days 7 days æ 03-Jun-2022 28 days 1 days 1 **EHTR** Anions and Nutrients : Total Nitrogen by Colourimetry Amber glass total (lab preserved) MW104S-220526 E366 26-May-2022 02-Jun-2022 3 days 7 days 03-Jun-2022 28 days 1 days ✓ × **EHTR** Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) MW105-220527 E421 27-May-2022 01-Jun-2022 01-Jun-2022 6 days ✓ 180 days Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) MW106-220527 E421 27-May-2022 01-Jun-2022 01-Jun-2022 ✓ 180 6 days days Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) MW104D-220526 E421 26-May-2022 01-Jun-2022 02-Jun-2022 8 days 1 180 days Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) MW104S-220526 ✓ E421 26-May-2022 01-Jun-2022 02-Jun-2022 180 8 days days Hydrocarbons: BC PHCs - EPH by GC-FID Amber glass/Teflon lined cap (sodium bisulfate) E601A 02-Jun-2022 ✓ 03-Jun-2022 ✓ MW105-220527 27-May-2022 7 days 40 days 1 days 14

days

Page : 7 of 11

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix: Water Evaluation: x = Holding time exceedance; ✓ = Within Holding Time Extraction / Preparation Analyte Group Method Sampling Date Analysis Container / Client Sample ID(s) Preparation **Holding Times** Eval Analysis Date Holding Times Eval Rec Actual Rec Actual Date Hydrocarbons: BC PHCs - EPH by GC-FID Amber glass/Teflon lined cap (sodium bisulfate) 03-Jun-2022 MW106-220527 E601A 27-May-2022 02-Jun-2022 7 days ✓ 40 days 1 days ✓ 14 days Hydrocarbons: BC PHCs - EPH by GC-FID Amber glass/Teflon lined cap (sodium bisulfate) E601A 1 ✓ MW104D-220526 26-May-2022 02-Jun-2022 14 8 days 03-Jun-2022 40 days 1 days days Hydrocarbons: BC PHCs - EPH by GC-FID Amber glass/Teflon lined cap (sodium bisulfate) MW104S-220526 E601A 26-May-2022 02-Jun-2022 8 days ✓ 03-Jun-2022 40 days 1 days 1 14 davs Physical Tests : pH by Meter HDPE E108 27-May-2022 02-Jun-2022 150 hrs MW105-220527 0.25 EHTR-FM hrs Physical Tests : pH by Meter HDPE E108 27-May-2022 02-Jun-2022 150 hrs sc MW106-220527 0.25 EHTR-FM hrs Physical Tests : pH by Meter HDPE E108 26-May-2022 02-Jun-2022 174 hrs MW101-220526 0.25 hrs EHTR-FM Physical Tests : pH by Meter HDPE MW102D-220526 E108 26-May-2022 02-Jun-2022 174 hrs 0.25 hrs EHTR-FM Physical Tests : pH by Meter HDPE 02-Jun-2022 174 hrs MW102S-220526 E108 26-May-2022 0.25 EHTR-FM hrs Physical Tests : pH by Meter HDPE E108 26-May-2022 02-Jun-2022 174 hrs MW104D-220526 æ 0.25 ----EHTR-FM hrs

Page : 8 of 11

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix: Water Evaluation: × = Holding time exceedance; ✓ = Within Holding Time

Analyte Group	Method	Sampling Date	Ext	raction / Pro	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Physical Tests : pH by Meter										
HDPE MW104S-220526	E108	26-May-2022					02-Jun-2022	0.25 hrs	174 hrs	* EHTR-FM
Polycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS										
Amber glass/Teflon lined cap (sodium bisulfate) MW105-220527	E641A	27-May-2022	02-Jun-2022	14 days	7 days	✓	03-Jun-2022	40 days	1 days	✓
Polycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS										
Amber glass/Teflon lined cap (sodium bisulfate) MW106-220527	E641A	27-May-2022	02-Jun-2022	14 days	7 days	✓	03-Jun-2022	40 days	1 days	✓
Polycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS										
Amber glass/Teflon lined cap (sodium bisulfate) MW104D-220526	E641A	26-May-2022	02-Jun-2022	14 days	8 days	✓	03-Jun-2022	40 days	1 days	✓
Polycyclic Aromatic Hydrocarbons : PAHs by Hexane LVI GC-MS										
Amber glass/Teflon lined cap (sodium bisulfate) MW104S-220526	E641A	26-May-2022	02-Jun-2022	14 days	8 days	✓	03-Jun-2022	40 days	1 days	✓

Legend & Qualifier Definitions

EHTR-FM: Exceeded ALS recommended hold time prior to sample receipt. Field Measurement recommended

EHTR: Exceeded ALS recommended hold time prior to sample receipt.

EHTL: Exceeded ALS recommended hold time prior to analysis. Sample was received less than 24 hours prior to expiry.

Rec. HT: ALS recommended hold time (see units).

Page : 9 of 11

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Quality Control Sample Type			С	ount		%)	
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Ammonia by Fluorescence	E298	508247	1	18	5.5	5.0	1
Chloride in Water by IC	E235.CI	507954	1	2	50.0	5.0	1
Dissolved Metals in Water by CRC ICPMS	E421	506291	2	30	6.6	5.0	1
Nitrate in Water by IC (Low Level)	E235.NO3-L	507951	1	8	12.5	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	507952	1	8	12.5	5.0	✓
pH by Meter	E108	507948	1	14	7.1	5.0	✓
Total Nitrogen by Colourimetry	E366	508248	1	11	9.0	5.0	✓
Laboratory Control Samples (LCS)							
Ammonia by Fluorescence	E298	508247	1	18	5.5	5.0	✓
BC PHCs - EPH by GC-FID	E601A	509204	1	15	6.6	5.0	✓
Chloride in Water by IC	E235.CI	507954	1	2	50.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	506291	2	30	6.6	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	507951	1	8	12.5	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	507952	1	8	12.5	5.0	✓
PAHs by Hexane LVI GC-MS	E641A	509205	1	16	6.2	5.0	✓
pH by Meter	E108	507948	1	14	7.1	5.0	✓
Total Nitrogen by Colourimetry	E366	508248	1	11	9.0	5.0	✓
Method Blanks (MB)							
Ammonia by Fluorescence	E298	508247	1	18	5.5	5.0	✓
BC PHCs - EPH by GC-FID	E601A	509204	1	15	6.6	5.0	✓
Chloride in Water by IC	E235.CI	507954	1	2	50.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	506291	2	30	6.6	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	507951	1	8	12.5	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	507952	1	8	12.5	5.0	✓
PAHs by Hexane LVI GC-MS	E641A	509205	1	16	6.2	5.0	✓
Total Nitrogen by Colourimetry	E366	508248	1	11	9.0	5.0	✓
Matrix Spikes (MS)							
Ammonia by Fluorescence	E298	508247	1	18	5.5	5.0	✓
Chloride in Water by IC	E235.CI	507954	1	2	50.0	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	506291	2	30	6.6	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	507951	1	8	12.5	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	507952	1	8	12.5	5.0	✓
Total Nitrogen by Colourimetry	E366	508248	1	11	9.0	5.0	✓

Page : 10 of 11

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
pH by Meter	E108 Vancouver - Environmental	Water	APHA 4500-H (mod)	pH is determined by potentiometric measurement with a pH electrode, and is conducted at ambient laboratory temperature (normally $20 \pm 5^{\circ}$ C). For high accuracy test results, pH should be measured in the field within the recommended 15 minute hold time.
Chloride in Water by IC	E235.Cl Vancouver - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Nitrite in Water by IC (Low Level)	E235.NO2-L Vancouver - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
Nitrate in Water by IC (Low Level)	E235.NO3-L Vancouver - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
Ammonia by Fluorescence	E298 Vancouver - Environmental	Water	J. Environ. Monit., 2005, 7, 37-42 (mod)	Ammonia in water is analyzed by flow-injection analysis with fluorescence detection after reaction with orthophthaldialdehyde (OPA).
Total Nitrogen by Colourimetry	E366 Vancouver - Environmental	Water	APHA 4500-P J (mod)	Total Nitrogen is determined colourimetrically using a discrete analyzer after heated persulfate digestion of the sample.
Dissolved Metals in Water by CRC ICPMS	E421 Vancouver - Environmental	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
BC PHCs - EPH by GC-FID	E601A Vancouver - Environmental	Water	BC MOE Lab Manual	Sample extracts are analyzed by GC-FID for BC hydrocarbon fractions.
PAHs by Hexane LVI GC-MS	E641A Vancouver - Environmental	Water	EPA 8270E (mod)	Polycyclic Aromatic Hydrocarbons (PAHs) are analyzed by large volume injection (LVI) GC-MS.

Page : 11 of 11

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Hardness (Calculated)	EC100 Vancouver - Environmental	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a
				property of water due to dissolved divalent cations.
LEPH and HEPH: EPH-PAH	EC600A	Water	BC MOE Lab Manual (LEPH and HEPH)	Light Extractable Petroleum Hydrocarbons (LEPH) and Heavy Extractable Petroleum Hydrocarbons (HEPH) are calculated as follows: LEPH = Extractable Petroleum
	Vancouver - Environmental		(mod)	Hydrocarbons (EPH10-19) minus Acenaphthene, Acridine, Anthracene, Fluorene, Naphthalene and Phenanthrene; HEPH = Extractable Petroleum Hydrocarbons (EPH19-32) minus Benz(a)anthracene, Benzo(a)pyrene, Fluoranthene, and Pyrene.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298 Vancouver -	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.
Digestion for Total Nitrogen in water	Environmental EP366	Water	APHA 4500-P J (mod)	Samples are heated with a persulfate digestion reagent.
	Vancouver - Environmental			
Dissolved Metals Water Filtration	EP421	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
	Vancouver - Environmental			
PHCs and PAHs Hexane Extraction	EP601	Water	EPA 3511 (mod)	Petroleum Hydrocarbons (PHCs) and Polycyclic Aromatic Hydrocarbons (PAHs) are extracted using a hexane liquid-liquid extraction.
	Vancouver -			
	Environmental			



QUALITY CONTROL REPORT

Work Order :VA22B1894

Amendment :

Client : Active Earth Engineering Ltd.

Contact : Thomas Boerman

Address : 304-2600 Gladys Avenue

Abbotsford BC Canada V2S 0E9

Telephone : ---

Project : 2315-A PO : 2315-A

C-O-C number :----

Sampler : ----

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)

No. of samples received : 7
No. of samples analysed : 7

Page : 1 of 16

Laboratory : Vancouver - Environmental

Account Manager : Sneha Sansare

Address : 8081 Lougheed Highway

Burnaby, British Columbia Canada V5A 1W9

Telephone : +1 604 253 4188

Date Samples Received : 30-May-2022 08:30

Date Analysis Commenced : 01-Jun-2022

Issue Date : 06-Jun-2022 12:58

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full. This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Kim Jensen	Department Manager - Metals	Vancouver Metals, Burnaby, British Columbia
Kyle Chang	Lab Assistant	Vancouver Metals, Burnaby, British Columbia
Lindsay Gung	Supervisor - Water Chemistry	Vancouver Inorganics, Burnaby, British Columbia
Ophelia Chiu	Department Manager - Organics	Vancouver Organics, Burnaby, British Columbia

Page : 2 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Page : 3 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

ub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC	Lot: 507948)										
VA22B1934-001	Anonymous	рН		E108	0.10	pH units	9.26	9.23	0.292%	4%	
Anions and Nutrien	ts (QC Lot: 507951)										
VA22B1934-001	Anonymous	nitrate (as N)	14797-55-8	E235.NO3-L	0.0050	mg/L	<5.0 μg/L	<0.0050	0	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 507952)										
/A22B1934-001	Anonymous	nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	<1.0 µg/L	<0.0010	0	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 507954)										
/A22B1934-001	Anonymous	chloride	16887-00-6	E235.CI	0.50	mg/L	13400 μg/L	13.6	0.948%	20%	
nions and Nutrien	ts (QC Lot: 508247)										
FJ2201384-001	Anonymous	ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	0.0050	0.0051	0.00007	Diff <2x LOR	
Anions and Nutrien	ts (QC Lot: 508248)										
-J2201384-001	Anonymous	nitrogen, total	7727-37-9	E366	0.030	mg/L	0.666	0.688	3.27%	20%	
Dissolved Metals (QC Lot: 506291)										
/A22B1601-009	Anonymous	aluminum, dissolved	7429-90-5	E421	0.0020	mg/L	6.7 µg/L	0.0074	0.0007	Diff <2x LOR	
		antimony, dissolved	7440-36-0	E421	0.00020	mg/L	<0.20 µg/L	<0.00020	0	Diff <2x LOR	
		arsenic, dissolved	7440-38-2	E421	0.00020	mg/L	12.0 µg/L	0.0122	1.59%	20%	
		barium, dissolved	7440-39-3	E421	0.00020	mg/L	756 µg/L	0.738	2.40%	20%	
		beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	<0.100 µg/L	<0.000100	0	Diff <2x LOR	
		bismuth, dissolved	7440-69-9	E421	0.000100	mg/L	<0.100 µg/L	<0.000100	0	Diff <2x LOR	
		boron, dissolved	7440-42-8	E421	0.020	mg/L	1290 µg/L	1.28	0.752%	20%	
		cadmium, dissolved	7440-43-9	E421	0.0000100	mg/L	<0.0100 µg/L	<0.0000100	0	Diff <2x LOR	
		calcium, dissolved	7440-70-2	E421	0.100	mg/L	135000 µg/L	132	2.02%	20%	
		cesium, dissolved	7440-46-2	E421	0.000020	mg/L	0.234 μg/L	0.000229	2.51%	20%	
		chromium, dissolved	7440-47-3	E421	0.00050	mg/L	0.74 μg/L	0.00075	0.00001	Diff <2x LOR	
		cobalt, dissolved	7440-48-4	E421	0.00020	mg/L	1.70 µg/L	0.00168	0.00002	Diff <2x LOR	
		copper, dissolved	7440-50-8	E421	0.00040	mg/L	<0.40 µg/L	<0.00040	0	Diff <2x LOR	
		iron, dissolved	7439-89-6	E421	0.020	mg/L	22000 μg/L	21.6	1.67%	20%	
		lead, dissolved	7439-92-1	E421	0.000100	mg/L	<0.100 µg/L	<0.000100	0	Diff <2x LOR	
		lithium, dissolved	7439-93-2	E421	0.0020	mg/L	<2.0 µg/L	<0.0020	0	Diff <2x LOR	
		magnesium, dissolved	7439-95-4	E421	0.0100	mg/L	26300 µg/L	26.2	0.390%	20%	
		manganese, dissolved	7439-96-5	E421	0.00020	mg/L	6950 μg/L	6.89	0.871%	20%	
		molybdenum, dissolved	7439-98-7	E421	0.000100	mg/L	1.29 µg/L	0.00126	2.05%	20%	

Page : 4 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Note Madaine Madain	latrix: Water				Laboratory Duplicate (DUP) Report							
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie	
issolved Metals (QC Lot: 506291) - cor	ntinued										
/A22B1601-009	Anonymous	nickel, dissolved	7440-02-0	E421	0.00100	mg/L	6.60 µg/L	0.00642	0.00018	Diff <2x LOR		
		phosphorus, dissolved	7723-14-0	E421	0.100	mg/L	<100 µg/L	<0.100	0	Diff <2x LOR		
		potassium, dissolved	7440-09-7	E421	0.100	mg/L	55700 μg/L	55.1	1.16%	20%		
		rubidium, dissolved	7440-17-7	E421	0.00040	mg/L	39.4 µg/L	0.0381	3.31%	20%		
		selenium, dissolved	7782-49-2	E421	0.000100	mg/L	0.145 μg/L	0.000173	0.000027	Diff <2x LOR		
		silicon, dissolved	7440-21-3	E421	0.100	mg/L	9580 μg/L	9.80	2.19%	20%		
		silver, dissolved	7440-22-4	E421	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR		
		sodium, dissolved	7440-23-5	E421	0.100	mg/L	114000 µg/L	112	1.97%	20%		
		strontium, dissolved	7440-24-6	E421	0.00040	mg/L	1140 μg/L	1.11	2.78%	20%		
		sulfur, dissolved	7704-34-9	E421	1.00	mg/L	4300 µg/L	4.42	0.12	Diff <2x LOR		
		tellurium, dissolved	13494-80-9	E421	0.00040	mg/L	<0.40 µg/L	<0.00040	0	Diff <2x LOR		
		thallium, dissolved	7440-28-0	E421	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR		
		thorium, dissolved	7440-29-1	E421	0.00020	mg/L	<0.20 μg/L	<0.00020	0	Diff <2x LOR		
		tin, dissolved	7440-31-5	E421	0.00020	mg/L	0.23 μg/L	0.00024	0.000007	Diff <2x LOR		
		titanium, dissolved	7440-32-6	E421	0.00060	mg/L	<0.60 µg/L	<0.00060	0	Diff <2x LOR		
		tungsten, dissolved	7440-33-7	E421	0.00020	mg/L	<0.20 μg/L	<0.00020	0	Diff <2x LOR		
		uranium, dissolved	7440-61-1	E421	0.000020	mg/L	0.988 μg/L	0.000979	0.930%	20%		
		vanadium, dissolved	7440-62-2	E421	0.00100	mg/L	1.07 µg/L	0.00108	0.00001	Diff <2x LOR		
		zinc, dissolved	7440-66-6	E421	0.0020	mg/L	<2.0 µg/L	<0.0020	0	Diff <2x LOR		
		zirconium, dissolved	7440-67-7	E421	0.00040	mg/L	<0.40 µg/L	<0.00040	0	Diff <2x LOR		
issolved Metals (OC L at: 506292)					-						
/A22B1894-006	MW105-220527	aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	7.7 µg/L	0.0078	0.00009	Diff <2x LOR		
		antimony, dissolved	7440-36-0	E421	0.00010	mg/L	1.89 µg/L	0.00196	3.69%	20%		
		arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	3.00 µg/L	0.00295	1.76%	20%		
		barium, dissolved	7440-39-3	E421	0.00010	mg/L	52.4 μg/L	0.0532	1.47%	20%		
		beryllium, dissolved	7440-41-7	E421	0.000020	mg/L	<0.020 µg/L	<0.000020	0	Diff <2x LOR		
		bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.050 µg/L	<0.000050	0	Diff <2x LOR		
		boron, dissolved	7440-42-8	E421	0.010	mg/L	38 μg/L	0.037	0.0004	Diff <2x LOR		
		cadmium, dissolved	7440-43-9	E421	0.0000250	mg/L	<0.0250 μg/L	<0.0000250	0	Diff <2x LOR		
		calcium, dissolved	7440-70-2	E421	0.050	mg/L	82800 μg/L	80.8	2.45%	20%		
		cesium, dissolved	7440-46-2	E421	0.000010	mg/L	<0.010 µg/L	<0.000010	0	Diff <2x LOR		
		chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.50 μg/L	<0.00050	0	Diff <2x LOR		
		cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	0.49 μg/L	0.00047	0.00002	Diff <2x LOR		
		copper, dissolved	7440-50-8	E421	0.00020	mg/L	3.12 μg/L	0.00303	2.83%	20%		
		iron, dissolved	7439-89-6	E421	0.010	mg/L	3.12 μg/L <10 μg/L	<0.010	0	Diff <2x LOR		
		iioii, uissoiveu	1438-08-0	L74 I	0.010	mg/L	- 10 μg/L	~0.010	0	DIII >ZX LOR		

Page : 5 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water						Laboratory Duplicate (DUP) Report						
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier	
Dissolved Metals (QC Lot: 506293) - co	ntinued										
VA22B1894-006	MW105-220527	lead, dissolved	7439-92-1	E421	0.000050	mg/L	0.088 μg/L	0.000081	0.000007	Diff <2x LOR		
		lithium, dissolved	7439-93-2	E421	0.0010	mg/L	3.3 µg/L	0.0032	0.00007	Diff <2x LOR		
		magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	13600 µg/L	13.2	3.22%	20%		
		manganese, dissolved	7439-96-5	E421	0.00010	mg/L	48.2 μg/L	0.0474	1.78%	20%		
		molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	35.2 μg/L	0.0365	3.42%	20%		
		nickel, dissolved	7440-02-0	E421	0.00050	mg/L	1.93 µg/L	0.00188	0.00005	Diff <2x LOR		
		phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<50 μg/L	<0.050	0	Diff <2x LOR		
		potassium, dissolved	7440-09-7	E421	0.050	mg/L	2360 µg/L	2.29	3.09%	20%		
		rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	1.03 µg/L	0.00100	0.00003	Diff <2x LOR		
	selenium, dissolved	7782-49-2	E421	0.000050	mg/L	2.43 μg/L	0.00255	5.12%	20%			
		silicon, dissolved	7440-21-3	E421	0.050	mg/L	5990 μg/L	6.20	3.42%	20%		
		silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.010 µg/L	<0.000010	0	Diff <2x LOR		
		sodium, dissolved	7440-23-5	E421	0.050	mg/L	28600 μg/L	28.1	1.70%	20%		
		strontium, dissolved	7440-24-6	E421	0.00020	mg/L	327 μg/L	0.344	5.26%	20%		
		sulfur, dissolved	7704-34-9	E421	0.50	mg/L	39900 µg/L	41.2	3.24%	20%		
		tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.20 µg/L	<0.00020	0	Diff <2x LOR		
		thallium, dissolved	7440-28-0	E421	0.000010	mg/L	0.019 µg/L	0.000020	0.000001	Diff <2x LOR		
		thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR		
		tin, dissolved	7440-31-5	E421	0.00010	mg/L	0.49 μg/L	0.00047	0.00002	Diff <2x LOR		
		titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.30 µg/L	<0.00030	0	Diff <2x LOR		
		tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR		
		uranium, dissolved	7440-61-1	E421	0.000010	mg/L	11.6 µg/L	0.0118	1.75%	20%		
		vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	<0.50 µg/L	<0.00050	0	Diff <2x LOR		
		zinc, dissolved	7440-66-6	E421	0.0010	mg/L	2.2 µg/L	0.0021	0.00007	Diff <2x LOR		
		zirconium, dissolved	7440-67-7	E421	0.00030	mg/L	<0.30 µg/L	<0.00030	0	Diff <2x LOR		

Page : 6 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Analyte	CAS Number Meth	od	LOR	Unit	Result	Qualifier
Anions and Nutrients (QCLot: 507951)						
nitrate (as N)	14797-55-8 E235	NO3-L	0.005	mg/L	<0.0050	
Anions and Nutrients (QCLot: 507952)						
nitrite (as N)	14797-65-0 E235	NO2-L	0.001	mg/L	<0.0010	
Anions and Nutrients (QCLot: 507954)						
chloride	16887-00-6 E235	.CI	0.5	mg/L	<0.50	
Anions and Nutrients (QCLot: 508247)						
ammonia, total (as N)	7664-41-7 E298		0.005	mg/L	<0.0050	
Anions and Nutrients (QCLot: 508248)						
nitrogen, total	7727-37-9 E366		0.03	mg/L	<0.030	
Dissolved Metals (QCLot: 506291)						
aluminum, dissolved	7429-90-5 E421		0.001	mg/L	<0.0010	
antimony, dissolved	7440-36-0 E421		0.0001	mg/L	<0.00010	
arsenic, dissolved	7440-38-2 E421		0.0001	mg/L	<0.00010	
parium, dissolved	7440-39-3 E421		0.0001	mg/L	<0.00010	
peryllium, dissolved	7440-41-7 E421		0.00002	mg/L	<0.000020	
pismuth, dissolved	7440-69-9 E421		0.00005	mg/L	<0.000050	
poron, dissolved	7440-42-8 E421		0.01	mg/L	<0.010	
cadmium, dissolved	7440-43-9 E421		0.000005	mg/L	<0.000050	
calcium, dissolved	7440-70-2 E421		0.05	mg/L	<0.050	
cesium, dissolved	7440-46-2 E421		0.00001	mg/L	<0.000010	
chromium, dissolved	7440-47-3 E421		0.0005	mg/L	<0.00050	
cobalt, dissolved	7440-48-4 E421		0.0001	mg/L	<0.00010	
copper, dissolved	7440-50-8 E421		0.0002	mg/L	<0.00020	
ron, dissolved	7439-89-6 E421		0.01	mg/L	<0.010	
ead, dissolved	7439-92-1 E421		0.00005	mg/L	<0.000050	
ithium, dissolved	7439-93-2 E421		0.001	mg/L	<0.0010	
magnesium, dissolved	7439-95-4 E421		0.005	mg/L	<0.0050	
manganese, dissolved	7439-96-5 E421		0.0001	mg/L	<0.00010	
molybdenum, dissolved	7439-98-7 E421		0.00005	mg/L	<0.000050	
nickel, dissolved	7440-02-0 E421		0.0005	mg/L	<0.00050	
phosphorus, dissolved	7723-14-0 E421		0.05	mg/L	<0.050	
potassium, dissolved	7440-09-7 E421		0.05	mg/L	<0.050	
	7440-17-7 E421			=	<0.00020	

Page : 7 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 506291) -	- continued				
selenium, dissolved	7782-49-2 E421	0.00005	mg/L	<0.000050	
silicon, dissolved	7440-21-3 E421	0.05	mg/L	<0.050	
silver, dissolved	7440-22-4 E421	0.00001	mg/L	<0.000010	
sodium, dissolved	7440-23-5 E421	0.05	mg/L	<0.050	
strontium, dissolved	7440-24-6 E421	0.0002	mg/L	<0.00020	
sulfur, dissolved	7704-34-9 E421	0.5	mg/L	<0.50	
tellurium, dissolved	13494-80-9 E421	0.0002	mg/L	<0.00020	
thallium, dissolved	7440-28-0 E421	0.00001	mg/L	<0.000010	
thorium, dissolved	7440-29-1 E421	0.0001	mg/L	<0.00010	
tin, dissolved	7440-31-5 E421	0.0001	mg/L	<0.00010	
titanium, dissolved	7440-32-6 E421	0.0003	mg/L	<0.00030	
tungsten, dissolved	7440-33-7 E421	0.0001	mg/L	<0.00010	
uranium, dissolved	7440-61-1 E421	0.00001	mg/L	<0.000010	
vanadium, dissolved	7440-62-2 E421	0.0005	mg/L	<0.00050	
zinc, dissolved	7440-66-6 E421	0.001	mg/L	<0.0010	
zirconium, dissolved	7440-67-7 E421	0.0002	mg/L	<0.00020	
Dissolved Metals (QCLot: 506293)					
aluminum, dissolved	7429-90-5 E421	0.001	mg/L	<0.0010	
antimony, dissolved	7440-36-0 E421	0.0001	mg/L	<0.00010	
arsenic, dissolved	7440-38-2 E421	0.0001	mg/L	<0.00010	
barium, dissolved	7440-39-3 E421	0.0001	mg/L	<0.00010	
beryllium, dissolved	7440-41-7 E421	0.00002	mg/L	<0.000020	
bismuth, dissolved	7440-69-9 E421	0.00005	mg/L	<0.000050	
boron, dissolved	7440-42-8 E421	0.01	mg/L	<0.010	
cadmium, dissolved	7440-43-9 E421	0.000005	mg/L	<0.000050	
calcium, dissolved	7440-70-2 E421	0.05	mg/L	<0.050	
cesium, dissolved	7440-46-2 E421	0.00001	mg/L	<0.000010	
chromium, dissolved	7440-47-3 E421	0.0005	mg/L	<0.00050	
cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	<0.00010	
copper, dissolved	7440-50-8 E421	0.0002	mg/L	<0.00020	
iron, dissolved	7439-89-6 E421	0.01	mg/L	<0.010	
lead, dissolved	7439-92-1 E421	0.00005	mg/L	<0.000050	
lithium, dissolved	7439-93-2 E421	0.001	mg/L	<0.0010	
magnesium, dissolved	7439-95-4 E421	0.005	mg/L	<0.0050	
manganese, dissolved	7439-96-5 E421	0.0001	mg/L	<0.00010	
molybdenum, dissolved	7439-98-7 E421	0.00005	mg/L	<0.000050	



Page : 8 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A

* * *						
Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 506293)	- continued					
nickel, dissolved	7440-02-0	E421	0.0005	mg/L	<0.00050	
phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	<0.050	
potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050	
rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	<0.00020	
selenium, dissolved	7782-49-2	E421	0.00005	mg/L	<0.000050	
silicon, dissolved	7440-21-3	E421	0.05	mg/L	<0.050	
silver, dissolved	7440-22-4	E421	0.00001	mg/L	<0.000010	
sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050	
strontium, dissolved	7440-24-6	E421	0.0002	mg/L	<0.00020	
sulfur, dissolved	7704-34-9	E421	0.5	mg/L	<0.50	
tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	<0.00020	
thallium, dissolved	7440-28-0	E421	0.00001	mg/L	<0.000010	
thorium, dissolved	7440-29-1	E421	0.0001	mg/L	<0.00010	
tin, dissolved	7440-31-5	E421	0.0001	mg/L	<0.00010	
itanium, dissolved	7440-32-6	E421	0.0003	mg/L	<0.00030	
ungsten, dissolved	7440-33-7	E421	0.0001	mg/L	<0.00010	
uranium, dissolved	7440-61-1	E421	0.00001	mg/L	<0.000010	
vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	<0.00050	
zinc, dissolved	7440-66-6	E421	0.001	mg/L	<0.0010	
tirconium, dissolved	7440-67-7	E421	0.0002	mg/L	<0.00020	
Hydrocarbons (QCLot: 509204)						
EPH (C10-C19)		E601A	250	μg/L	<250	
EPH (C19-C32)		E601A	250	μg/L	<250	
Polycyclic Aromatic Hydrocarbons	(QCLot: 509 <u>205)</u>					
acenaphthene	83-32-9	E641A	0.01	μg/L	<0.010	
acenaphthylene	208-96-8	E641A	0.01	μg/L	<0.010	
acridine	260-94-6	E641A	0.01	μg/L	<0.010	
anthracene	120-12-7	E641A	0.01	μg/L	<0.010	
penz(a)anthracene	56-55-3	E641A	0.01	μg/L	<0.010	
penzo(a)pyrene	50-32-8	E641A	0.005	μg/L	<0.0050	
penzo(b+j)fluoranthene	n/a	E641A	0.01	μg/L	<0.010	
penzo(g,h,i)perylene	191-24-2	E641A	0.01	μg/L	<0.010	
penzo(k)fluoranthene	207-08-9	E641A	0.01	μg/L	<0.010	
chrysene	218-01-9	E641A	0.01	μg/L	<0.010	
dibenz(a,h)anthracene	53-70-3	E641A	0.005	μg/L	<0.0050	
luoranthene	206-44-0	E044A	0.01	μg/L	<0.010	



Page : 9 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier				
Polycyclic Aromatic Hydrocarbons (Polycyclic Aromatic Hydrocarbons (QCLot: 509205) - continued									
fluorene	86-73-7	E641A	0.01	μg/L	<0.010					
indeno(1,2,3-c,d)pyrene	193-39-5	E641A	0.01	μg/L	<0.010					
methylnaphthalene, 1-	90-12-0	E641A	0.01	μg/L	<0.010					
methylnaphthalene, 2-	91-57-6	E641A	0.01	μg/L	<0.010					
naphthalene	91-20-3	E641A	0.05	μg/L	<0.050					
phenanthrene	85-01-8	E641A	0.02	μg/L	<0.020					
pyrene	129-00-0	E641A	0.01	μg/L	<0.010					
quinoline	91-22-5	E641A	0.05	μg/L	<0.050					



Page : 10 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

b-Matrix: Water			Laboratory Control Sample (LCS) Report						
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number Me	ethod	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Physical Tests (QCLot: 507948)									
рН	E10	08		pH units	7 pH units	99.5	98.0	102	
Anions and Nutrients (QCLot: 507951)									ı
nitrate (as N)	14797-55-8 E23	35.NO3-L	0.005	mg/L	2.5 mg/L	102	90.0	110	
Anions and Nutrients (QCLot: 507952)	44707.05.0	05 N 00 1	0.004						
itrite (as N)	14797-65-0 E23	35.NO2-L	0.001	mg/L	0.5 mg/L	100	90.0	110	
Anions and Nutrients (QCLot: 507954)	40007.00.0	0.5	2.5						
chloride	16887-00-6 E23	35.CI	0.5	mg/L	100 mg/L	101	90.0	110	
Anions and Nutrients (QCLot: 508247)	2004 44 = 1==		0.005						
ammonia, total (as N)	7664-41-7 E29	98	0.005	mg/L	0.2 mg/L	98.9	85.0	115	
Anions and Nutrients (QCLot: 508248)									
nitrogen, total	7727-37-9 E36	66	0.03	mg/L	0.5 mg/L	100	75.0	125	
Dissolved Metals (QCLot: 506291)	7429-90-5 E4	04	0.004	/I		212	00.0	400	I
aluminum, dissolved	7440-36-0 E4		0.001	mg/L	2 mg/L	94.8	80.0 80.0	120 120	
antimony, dissolved	7440-38-2 E4		0.0001	mg/L	1 mg/L	101	80.0	120	
arsenic, dissolved	7440-39-3 E4		0.0001	mg/L	1 mg/L	98.1	80.0	120	
parium, dissolved peryllium, dissolved	7440-41-7 E4		0.0001	mg/L mg/L	0.25 mg/L	95.0 94.0	80.0	120	
pismuth, dissolved	7440-69-9 E4		0.00002	mg/L	0.1 mg/L	95.4	80.0	120	
poron, dissolved	7440-42-8 E4		0.0003	mg/L	1 mg/L 1 mg/L	101	80.0	120	
cadmium, dissolved	7440-43-9 E4		0.000005	mg/L	0.1 mg/L	94.0	80.0	120	
ealcium, dissolved	7440-70-2 E4		0.05	mg/L	50 mg/L	94.2	80.0	120	
esium, dissolved	7440-46-2 E4		0.00001	mg/L	0.05 mg/L	97.6	80.0	120	
hromium, dissolved	7440-47-3 E4		0.0005	mg/L	0.25 mg/L	94.9	80.0	120	
cobalt, dissolved	7440-48-4 E4	21	0.0001	mg/L	0.25 mg/L	94.4	80.0	120	
copper, dissolved	7440-50-8 E42		0.0002	mg/L	0.25 mg/L	95.6	80.0	120	
ron, dissolved	7439-89-6 E42	21	0.01	mg/L	1 mg/L	97.8	80.0	120	
ead, dissolved	7439-92-1 E4		0.00005	mg/L	0.5 mg/L	96.7	80.0	120	
thium, dissolved	7439-93-2 E42	21	0.001	mg/L	0.25 mg/L	94.3	80.0	120	
nagnesium, dissolved	7439-95-4 E42	21	0.005	mg/L	50 mg/L	95.8	80.0	120	
nanganese, dissolved	7439-96-5 E42	21	0.0001	mg/L	0.25 mg/L	95.4	80.0	120	
molybdenum, dissolved	7439-98-7 E4	21	0.00005	mg/L	0.25 mg/L	97.8	80.0	120	
nickel, dissolved	7440-02-0 E42	21	0.0005	mg/L	0.5 mg/L	95.2	80.0	120	

Page

: 11 of 16 : VA22B1894 Amendment 1 Work Order Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water	Matrix: Water			Laboratory Control Sample (LCS) Report					
				Spike	Recovery	y Limits (%)			
Analyte	CAS Number Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier	
Dissolved Metals (QCLot: 506291) - co	ontinued								
phosphorus, dissolved	7723-14-0 E421	0.05	mg/L	10 mg/L	96.9	80.0	120		
potassium, dissolved	7440-09-7 E421	0.05	mg/L	50 mg/L	96.2	80.0	120		
rubidium, dissolved	7440-17-7 E421	0.0002	mg/L	0.1 mg/L	97.4	80.0	120		
selenium, dissolved	7782-49-2 E421	0.00005	mg/L	1 mg/L	98.6	80.0	120		
silicon, dissolved	7440-21-3 E421	0.05	mg/L	10 mg/L	101	80.0	120		
silver, dissolved	7440-22-4 E421	0.00001	mg/L	0.1 mg/L	91.3	80.0	120		
sodium, dissolved	7440-23-5 E421	0.05	mg/L	50 mg/L	98.1	80.0	120		
strontium, dissolved	7440-24-6 E421	0.0002	mg/L	0.25 mg/L	97.6	80.0	120		
sulfur, dissolved	7704-34-9 E421	0.5	mg/L	50 mg/L	84.5	80.0	120		
tellurium, dissolved	13494-80-9 E421	0.0002	mg/L	0.1 mg/L	101	80.0	120		
thallium, dissolved	7440-28-0 E421	0.00001	mg/L	1 mg/L	98.6	80.0	120		
thorium, dissolved	7440-29-1 E421	0.0001	mg/L	0.1 mg/L	96.1	80.0	120		
tin, dissolved	7440-31-5 E421	0.0001	mg/L	0.5 mg/L	94.2	80.0	120		
titanium, dissolved	7440-32-6 E421	0.0003	mg/L	0.25 mg/L	95.1	80.0	120		
tungsten, dissolved	7440-33-7 E421	0.0001	mg/L	0.1 mg/L	95.2	80.0	120		
uranium, dissolved	7440-61-1 E421	0.00001	mg/L	0.005 mg/L	93.6	80.0	120		
vanadium, dissolved	7440-62-2 E421	0.0005	mg/L	0.5 mg/L	96.1	80.0	120		
zinc, dissolved	7440-66-6 E421	0.001	mg/L	0.5 mg/L	99.0	80.0	120		
zirconium, dissolved	7440-67-7 E421	0.0002	mg/L	0.1 mg/L	95.2	80.0	120		
Dissolved Metals (QCLot: 506293)									
aluminum, dissolved	7429-90-5 E421	0.001	mg/L	2 mg/L	99.6	80.0	120		
antimony, dissolved	7440-36-0 E421	0.0001	mg/L	1 mg/L	104	80.0	120		
arsenic, dissolved	7440-38-2 E421	0.0001	mg/L	1 mg/L	102	80.0	120		
barium, dissolved	7440-39-3 E421	0.0001	mg/L	0.25 mg/L	102	80.0	120		
beryllium, dissolved	7440-41-7 E421	0.00002	mg/L	0.1 mg/L	97.8	80.0	120		
bismuth, dissolved	7440-69-9 E421	0.00005	mg/L	1 mg/L	99.2	80.0	120		
boron, dissolved	7440-42-8 E421	0.01	mg/L	1 mg/L	95.6	80.0	120		
cadmium, dissolved	7440-43-9 E421	0.000005	mg/L	0.1 mg/L	95.2	80.0	120		
calcium, dissolved	7440-70-2 E421	0.05	mg/L	50 mg/L	99.8	80.0	120		
cesium, dissolved	7440-46-2 E421	0.00001	mg/L	0.05 mg/L	102	80.0	120		
chromium, dissolved	7440-47-3 E421	0.0005	mg/L	0.25 mg/L	99.4	80.0	120		
cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	0.25 mg/L	99.5	80.0	120		
copper, dissolved	7440-50-8 E421	0.0002	mg/L	0.25 mg/L	98.2	80.0	120		
iron, dissolved	7439-89-6 E421	0.01	mg/L	1 mg/L	103	80.0	120		
lead, dissolved	7439-92-1 E421	0.00005	mg/L	0.5 mg/L	100	80.0	120		
lithium, dissolved	7439-93-2 E421	0.001	mg/L	0.25 mg/L	97.8	80.0	120		
magnesium, dissolved	7439-95-4 E421	0.005	mg/L	50 mg/L	98.0	80.0	120		

Page : 12 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water		Laboratory Control Sample (LCS) Report							t		
					Spike	Recovery (%)	Recovery Limits (%)				
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier		
Dissolved Metals (QCLot: 506293) - con	tinued										
manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	99.2	80.0	120			
molybdenum, dissolved	7439-98-7	E421	0.00005	mg/L	0.25 mg/L	104	80.0	120			
nickel, dissolved	7440-02-0	E421	0.0005	mg/L	0.5 mg/L	99.7	80.0	120			
phosphorus, dissolved	7723-14-0	E421	0.05	mg/L	10 mg/L	95.6	80.0	120			
potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	101	80.0	120			
rubidium, dissolved	7440-17-7	E421	0.0002	mg/L	0.1 mg/L	103	80.0	120			
selenium, dissolved	7782-49-2	E421	0.00005	mg/L	1 mg/L	102	80.0	120			
silicon, dissolved	7440-21-3	E421	0.05	mg/L	10 mg/L	101	80.0	120			
silver, dissolved	7440-22-4	E421	0.00001	mg/L	0.1 mg/L	94.6	80.0	120			
sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	101	80.0	120			
strontium, dissolved	7440-24-6	E421	0.0002	mg/L	0.25 mg/L	104	80.0	120			
sulfur, dissolved	7704-34-9	E421	0.5	mg/L	50 mg/L	89.1	80.0	120			
tellurium, dissolved	13494-80-9	E421	0.0002	mg/L	0.1 mg/L	97.4	80.0	120			
thallium, dissolved	7440-28-0	E421	0.00001	mg/L	1 mg/L	102	80.0	120			
thorium, dissolved	7440-29-1	E421	0.0001	mg/L	0.1 mg/L	94.7	80.0	120			
tin, dissolved	7440-31-5	E421	0.0001	mg/L	0.5 mg/L	97.2	80.0	120			
titanium, dissolved	7440-32-6	E421	0.0003	mg/L	0.25 mg/L	99.8	80.0	120			
tungsten, dissolved	7440-33-7	E421	0.0001	mg/L	0.1 mg/L	97.4	80.0	120			
uranium, dissolved	7440-61-1	E421	0.00001	mg/L	0.005 mg/L	98.4	80.0	120			
vanadium, dissolved	7440-62-2	E421	0.0005	mg/L	0.5 mg/L	100	80.0	120			
zinc, dissolved	7440-66-6	E421	0.001	mg/L	0.5 mg/L	97.2	80.0	120			
zirconium, dissolved	7440-67-7	E421	0.0002	mg/L	0.1 mg/L	100	80.0	120			
Hydrocarbons (QCLot: 509204)											
EPH (C10-C19)		E601A	250	μg/L	6491 µg/L	107	70.0	130			
EPH (C19-C32)		E601A	250	μg/L	3363 µg/L	118	70.0	130			
Polycyclic Aromatic Hydrocarbons (QCL	ot: 509205)										
acenaphthene	83-32-9	E641A	0.01	μg/L	0.5 μg/L	105	60.0	130			
acenaphthylene	208-96-8	E641A	0.01	μg/L	0.5 μg/L	102	60.0	130			
acridine	260-94-6	E641A	0.01	μg/L	0.5 μg/L	108	60.0	130			
anthracene	120-12-7	E641A	0.01	μg/L	0.5 μg/L	108	60.0	130			
benz(a)anthracene	56-55-3	E641A	0.01	μg/L	0.5 μg/L	102	60.0	130			
benzo(a)pyrene	50-32-8	E641A	0.005	μg/L	0.5 μg/L	109	60.0	130			
benzo(b+j)fluoranthene	n/a	E641A	0.01	μg/L	0.5 μg/L	114	60.0	130			
benzo(g,h,i)perylene	191-24-2	E641A	0.01	μg/L	0.5 μg/L	101	60.0	130			
benzo(k)fluoranthene	207-08-9	E641A	0.01	μg/L	0.5 μg/L	107	60.0	130			
chrysene	0.000	E641A	0.01	μg/L	0.5 μg/L	93.2	60.0	130			

Page

: 13 of 16 : VA22B1894 Amendment 1 Work Order Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water					Laboratory Control Sample (LCS) Report				
					Spike	Recovery (%)	Recovery Limits (%)		
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Polycyclic Aromatic Hydrocarbons (Q	CLot: 509205) - continue	d							
dibenz(a,h)anthracene	53-70-3	E641A	0.005	μg/L	0.5 μg/L	104	60.0	130	
fluoranthene	206-44-0	E641A	0.01	μg/L	0.5 μg/L	102	60.0	130	
fluorene	86-73-7	E641A	0.01	μg/L	0.5 μg/L	106	60.0	130	
indeno(1,2,3-c,d)pyrene	193-39-5	E641A	0.01	μg/L	0.5 μg/L	106	60.0	130	
methylnaphthalene, 1-	90-12-0	E641A	0.01	μg/L	0.5 μg/L	104	60.0	130	
methylnaphthalene, 2-	91-57-6	E641A	0.01	μg/L	0.5 μg/L	102	60.0	130	
naphthalene	91-20-3	E641A	0.05	μg/L	0.5 μg/L	105	50.0	130	
phenanthrene	85-01-8	E641A	0.02	μg/L	0.5 μg/L	110	60.0	130	
pyrene	129-00-0	E641A	0.01	μg/L	0.5 μg/L	102	60.0	130	
quinoline	91-22-5	E641A	0.05	μg/L	0.5 μg/L	125	60.0	130	

Page : 14 of 16

Work Order : VA22B1894 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water			Matrix Spike (MS) Report							
					Spi	Spike		Recovery	Limits (%)	
aboratory sample	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie
	ents (QCLot: 507951)									
VA22B1934-001	Anonymous	nitrate (as N)	14797-55-8	E235.NO3-L	2.76 mg/L	2.5 mg/L	110	75.0	125	
nions and Nutri	ents (QCLot: 507952)									
VA22B1934-001	Anonymous	nitrite (as N)	14797-65-0	E235.NO2-L	0.544 mg/L	0.5 mg/L	109	75.0	125	
nions and Nutri	ents (QCLot: 507954)									
VA22B1934-001	Anonymous	chloride	16887-00-6	E235.CI	109 mg/L	100 mg/L	109	75.0	125	
nions and Nutri	ents (QCLot: 508247)									
KS2201878-001	Anonymous	ammonia, total (as N)	7664-41-7	E298	0.101 mg/L	0.1 mg/L	101	75.0	125	
Anions and Nutri	ents (QCLot: 508248)					_				
KS2201878-001	Anonymous	nitrogen, total	7727-37-9	E366	0.383 mg/L	0.4 mg/L	95.6	70.0	130	
Dissolved Metals	(QCLot: 506291)				3	, J				
/A22B1601-010	Anonymous	aluminum, dissolved	7429-90-5	E421	0.191 mg/L	0.2 mg/L	95.3	70.0	130	
	,	antimony, dissolved	7440-36-0	E421	0.0199 mg/L	0.02 mg/L	99.6	70.0	130	
		arsenic, dissolved	7440-38-2	E421	0.0198 mg/L	0.02 mg/L	98.9	70.0	130	
		barium, dissolved	7440-39-3	E421	ND mg/L	0.02 mg/L	ND	70.0	130	
		beryllium, dissolved	7440-41-7	E421	0.0376 mg/L	0.04 mg/L	93.9	70.0	130	
		bismuth, dissolved	7440-69-9	E421	0.00863 mg/L	0.04 mg/L	86.3	70.0	130	
		boron, dissolved	7440-42-8	E421	ND mg/L	0.1 mg/L	ND	70.0	130	
		cadmium, dissolved	7440-43-9	E421	0.00359 mg/L	0.004 mg/L	89.7	70.0	130	
		calcium, dissolved	7440-70-2	E421	ND mg/L	4 mg/L	ND	70.0	130	
		cesium, dissolved	7440-46-2	E421	0.00950 mg/L	0.01 mg/L	95.0	70.0	130	
		chromium, dissolved	7440-47-3	E421	0.0373 mg/L	0.04 mg/L	93.3	70.0	130	
		cobalt, dissolved	7440-48-4	E421	0.0182 mg/L	0.02 mg/L	91.2	70.0	130	
		copper, dissolved	7440-50-8	E421	0.0181 mg/L	0.02 mg/L	90.6	70.0	130	
		iron, dissolved	7439-89-6	E421	1.83 mg/L	2 mg/L	91.7	70.0	130	
		lead, dissolved	7439-92-1	E421	0.0174 mg/L	0.02 mg/L	87.3	70.0	130	
		lithium, dissolved	7439-93-2	E421	0.0924 mg/L	0.1 mg/L	92.4	70.0	130	
		magnesium, dissolved	7439-95-4	E421	ND mg/L	1 mg/L	ND	70.0	130	
		manganese, dissolved	7439-96-5	E421	ND mg/L	0.02 mg/L	ND	70.0	130	
		molybdenum, dissolved	7439-98-7	E421	0.0203 mg/L	0.02 mg/L	101	70.0	130	
		nickel, dissolved	7440-02-0	E421	0.0358 mg/L	0.04 mg/L	89.5	70.0	130	
		phosphorus, dissolved	7723-14-0	E421	9.44 mg/L	10 mg/L	94.4	70.0	130	

Page

: 15 of 16 : VA22B1894 Amendment 1 Work Order : Active Earth Engineering Ltd. Client

Project : 2315-A



Sub-Matrix: Water						Matrix Spike (MS) Report						
						Spike		Recovery Limits (%)				
aboratory sample	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifie		
	(QCLot: 506291) -	continued										
/A22B1601-010	Anonymous	potassium, dissolved	7440-09-7	E421	ND mg/L	4 mg/L	ND	70.0	130			
		rubidium, dissolved	7440-17-7	E421	0.0183 mg/L	0.02 mg/L	91.4	70.0	130			
		selenium, dissolved	7782-49-2	E421	0.0417 mg/L	0.04 mg/L	104	70.0	130			
		silicon, dissolved	7440-21-3	E421	9.72 mg/L	10 mg/L	97.2	70.0	130			
		silver, dissolved	7440-22-4	E421	0.00347 mg/L	0.004 mg/L	86.8	70.0	130			
		sodium, dissolved	7440-23-5	E421	ND mg/L	2 mg/L	ND	70.0	130			
		strontium, dissolved	7440-24-6	E421	ND mg/L	0.02 mg/L	ND	70.0	130			
		sulfur, dissolved	7704-34-9	E421	20.6 mg/L	20 mg/L	103	70.0	130			
		tellurium, dissolved	13494-80-9	E421	0.0388 mg/L	0.04 mg/L	96.9	70.0	130			
		thallium, dissolved	7440-28-0	E421	0.00354 mg/L	0.004 mg/L	88.4	70.0	130			
		thorium, dissolved	7440-29-1	E421	0.0198 mg/L	0.02 mg/L	98.8	70.0	130			
		tin, dissolved	7440-31-5	E421	0.0190 mg/L	0.02 mg/L	95.1	70.0	130			
		titanium, dissolved	7440-32-6	E421	0.0404 mg/L	0.04 mg/L	101	70.0	130			
		tungsten, dissolved	7440-33-7	E421	0.0188 mg/L	0.02 mg/L	94.1	70.0	130			
		uranium, dissolved	7440-61-1	E421	0.00356 mg/L	0.004 mg/L	88.9	70.0	130			
		vanadium, dissolved	7440-62-2	E421	0.0950 mg/L	0.1 mg/L	95.0	70.0	130			
		zinc, dissolved	7440-66-6	E421	0.379 mg/L	0.4 mg/L	94.8	70.0	130			
		zirconium, dissolved	7440-67-7	E421	0.0404 mg/L	0.04 mg/L	101	70.0	130			
issolved Metals	(QCLot: 506293)											
A22B1894-007	MW106-220527	aluminum, dissolved	7429-90-5	E421	0.192 mg/L	0.2 mg/L	95.8	70.0	130			
		antimony, dissolved	7440-36-0	E421	0.0209 mg/L	0.02 mg/L	105	70.0	130			
		arsenic, dissolved	7440-38-2	E421	0.0203 mg/L	0.02 mg/L	101	70.0	130			
		barium, dissolved	7440-39-3	E421	ND mg/L	0.02 mg/L	ND	70.0	130			
		beryllium, dissolved	7440-41-7	E421	0.0380 mg/L	0.04 mg/L	94.9	70.0	130			
		bismuth, dissolved	7440-69-9	E421	0.00954 mg/L	0.01 mg/L	95.4	70.0	130			
		boron, dissolved	7440-42-8	E421	ND mg/L	0.1 mg/L	ND	70.0	130			
		cadmium, dissolved	7440-43-9	E421	0.00388 mg/L	0.004 mg/L	97.1	70.0	130			
		calcium, dissolved	7440-70-2	E421	ND mg/L	4 mg/L	ND	70.0	130			
		cesium, dissolved	7440-46-2	E421	0.0102 mg/L	0.01 mg/L	102	70.0	130			
		chromium, dissolved	7440-47-3	E421	0.0387 mg/L	0.04 mg/L	96.8	70.0	130			
		cobalt, dissolved	7440-48-4	E421	0.0196 mg/L	0.02 mg/L	98.0	70.0	130			
		copper, dissolved	7440-50-8	E421	0.0189 mg/L	0.02 mg/L	94.4	70.0	130			
		iron, dissolved	7439-89-6	E421	1.91 mg/L	2 mg/L	95.7	70.0	130			
		lead, dissolved	7439-92-1	E421	0.0196 mg/L	0.02 mg/L	98.0	70.0	130			
		lithium, dissolved	7439-93-2	E421	0.0929 mg/L	0.1 mg/L	92.9	70.0	130			
	1	magnesium, dissolved	7439-95-4	E421	ND mg/L	1 mg/L	ND	70.0	130			

Page

: 16 of 16 : VA22B1894 Amendment 1 Work Order : Active Earth Engineering Ltd. Client

Project : 2315-A



Sub-Matrix: Water						Matrix Spike (MS) Report					
					Spi	ike	Recovery (%)	ecovery (%) Recovery Limits (%)			
Laboratory sample	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier	
Dissolved Metals	(QCLot: 506293) -										
VA22B1894-007	MW106-220527	manganese, dissolved	7439-96-5	E421	ND mg/L	0.02 mg/L	ND	70.0	130		
		molybdenum, dissolved	7439-98-7	E421	ND mg/L	0.02 mg/L	ND	70.0	130		
		nickel, dissolved	7440-02-0	E421	0.0385 mg/L	0.04 mg/L	96.2	70.0	130		
		phosphorus, dissolved	7723-14-0	E421	9.92 mg/L	10 mg/L	99.2	70.0	130		
		potassium, dissolved	7440-09-7	E421	3.82 mg/L	4 mg/L	95.6	70.0	130		
		rubidium, dissolved	7440-17-7	E421	0.0199 mg/L	0.02 mg/L	99.6	70.0	130		
		selenium, dissolved	7782-49-2	E421	0.0429 mg/L	0.04 mg/L	107	70.0	130		
		silicon, dissolved	7440-21-3	E421	9.40 mg/L	10 mg/L	94.0	70.0	130		
		silver, dissolved	7440-22-4	E421	0.00406 mg/L	0.004 mg/L	102	70.0	130		
		sodium, dissolved	7440-23-5	E421	ND mg/L	2 mg/L	ND	70.0	130		
		strontium, dissolved	7440-24-6	E421	ND mg/L	0.02 mg/L	ND	70.0	130		
		sulfur, dissolved	7704-34-9	E421	19.1 mg/L	20 mg/L	95.6	70.0	130		
		tellurium, dissolved	13494-80-9	E421	0.0417 mg/L	0.04 mg/L	104	70.0	130		
		thallium, dissolved	7440-28-0	E421	0.00391 mg/L	0.004 mg/L	97.8	70.0	130		
		thorium, dissolved	7440-29-1	E421	0.0202 mg/L	0.02 mg/L	101	70.0	130		
		tin, dissolved	7440-31-5	E421	0.0194 mg/L	0.02 mg/L	96.8	70.0	130		
		titanium, dissolved	7440-32-6	E421	0.0399 mg/L	0.04 mg/L	99.8	70.0	130		
		tungsten, dissolved	7440-33-7	E421	0.0197 mg/L	0.02 mg/L	98.7	70.0	130		
		uranium, dissolved	7440-61-1	E421	0.00387 mg/L	0.004 mg/L	96.7	70.0	130		
		vanadium, dissolved	7440-62-2	E421	0.0977 mg/L	0.1 mg/L	97.7	70.0	130		
		zinc, dissolved	7440-66-6	E421	0.394 mg/L	0.4 mg/L	98.5	70.0	130		
		zirconium, dissolved	7440-67-7	E421	0.0416 mg/L	0.04 mg/L	104	70.0	130		

Chain of Custody (COC) / Analytical Request Form

COC Number: 22 -

Page of



www.alsglobal.com

Canada Toll Free: 1 800 668 9878

30Th \$304	lime: Received by	Date	neceived by:	/22	12/05/12	Keleased by:
N (ALS use only)	Verified towns	EPTION (ALS use only))	SHEMENT RELEASE (client use	
	1 CV				YES 🗆 NO	
Ř	PERATURES °C	•			Are samples for human consumption/ use?	Are samples fo
Sample Custody Seals Intact: ☐ YES ☐ N/A	Cooler Custody Seals Intact: ☐ YES ☐ N/A Sample Cus				YES O NO	
n: □YES □NO	Submission Comments identified on Sample Receipt Notification:				Are samples taken from a Regulated DW System?	Are samples ta
EN COOLING INITIATED	Cooling Method: NONE ICE ICE PACKS FROZEN		(Excel COC only)		Drillking water (Dw) Samples (Client use)	CHIKIN
use only)	SAMPLE RECEIPT DETAILS (ALS use only)	ing from drop-down below	Notes / Specify Limits for result evaluation by selecting from drop-down below	Notes / Specif	Maria (DM) Complete (DM)	Drinkin
				-		
Telephone: +1 604 253 4188	Talenho					
			17-05-72	7	MW106-220527	4
	4		27-05-72	43	17W105-220527	6
				26	JW 124D- 21082	C
	XX		-5	26	MW1045-72052	\t
	2			26	MW102D-220526	W
A2251894	C	wish	26-05-72	. 26	MW1025-220226	12
Work Order Reference	2 X	Vales	26-05-22	26	17W101-2805	-
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	(Hitalinity)	(dd-mmi-yy)	ippear on the report)	(Trils description with a	Into ase only
Environmental Division	VI Li di	Time Sample Type	Date	and/or Coordinates	10	ALS Sample #
_	MBEF /NH / MJ SS.	Sampler:	ALS Contact: Sneha Sansare	94	ALS Lab Work Order # (ALS use only):	ALS Lab Wo
S)	2/1 P.		Location: N/A		NA	LSD:
ГОГ	NO At		oner:		(Same as Job #)	TO / ATE:
IOL RAC	15	Roung Code: N/A	[!"		クソージーと	Job #
ΕF	<i>N</i> 1	1			#/ Quote #: VA22-ACTI100-001	ALS Account #/ Quote #:
	03	d Fields (client use)	Oil and Gas Required Fields (client use)		Project Information	
	NE		Email 2		Angie Steidle	Contact:
EC.	Indicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below	a	Email 1-or Fax ap@activeearth.ca		'Active Earth Engineering Ltd.	Company:
	Analysis Request	AIL _□_MAIL . □ FAX	Select Invoice Distribution: 🗵 EMAIL	NO	Copy of Invoice with Report ☑ YES ☐	
AM to confirm availability.	For all tests with rush TATs requested, please contact your AM to confirm availability	ecipients	Invoice Recipients	NO	Same as Report To ☐ YES ☑	Invoice To
dd-mmm-yy hh:mm am/pm	Date and Time Required for all E&P TATs: dc-r	th.ca	Email 3 marek@activeearth.ca		V2S 0E9	Postal Code:
holidays and for non-routine tests.	Additional fees may apply to rush requests on weekends, statutory holidays and	@activeearth.ca		,	Abbotsford, BC	City/Province:
	Same day [E2]_if_received by 10am ·M-S 200% rush surcharge.	earth.ca	Email 1 or Fax labreports@activeearth.ca		304 - 2600 Gladys Avenue	Street
	1 day [E]-4-received-by-9pm-M-F-*100% rush surcharge minimum	□ MAIL □ FAX	Select Distribution: EMAIL	al report	Company address below will appear on the final report	
(ALS use only)	3 day [P3] if received by 3pm M-F - 25% rush surcharge minimum	- provide details below if box-checked	☐ Compare Results to Criteria on Report - provide details below if box-checked		(778) 752-2222	Phone:
AFFIX ALS BARCODE LABEL HERE	☐ 4 day. [P4] if received by 3pm M-F - 20% rush surcharge minimum	□ NO □ N/A	ts with CO/			Contact:
	Routine [R] if received by 3pm M-F - no surcharges apply	EXCEL EDD (DIGITAL)	Select Report Format: PDF (•	Active Earth Engineering Ltd.	Company:
	Turnaround Time (TAT) Requested	Recipients	Reports / Recipients	er on the final report	Contact and company name below will appear on the final report	Report To

REFER TO BACKTAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION

WHITE - LABORATORY COPY

YELLOW - CHENT COPY

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.



SAMPLE SUBMISSION CHECKLIST

Pro	ject Number	Samples Collected By	Submitted By	Submission Date
231	5-A	TB ·	. TB	22/05/27
				, , , , ,
	-	Type of	Sample	
□ Soil		X Water	□ Vapour	□ Other:
A	-	•	and listed on the COC in i	•
Y or(N/A)		- , ,	submitted, and included	on the COC.
	, - ·	COCs exactly match san	=	
≥	1	nt on COCs matches con	· · · · · · · · · · · · · · · · · · ·	•
<u>×</u>		ne selected and results o	=	
NZA		1	soil, vapour, water, etc. or	-
NAA	,	7	ent property owners are	on separate COCs.
X	1 '	nd/or freezer packs incl	· ·	
₩.	* *	s samples for one projec	- · · · · · · · · · · · · · · · · · · ·	
×	, I	in ziplock bag along wit		
-Y / N	-Methanol vials	include an Excepted Qu	antities Label on the outs	ide of the cooler.
	. 1		11.11. (•
X	Analysis selec	ted on COC <u>or</u> ☐ To be	emailed by (name):	
DEL IVEE	V METHOD			
,	RY METHOD:	· · · · · · · · · · · · · · · · · · ·		
3	4 l	atory by Active Earth state		
· 4			oolers with packing tape)	•
	Courier from S	•		· · · · · · · · · · · · · · · · · · ·
. 🗆	4 1	courier combination (seal	l coolers with packing tap	ie)
. 🗆 •	Other:			,
ADDITIO	NIAL COMME	ITE.		
ADDITIO	NAL COMMEN	HS		
Signatur	. / TER	7	Date:	72/05/27
*				
	1 1	1		
	, 1	1		

VANCOUVER ISLAND

105 –4343 Tyndall Avenue Victoria, BC V8N 3R9 Tel. 778 430-5475 METRO VANCOUVER

160 – 2250 Boundary Road Burnaby, BC V5M 3Z3 Tel. 778-737-3488 FRASER VALLEY

304 – 2600 Gladys Avenue Abbotsford, BC V2S 0E9 Tel. 778-752-2222



CERTIFICATE OF ANALYSIS

Work Order : **VA22B2363** Page : 1 of 5

Amendment : 1

Client : Active Earth Engineering Ltd. Laboratory : Vancouver - Environmental

Contact : Thomas Roberts : Sneha Sansare

Address : 304-2600 Gladys Avenue Address : 8081 Lougheed Highway

Burnaby BC Canada V5A 1W9

: 14-Jun-2022 16:49

 Telephone
 : -- Telephone
 : +1 604 253 4188

 Project
 : 2315-A
 Date Samples Received
 : 03-Jun-2022 09:35

PO : 2315-A Date Analysis Commenced : 04-Jun-2022

Sampler : ---Site : ----

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)

Abbotsford BC Canada V2S 0E9

No. of samples received : 2
No. of samples analysed : 2

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Issue Date

Signatories

C-O-C number

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Janice Leung	Supervisor - Organics Instrumentation	Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Metals, Burnaby, British Columbia
Kyle Chang	Lab Assistant	Metals, Burnaby, British Columbia
Lindsay Gung	Supervisor - Water Chemistry	Inorganics, Burnaby, British Columbia
Owen Cheng		Metals, Burnaby, British Columbia

Page : 2 of 5

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key: CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

- No Unit	Unit	Description
	-	No Unit
μg/L micrograms per litre	μg/L	micrograms per litre
mg/L milligrams per litre	mg/L	milligrams per litre

<: less than.

>: greater than.

Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.

UNLESS OTHERWISE STATED on SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Workorder Comments

Water samples for dissolved mercury analysis was not submitted in glass or PTFE container with HCl preservative. Results may be biased low.

Qualifiers

Qualifier	Description
DLM	Detection Limit Adjusted due to sample matrix effects (e.g. chemical interference, colour, turbidity).

Page Work Order

: 3 of 5 : VA22B2363 Amendment 1 : Active Earth Engineering Ltd. : 2315-A Client

Project



Analytical Results

Sub-Matrix: Water			Cli	ent sample ID	SW1-220602	SW2-220602	 	
(Matrix: Water)								
			Client samp	ling date / time	02-Jun-2022	02-Jun-2022	 	
Analyte	CAS Number	Method	LOR	Unit	VA22B2363-001	VA22B2363-002	 	
Trindiyte	O/10 IValliber			0	Result	Result	 	
Physical Tests					result	. toodiit		
hardness (as CaCO3), dissolved		EC100	0.60	mg/L	79.7	203	 	
Anions and Nutrients								
ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	0.124	<0.0050	 	
chloride	16887-00-6	E235.CI	0.50	mg/L	3.55	18.8	 	
nitrate (as N)	14797-55-8	E235.NO3-L	0.0050	mg/L	1.45	0.676	 	
nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	0.0519	<0.0010	 	
nitrogen, total	7727-37-9	E366	0.030	mg/L	1.61	0.686	 	
Dissolved Metals								
aluminum, dissolved	7429-90-5	E421	1.0	μg/L	209	14.0	 	
antimony, dissolved	7440-36-0	E421	0.10	μg/L	2.49	2.06	 	
arsenic, dissolved	7440-38-2	E421	0.10	μg/L	1.56	3.11	 	
barium, dissolved	7440-39-3	E421	0.10	μg/L	23.1	36.4	 	
beryllium, dissolved	7440-41-7	E421	0.100	μg/L	<0.100	<0.100	 	
bismuth, dissolved	7440-69-9	E421	0.050	μg/L	<0.050	<0.050	 	
boron, dissolved	7440-42-8	E421	10	μg/L	26	17	 	
cadmium, dissolved	7440-43-9	E421	0.0050	μg/L	<0.0050	<0.0150 DLM	 	
calcium, dissolved	7440-70-2	E421	50	μg/L	25200	72100	 	
cesium, dissolved	7440-46-2	E421	0.010	μg/L	0.038	<0.010	 	
chromium, dissolved	7440-47-3	E421	0.50	μg/L	<0.50	1.15	 	
cobalt, dissolved	7440-48-4	E421	0.10	μg/L	0.16	<0.10	 	
copper, dissolved	7440-50-8	E421	0.20	μg/L	0.86	1.65	 	
iron, dissolved	7439-89-6	E421	10	μg/L	<10	<10	 	
lead, dissolved	7439-92-1	E421	0.050	μg/L	<0.050	<0.050	 	
lithium, dissolved	7439-93-2	E421	1.0	μg/L	1.5	<1.0	 	
magnesium, dissolved	7439-95-4	E421	5.0	μg/L	4080	5570	 	
manganese, dissolved	7439-96-5	E421	0.10	μg/L	8.01	0.24	 	
mercury, dissolved	7439-97-6	E509	0.0050	μg/L	<0.0050	<0.0050	 	
molybdenum, dissolved	7439-98-7	E421	0.050	μg/L	15.6	11.4	 	
nickel, dissolved	7440-02-0	E421	0.50	μg/L	<0.50	<0.50	 	
phosphorus, dissolved	7723-14-0	E421	50	μg/L	<50	<50	 	
potassium, dissolved	7440-09-7	E421	50	μg/L	6370	1500	 	

Page Work Order

: 4 of 5 : VA22B2363 Amendment 1 Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Results

Sub-Matrix: Water			CI	lient sample ID	SW1-220602	SW2-220602	 	
(Matrix: Water)								
			Client samp	oling date / time	02-Jun-2022	02-Jun-2022	 	
Analyte	CAS Number	Method	LOR	Unit	VA22B2363-001	VA22B2363-002	 	
				,	Result	Result	 	
Dissolved Metals								
rubidium, dissolved	7440-17-7	E421	0.20	μg/L	4.21	1.34	 	
selenium, dissolved	7782-49-2	E421	0.050	μg/L	0.351	0.543	 	
silicon, dissolved	7440-21-3	E421	50	μg/L	2130	5150	 	
silver, dissolved	7440-22-4	E421	0.010	μg/L	<0.010	<0.010	 	
sodium, dissolved	7440-23-5	E421	50	μg/L	6910	12000	 	
strontium, dissolved	7440-24-6	E421	0.20	μg/L	158	337	 	
sulfur, dissolved	7704-34-9	E421	500	μg/L	10300	18600	 	
tellurium, dissolved	13494-80-9	E421	0.20	μg/L	<0.20	<0.20	 	
thallium, dissolved	7440-28-0	E421	0.010	μg/L	0.012	<0.010	 	
thorium, dissolved	7440-29-1	E421	0.10	μg/L	<0.10	<0.10	 	
tin, dissolved	7440-31-5	E421	0.10	μg/L	<0.10	<0.10	 	
titanium, dissolved	7440-32-6	E421	0.30	μg/L	<0.30	<0.30	 	
tungsten, dissolved	7440-33-7	E421	0.10	μg/L	0.27	<0.10	 	
uranium, dissolved	7440-61-1	E421	0.010	μg/L	0.358	4.49	 	
vanadium, dissolved	7440-62-2	E421	0.50	μg/L	0.69	1.56	 	
zinc, dissolved	7440-66-6	E421	1.0	μg/L	1.6	2.9	 	
zirconium, dissolved	7440-67-7	E421	0.20	μg/L	<0.20	<0.20	 	
dissolved mercury filtration location		EP509	-	-	Field	Field	 	
dissolved metals filtration location		EP421	-	-	Field	Field	 	
Hydrocarbons								
EPH (C10-C19)		E601A	250	μg/L	<250	<250	 	
EPH (C19-C32)		E601A	250	μg/L	<250	<250	 	
HEPHw		EC600A	250	μg/L	<250	<250	 	
LEPHw		EC600A	250	μg/L	<250	<250	 	
Hydrocarbons Surrogates								
bromobenzotrifluoride, 2- (EPH surr)	392-83-6	E601A	1.0	%	94.5	88.6	 	
Polycyclic Aromatic Hydrocarbons								
acenaphthene	83-32-9	E641A	0.010	μg/L	<0.010	0.033	 	
acenaphthylene	208-96-8	E641A	0.010	μg/L	<0.010	<0.010	 	
acridine	260-94-6	E641A	0.010	μg/L	<0.010	<0.010	 	
anthracene	120-12-7	E641A	0.010	μg/L	<0.010	<0.010	 	
benz(a)anthracene	56-55-3	E641A	0.010	μg/L	<0.010	<0.010	 	
ı	<u> </u>		1			1	1	

Page : 5 of 5

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Results

Sub-Matrix: Water			CI	ient sample ID	SW1-220602	SW2-220602	 	
(Matrix: Water)								
			Client samp	ling date / time	02-Jun-2022	02-Jun-2022	 	
Analyte	CAS Number	Method	LOR	Unit	VA22B2363-001	VA22B2363-002	 	
					Result	Result	 	
Polycyclic Aromatic Hydrocarbons								
benzo(a)pyrene	50-32-8	E641A	0.0050	μg/L	<0.0050	<0.0050	 	
benzo(b+j)fluoranthene	n/a	E641A	0.010	μg/L	<0.010	<0.010	 	
benzo(b+j+k)fluoranthene	n/a	E641A	0.015	μg/L	<0.015	<0.015	 	
benzo(g,h,i)perylene	191-24-2	E641A	0.010	μg/L	<0.010	<0.010	 	
benzo(k)fluoranthene	207-08-9	E641A	0.010	μg/L	<0.010	<0.010	 	
chrysene	218-01-9	E641A	0.010	μg/L	<0.010	<0.010	 	
dibenz(a,h)anthracene	53-70-3	E641A	0.0050	μg/L	<0.0050	<0.0050	 	
fluoranthene	206-44-0	E641A	0.010	μg/L	<0.010	<0.010	 	
fluorene	86-73-7	E641A	0.010	μg/L	<0.010	0.037	 	
indeno(1,2,3-c,d)pyrene	193-39-5	E641A	0.010	μg/L	<0.010	<0.010	 	
methylnaphthalene, 1-	90-12-0	E641A	0.010	μg/L	<0.010	0.020	 	
methylnaphthalene, 2-	91-57-6	E641A	0.010	μg/L	<0.010	0.036	 	
naphthalene	91-20-3	E641A	0.050	μg/L	<0.050	0.085	 	
phenanthrene	85-01-8	E641A	0.020	μg/L	<0.020	0.041	 	
pyrene	129-00-0	E641A	0.010	μg/L	0.011	<0.010	 	
quinoline	91-22-5	E641A	0.050	μg/L	<0.050	<0.050	 	
Polycyclic Aromatic Hydrocarbons Surrogates								
chrysene-d12	1719-03-5	E641A	0.1	%	93.7	91.0	 	
naphthalene-d8	1146-65-2	E641A	0.1	%	84.5	85.8	 	
phenanthrene-d10	1517-22-2	E641A	0.1	%	106	106	 	

Please refer to the General Comments section for an explanation of any qualifiers detected.



QUALITY CONTROL INTERPRETIVE REPORT

Work Order : VA22B2363 Page : 1 of 8

Amendment : 1

Client : Active Earth Engineering Ltd. Laboratory : Vancouver - Environmental

Contact : Thomas Roberts Account Manager : Sneha Sansare

Address : 304-2600 Gladys Avenue Address : 8081 Lougheed Highway

Burnaby, British Columbia Canada V5A 1W9

 Telephone
 : -- Telephone
 : +1 604 253 4188

 Project
 : 2315-A
 Date Samples Received
 : 03-Jun-2022 09:35

 PO
 : 2315-A
 Issue Date
 : 14-Jun-2022 16:49

C-O-C number : ---Sampler : ---Site : ----

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)

Abbotsford BC Canada V2S 0F9

No. of samples received : 2
No. of samples analysed : 2

This report is automatically generated by the ALS LIMS (Laboratory Information Management System) through evaluation of Quality Control (QC) results and other QA parameters associated with this submission, and is intended to facilitate rapid data validation by auditors or reviewers. The report highlights any exceptions and outliers to ALS Data Quality Objectives, provides holding time details and exceptions, summarizes QC sample frequencies, and lists applicable methodology references and summaries.

Key

Anonymous: Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number: Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO: Data Quality Objective.

LOR: Limit of Reporting (detection limit).

RPD: Relative Percent Difference.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Summary of Outliers

Outliers: Quality Control Samples

- No Method Blank value outliers occur.
- No Duplicate outliers occur.
- No Laboratory Control Sample (LCS) outliers occur
- No Matrix Spike outliers occur.
- No Test sample Surrogate recovery outliers exist.

Outliers: Reference Material (RM) Samples

• No Reference Material (RM) Sample outliers occur.

Outliers : Analysis Holding Time Compliance (Breaches)

No Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

Quality Control Sample Frequency Outliers occur	r - please see following pages for full de	tails.	

Page : 3 of 8

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Analysis Holding Time Compliance

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times, which are selected to meet known provincial and/or federal requirements. In the absence of regulatory hold times, ALS establishes recommendations based on guidelines published by organizations such as CCME, US EPA, APHA Standard Methods, ASTM, or Environment Canada (where available). Dates and holding times reported below represent the first dates of extraction or analysis. If subsequent tests or dilutions exceeded holding times, qualifiers are added (refer to COA).

If samples are identified below as having been analyzed or extracted outside of recommended holding times, measurement uncertainties may be increased, and this should be taken into consideration when interpreting results.

Where actual sampling date is not provided on the chain of custody, the date of receipt with time at 00:00 is used for calculation purposes.

Where only the sample date without time is provided on the chain of custody, the sampling date at 00:00 is used for calculation purposes.

Matrix: Water					Ev	/aluation: 🗴 =	Holding time exce	edance ; 🔻	= Within	Holding Time
Analyte Group	Method	Sampling Date	Ext	raction / Pr	eparation			Analys	is	
Container / Client Sample ID(s)			Preparation	Holding	g Times	Eval	Analysis Date	Holding	Times	Eval
			Date	Rec	Actual			Rec	Actual	
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
SW1-220602	E298	02-Jun-2022	04-Jun-2022	3 days	2 days	✓	04-Jun-2022	28 days	0 days	✓
Anions and Nutrients : Ammonia by Fluorescence										
Amber glass total (lab preserved)										
SW2-220602	E298	02-Jun-2022	04-Jun-2022	3 days	2 days	✓	04-Jun-2022	28 days	0 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE										
SW1-220602	E235.CI	02-Jun-2022					04-Jun-2022	28 days	2 days	✓
Anions and Nutrients : Chloride in Water by IC										
HDPE	E005 OI	00 1 0000					04 1 0000	00.1		√
SW2-220602	E235.CI	02-Jun-2022					04-Jun-2022	28 days	2 days	✓
Anions and Nutrients : Nitrate in Water by IC (Low Level)				I	I		ı	I		
HDPE SW1-220602	E235.NO3-L	02-Jun-2022					04-Jun-2022	3 days	2 days	1
3W1-220002	L233.NO3-L	02-Juli-2022					04-3011-2022	3 days	2 days	•
Anions and Nutrients : Nitrate in Water by IC (Low Level) HDPE		l I					ı			
SW2-220602	E235.NO3-L	02-Jun-2022					04-Jun-2022	3 days	2 days	✓
G142 220002		02 04 2022					0104112022	o dayo	2 days	
Anions and Nutrients : Nitrite in Water by IC (Low Level)										
HDPE										
SW1-220602	E235.NO2-L	02-Jun-2022					04-Jun-2022	3 days	2 days	✓
								,-		

Page : 4 of 8

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix: Water Evaluation: x = Holding time exceedance; ✓ = Within Holding Time Analyte Group Extraction / Preparation Method Sampling Date Analysis Container / Client Sample ID(s) Preparation Holding Times Eval Analysis Date **Holding Times** Eval Rec Actual Rec Actual Date Anions and Nutrients : Nitrite in Water by IC (Low Level) HDPE 02-Jun-2022 04-Jun-2022 SW2-220602 E235.NO2-L 3 days 2 days ✓ Anions and Nutrients: Total Nitrogen by Colourimetry Amber glass total (lab preserved) 1 ✓ SW1-220602 E366 02-Jun-2022 04-Jun-2022 3 days 2 days 06-Jun-2022 28 days 2 days Anions and Nutrients: Total Nitrogen by Colourimetry Amber glass total (lab preserved) SW2-220602 E366 02-Jun-2022 04-Jun-2022 3 days 2 days ✓ 06-Jun-2022 28 days 2 days 1 **Dissolved Metals: Dissolved Mercury in Water by CVAAS** HDPE - dissolved (lab preserved) 1 E509 07-Jun-2022 07-Jun-2022 23 days 0 days ✓ SW1-220602 02-Jun-2022 28 5 days days **Dissolved Metals: Dissolved Mercury in Water by CVAAS** HDPE - dissolved (lab preserved) E509 02-Jun-2022 07-Jun-2022 5 days 1 07-Jun-2022 23 days 0 days SW2-220602 28 days Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) E421 02-Jun-2022 06-Jun-2022 06-Jun-2022 ✓ SW1-220602 180 5 davs days Dissolved Metals: Dissolved Metals in Water by CRC ICPMS HDPE - dissolved (lab preserved) SW2-220602 E421 02-Jun-2022 06-Jun-2022 06-Jun-2022 5 days 1 180 days Hydrocarbons: BC PHCs - EPH by GC-FID Amber glass/Teflon lined cap (sodium bisulfate) ✓ 07-Jun-2022 ✓ SW1-220602 E601A 02-Jun-2022 06-Jun-2022 14 4 days 40 days 1 days days Hydrocarbons: BC PHCs - EPH by GC-FID Amber glass/Teflon lined cap (sodium bisulfate) E601A 02-Jun-2022 06-Jun-2022 ✓ 07-Jun-2022 ✓ SW2-220602 4 days 40 days 1 days 14 days

Page : 5 of 8

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix: **Water** Evaluation: **×** = Holding time exceedance ; ✓ = Within Holding Time

Method	Sampling Date		raction / Pr	eparation			Analys	is	
		l <u> </u>							
		Preparation	Holding	ling Times Eval		Analysis Date	Holding Times		Eval
		Date	Rec	Actual			Rec	Actual	
E641A	02-Jun-2022	06-Jun-2022	14	4 days	✓	06-Jun-2022	40 days	0 days	✓
			days						
E641A	02-Jun-2022	06-Jun-2022	14	4 days	✓	06-Jun-2022	40 days	0 days	✓
			days						
			E641A 02-Jun-2022 06-Jun-2022	E641A 02-Jun-2022 06-Jun-2022 14 days	E641A 02-Jun-2022 06-Jun-2022 14 4 days days E641A 02-Jun-2022 06-Jun-2022 14 4 days	E641A 02-Jun-2022 06-Jun-2022 14 4 days ✓ E641A 02-Jun-2022 06-Jun-2022 14 4 days ✓	E641A 02-Jun-2022 06-Jun-2022 14 4 days ✓ 06-Jun-2022 E641A 02-Jun-2022 06-Jun-2022 14 4 days ✓ 06-Jun-2022	E641A 02-Jun-2022 06-Jun-2022 14 4 days ✓ 06-Jun-2022 40 days E641A 02-Jun-2022 06-Jun-2022 14 4 days ✓ 06-Jun-2022 40 days	E641A 02-Jun-2022 06-Jun-2022 14 4 days ✓ 06-Jun-2022 40 days 0 days E641A 02-Jun-2022 06-Jun-2022 14 4 days ✓ 06-Jun-2022 40 days 0 days

Legend & Qualifier Definitions

Rec. HT: ALS recommended hold time (see units).

Page : 6 of 8

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Quality Control Parameter Frequency Compliance

The following report summarizes the frequency of laboratory QC samples analyzed within the analytical batches (QC lots) in which the submitted samples were processed. The actual frequency should be greater than or equal to the expected frequency.

Matrix: Water		Evaluati	ion: × = QC freque	ency outside spe	ecification; ✓ = 0	QC frequency wit	thin specification
Quality Control Sample Type			Co	ount		Frequency (%))
Analytical Methods	Method	QC Lot #	QC	Regular	Actual	Expected	Evaluation
Laboratory Duplicates (DUP)							
Ammonia by Fluorescence	E298	510695	1	16	6.2	5.0	✓
Chloride in Water by IC	E235.Cl	523269	0	2	0.0	5.0	×
Dissolved Mercury in Water by CVAAS	E509	513323	1	18	5.5	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	511809	1	5	20.0	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	510755	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	510754	1	14	7.1	5.0	✓
Total Nitrogen by Colourimetry	E366	510696	1	4	25.0	5.0	✓
Laboratory Control Samples (LCS)							
Ammonia by Fluorescence	E298	510695	1	16	6.2	5.0	✓
BC PHCs - EPH by GC-FID	E601A	511940	1	9	11.1	5.0	✓
Chloride in Water by IC	E235.CI	523269	1	2	50.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	513323	1	18	5.5	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	511809	1	5	20.0	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	510755	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	510754	1	14	7.1	5.0	✓
PAHs by Hexane LVI GC-MS	E641A	511939	1	13	7.6	5.0	✓
Total Nitrogen by Colourimetry	E366	510696	1	4	25.0	5.0	✓
Method Blanks (MB)							
Ammonia by Fluorescence	E298	510695	1	16	6.2	5.0	✓
BC PHCs - EPH by GC-FID	E601A	511940	1	9	11.1	5.0	✓
Chloride in Water by IC	E235.Cl	523269	1	2	50.0	5.0	✓
Dissolved Mercury in Water by CVAAS	E509	513323	1	18	5.5	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	511809	1	5	20.0	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	510755	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	510754	1	14	7.1	5.0	✓
PAHs by Hexane LVI GC-MS	E641A	511939	1	13	7.6	5.0	✓
Total Nitrogen by Colourimetry	E366	510696	1	4	25.0	5.0	✓
Matrix Spikes (MS)							
Ammonia by Fluorescence	E298	510695	1	16	6.2	5.0	✓
Chloride in Water by IC	E235.Cl	523269	0	2	0.0	5.0)£
Dissolved Mercury in Water by CVAAS	E509	513323	1	18	5.5	5.0	✓
Dissolved Metals in Water by CRC ICPMS	E421	511809	1	5	20.0	5.0	✓
Nitrate in Water by IC (Low Level)	E235.NO3-L	510755	1	14	7.1	5.0	✓
Nitrite in Water by IC (Low Level)	E235.NO2-L	510754	1	14	7.1	5.0	✓
Total Nitrogen by Colourimetry	E366	510696	1	4	25.0	5.0	✓

Page : 7 of 8

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Methodology References and Summaries

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Reference methods may incorporate modifications to improve performance (indicated by "mod").

Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Chloride in Water by IC	E235.Cl Vancouver -	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
	Environmental			
Nitrite in Water by IC (Low Level)	E235.NO2-L Vancouver -	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and /or UV detection.
	Environmental			
Nitrate in Water by IC (Low Level)	E235.NO3-L Vancouver - Environmental	Water	EPA 300.1 (mod)	Inorganic anions are analyzed by Ion Chromatography with conductivity and/or UV detection.
Ammonia by Fluorescence	E298 Vancouver - Environmental	Water	J. Environ. Monit., 2005, 7, 37-42 (mod)	Ammonia in water is analyzed by flow-injection analysis with fluorescence detection after reaction with orthophthaldialdehyde (OPA).
Total Nitrogen by Colourimetry	E366 Vancouver - Environmental	Water	APHA 4500-P J (mod)	Total Nitrogen is determined colourimetrically using a discrete analyzer after heated persulfate digestion of the sample.
Dissolved Metals in Water by CRC ICPMS	E421 Vancouver - Environmental	Water	APHA 3030B/EPA 6020B (mod)	Water samples are filtered (0.45 um), preserved with nitric acid, and analyzed by Collision/Reaction Cell ICPMS. Method Limitation (re: Sulfur): Sulfide and volatile sulfur species may not be recovered by this method.
Dissolved Mercury in Water by CVAAS	E509 Vancouver - Environmental	Water	APHA 3030B/EPA 1631E (mod)	Water samples are filtered (0.45 um), preserved with HCl, then undergo a cold-oxidation using bromine monochloride prior to reduction with stannous chloride, and analyzed by CVAAS.
BC PHCs - EPH by GC-FID	E601A Vancouver - Environmental	Water	BC MOE Lab Manual	Sample extracts are analyzed by GC-FID for BC hydrocarbon fractions.
PAHs by Hexane LVI GC-MS	E641A Vancouver - Environmental	Water	EPA 8270E (mod)	Polycyclic Aromatic Hydrocarbons (PAHs) are analyzed by large volume injection (LVI) GC-MS.

Page : 8 of 8

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Analytical Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Dissolved Hardness (Calculated)	EC100 Vancouver - Environmental	Water	APHA 2340B	"Hardness (as CaCO3), dissolved" is calculated from the sum of dissolved Calcium and Magnesium concentrations, expressed in CaCO3 equivalents. "Total Hardness" refers to the sum of Calcium and Magnesium Hardness. Hardness is normally or preferentially calculated from dissolved Calcium and Magnesium concentrations, because it is a property of water due to dissolved divalent cations.
LEPH and HEPH: EPH-PAH	EC600A Vancouver - Environmental	Water	BC MOE Lab Manual (LEPH and HEPH) (mod)	Light Extractable Petroleum Hydrocarbons (LEPH) and Heavy Extractable Petroleum Hydrocarbons (HEPH) are calculated as follows: LEPH = Extractable Petroleum Hydrocarbons (EPH10-19) minus Acenaphthene, Acridine, Anthracene, Fluorene, Naphthalene and Phenanthrene; HEPH = Extractable Petroleum Hydrocarbons (EPH19-32) minus Benz(a)anthracene, Benzo(a)pyrene, Fluoranthene, and Pyrene.
Preparation Methods	Method / Lab	Matrix	Method Reference	Method Descriptions
Preparation for Ammonia	EP298 Vancouver - Environmental	Water		Sample preparation for Preserved Nutrients Water Quality Analysis.
Digestion for Total Nitrogen in water	EP366 Vancouver - Environmental	Water	APHA 4500-P J (mod)	Samples are heated with a persulfate digestion reagent.
Dissolved Metals Water Filtration	EP421 Vancouver - Environmental	Water	APHA 3030B	Water samples are filtered (0.45 um), and preserved with HNO3.
Dissolved Mercury Water Filtration	EP509 Vancouver - Environmental	Water	АРНА 3030В	Water samples are filtered (0.45 um), and preserved with HCl.
PHCs and PAHs Hexane Extraction	EP601 Vancouver - Environmental	Water	EPA 3511 (mod)	Petroleum Hydrocarbons (PHCs) and Polycyclic Aromatic Hydrocarbons (PAHs) are extracted using a hexane liquid-liquid extraction.



QUALITY CONTROL REPORT

Page

Work Order :VA22B2363

Abbotsford BC Canada V2S 0E9

Amendment : 1

Client : Active Earth Engineering Ltd. Laboratory : Vancouver - Environmental

Contact : Thomas Roberts Account Manager : Sneha Sansare

Address : 304-2600 Gladys Avenue Address : 8081 Lougheed Highway

Burnaby, British Columbia Canada V5A 1W9

: 1 of 12

: +--- Telephone : +1 604 253 4188 : 2315-A Date Samples Received : 03-Jun-2022 09:35

: 2315-A Date Analysis Commenced : 04-Jun-2022

C-O-C number :---- Issue Date :14-Jun-2022 16:49
Sampler :---

Site :---

Quote number : VA22-ACTI100-001 (Default Pricing 2022+)
No. of samples received : 2

No. of samples analysed : 2

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives

- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

Telephone

Project

PO

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Janice Leung	Supervisor - Organics Instrumentation	Vancouver Organics, Burnaby, British Columbia
Kevin Duarte	Supervisor - Metals ICP Instrumentation	Vancouver Metals, Burnaby, British Columbia
Kyle Chang	Lab Assistant	Vancouver Metals, Burnaby, British Columbia
Lindsay Gung	Supervisor - Water Chemistry	Vancouver Inorganics, Burnaby, British Columbia
Owen Cheng		Vancouver Metals, Burnaby, British Columbia

Page : 2 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key:

Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.

CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.

DQO = Data Quality Objective.

LOR = Limit of Reporting (detection limit).

RPD = Relative Percent Difference

= Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "---" if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.

Page : 3 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
aboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifie
nions and Nutrien	ts (QC Lot: 510695)										
/A22B2341-001	Anonymous	ammonia, total (as N)	7664-41-7	E298	0.0050	mg/L	0.0067	0.0057	0.0010	Diff <2x LOR	
nions and Nutrien	ts (QC Lot: 510696)										
/A22B2341-001	Anonymous	nitrogen, total	7727-37-9	E366	0.030	mg/L	0.040	0.038	0.002	Diff <2x LOR	
nions and Nutrien	ts (QC Lot: 510754)										
/A22B2367-001	Anonymous	nitrite (as N)	14797-65-0	E235.NO2-L	0.0010	mg/L	0.0408	0.0411	0.596%	20%	
nions and Nutrien	ts (QC Lot: 510755)										
/A22B2367-001	Anonymous	nitrate (as N)	14797-55-8	E235.NO3-L	0.0050	mg/L	4.47	4.46	0.0421%	20%	
issolved Metals (QC Lot: 511809)										
/A22B2363-001	SW1-220602	aluminum, dissolved	7429-90-5	E421	0.0010	mg/L	209 μg/L	0.208	0.656%	20%	
		antimony, dissolved	7440-36-0	E421	0.00010	mg/L	2.49 µg/L	0.00250	0.658%	20%	
		arsenic, dissolved	7440-38-2	E421	0.00010	mg/L	1.56 µg/L	0.00157	0.508%	20%	
		barium, dissolved	7440-39-3	E421	0.00010	mg/L	23.1 µg/L	0.0231	0.190%	20%	
		beryllium, dissolved	7440-41-7	E421	0.000100	mg/L	<0.100 µg/L	<0.000100	0	Diff <2x LOR	
		bismuth, dissolved	7440-69-9	E421	0.000050	mg/L	<0.050 µg/L	<0.000050	0	Diff <2x LOR	
		boron, dissolved	7440-42-8	E421	0.010	mg/L	26 μg/L	0.026	0.0001	Diff <2x LOR	
		cadmium, dissolved	7440-43-9	E421	0.0000050	mg/L	<0.0050 µg/L	<0.0000050	0	Diff <2x LOR	
		calcium, dissolved	7440-70-2	E421	0.050	mg/L	25200 μg/L	24.7	2.08%	20%	
		cesium, dissolved	7440-46-2	E421	0.000010	mg/L	0.038 μg/L	0.000036	0.000002	Diff <2x LOR	
		chromium, dissolved	7440-47-3	E421	0.00050	mg/L	<0.50 µg/L	<0.00050	0	Diff <2x LOR	
		cobalt, dissolved	7440-48-4	E421	0.00010	mg/L	0.16 μg/L	0.00016	0.000001	Diff <2x LOR	
		copper, dissolved	7440-50-8	E421	0.00020	mg/L	0.86 µg/L	0.00084	0.00002	Diff <2x LOR	
		iron, dissolved	7439-89-6	E421	0.010	mg/L	<10 µg/L	<0.010	0	Diff <2x LOR	
		lead, dissolved	7439-92-1	E421	0.000050	mg/L	<0.050 µg/L	<0.000050	0	Diff <2x LOR	
		lithium, dissolved	7439-93-2	E421	0.0010	mg/L	1.5 μg/L	0.0015	0.00004	Diff <2x LOR	
		magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	4080 μg/L	4.04	0.922%	20%	
		manganese, dissolved	7439-96-5	E421	0.00010	mg/L	8.01 µg/L	0.00788	1.72%	20%	
		molybdenum, dissolved	7439-98-7	E421	0.000050	mg/L	15.6 μg/L	0.0159	1.84%	20%	
		nickel, dissolved	7440-02-0	E421	0.00050	mg/L	<0.50 µg/L	<0.00050	0	Diff <2x LOR	
		phosphorus, dissolved	7723-14-0	E421	0.050	mg/L	<50 μg/L	<0.050	0	Diff <2x LOR	
		potassium, dissolved	7440-09-7	E421	0.050	mg/L	6370 µg/L	6.29	1.14%	20%	
		rubidium, dissolved	7440-17-7	E421	0.00020	mg/L	4.21 µg/L	0.00424	0.728%	20%	

Page

: 4 of 12 : VA22B2363 Amendment 1 Work Order Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water							Labora	tory Duplicate (D	UP) Report		
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Dissolved Metals (QC Lot: 511809) - contin	ued									
VA22B2363-001	SW1-220602	selenium, dissolved	7782-49-2	E421	0.000050	mg/L	0.351 µg/L	0.000395	0.000043	Diff <2x LOR	
		silicon, dissolved	7440-21-3	E421	0.050	mg/L	2130 μg/L	2.28	6.65%	20%	
		silver, dissolved	7440-22-4	E421	0.000010	mg/L	<0.010 µg/L	<0.000010	0	Diff <2x LOR	
		sodium, dissolved	7440-23-5	E421	0.050	mg/L	6910 µg/L	6.73	2.52%	20%	
		strontium, dissolved	7440-24-6	E421	0.00020	mg/L	158 μg/L	0.160	0.935%	20%	
		sulfur, dissolved	7704-34-9	E421	0.50	mg/L	10300 μg/L	11.4	10.5%	20%	
		tellurium, dissolved	13494-80-9	E421	0.00020	mg/L	<0.20 µg/L	<0.00020	0	Diff <2x LOR	
		thallium, dissolved	7440-28-0	E421	0.000010	mg/L	0.012 μg/L	0.000012	0.0000001	Diff <2x LOR	
		thorium, dissolved	7440-29-1	E421	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	
		tin, dissolved	7440-31-5	E421	0.00010	mg/L	<0.10 µg/L	<0.00010	0	Diff <2x LOR	
		titanium, dissolved	7440-32-6	E421	0.00030	mg/L	<0.30 µg/L	<0.00030	0	Diff <2x LOR	
		tungsten, dissolved	7440-33-7	E421	0.00010	mg/L	0.27 μg/L	0.00026	0.000006	Diff <2x LOR	
		uranium, dissolved	7440-61-1	E421	0.000010	mg/L	0.358 μg/L	0.000359	0.470%	20%	
		vanadium, dissolved	7440-62-2	E421	0.00050	mg/L	0.69 µg/L	0.00071	0.00002	Diff <2x LOR	
		zinc, dissolved	7440-66-6	E421	0.0010	mg/L	1.6 µg/L	0.0014	0.0002	Diff <2x LOR	
		zirconium, dissolved	7440-67-7	E421	0.00020	mg/L	<0.20 µg/L	<0.00020	0	Diff <2x LOR	
Dissolved Metals (QC Lot: 513323)										
CG2206854-004	Anonymous	mercury, dissolved	7439-97-6	E509	0.0000050	mg/L	<0.000050	<0.0000050	0	Diff <2x LOR	

Page : 5 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DQO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number M	lethod	LOR	Unit	Result	Qualifier
Anions and Nutrients (QCLot: 510695)					resure	
ammonia, total (as N)	7664-41-7 E	298	0.005	mg/L	<0.0050	
Anions and Nutrients (QCLot: 510696)						
nitrogen, total	7727-37-9 E	366	0.03	mg/L	<0.030	
Anions and Nutrients (QCLot: 510754)						
nitrite (as N)	14797-65-0 E	235.NO2-L	0.001	mg/L	<0.0010	
Anions and Nutrients (QCLot: 510755)						
nitrate (as N)	14797-55-8 E	235.NO3-L	0.005	mg/L	<0.0050	
Anions and Nutrients (QCLot: 523269)						
chloride	16887-00-6 E	235.CI	0.5	mg/L	<0.50	
Dissolved Metals (QCLot: 511809)						
aluminum, dissolved	7429-90-5 E	421	0.001	mg/L	<0.0010	
antimony, dissolved	7440-36-0 E	421	0.0001	mg/L	<0.00010	
arsenic, dissolved	7440-38-2 E	421	0.0001	mg/L	<0.00010	
barium, dissolved	7440-39-3 E	421	0.0001	mg/L	<0.00010	
beryllium, dissolved	7440-41-7 E	421	0.00002	mg/L	<0.000020	
bismuth, dissolved	7440-69-9 E	421	0.00005	mg/L	<0.000050	
boron, dissolved	7440-42-8 E	421	0.01	mg/L	<0.010	
cadmium, dissolved	7440-43-9 E	421	0.000005	mg/L	<0.0000050	
calcium, dissolved	7440-70-2 E	421	0.05	mg/L	<0.050	
cesium, dissolved	7440-46-2 E	421	0.00001	mg/L	<0.000010	
chromium, dissolved	7440-47-3 E	421	0.0005	mg/L	<0.00050	
cobalt, dissolved	7440-48-4 E	421	0.0001	mg/L	<0.00010	
copper, dissolved	7440-50-8 E	421	0.0002	mg/L	<0.00020	
iron, dissolved	7439-89-6 E	421	0.01	mg/L	<0.010	
lead, dissolved	7439-92-1 E	421	0.00005	mg/L	<0.000050	
lithium, dissolved	7439-93-2 E	421	0.001	mg/L	<0.0010	
magnesium, dissolved	7439-95-4 E	421	0.005	mg/L	<0.0050	
manganese, dissolved	7439-96-5 E	421	0.0001	mg/L	<0.00010	
molybdenum, dissolved	7439-98-7 E	421	0.00005	mg/L	<0.000050	
nickel, dissolved	7440-02-0 E	421	0.0005	mg/L	<0.00050	
phosphorus, dissolved	7723-14-0 E	421	0.05	mg/L	<0.050	
potassium, dissolved	7440-09-7 E	421	0.05	mg/L	<0.050	
rubidium, dissolved	7440-17-7 E	421	0.0002	mg/L	<0.00020	

Page : 6 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A

Sub-Matrix: Water

Analyte	CAS Number Method	LOR	Unit	Result	Qualifier
Dissolved Metals (QCLot: 51180	9) - continued				
selenium, dissolved	7782-49-2 E421	0.00005	mg/L	<0.000050	
silicon, dissolved	7440-21-3 E421	0.05	mg/L	<0.050	
silver, dissolved	7440-22-4 E421	0.00001	mg/L	<0.000010	
sodium, dissolved	7440-23-5 E421	0.05	mg/L	<0.050	
strontium, dissolved	7440-24-6 E421	0.0002	mg/L	<0.00020	
sulfur, dissolved	7704-34-9 E421	0.5	mg/L	<0.50	
tellurium, dissolved	13494-80-9 E421	0.0002	mg/L	<0.00020	
thallium, dissolved	7440-28-0 E421	0.00001	mg/L	<0.000010	
thorium, dissolved	7440-29-1 E421	0.0001	mg/L	<0.00010	
tin, dissolved	7440-31-5 E421	0.0001	mg/L	<0.00010	
titanium, dissolved	7440-32-6 E421	0.0003	mg/L	<0.00030	
tungsten, dissolved	7440-33-7 E421	0.0001	mg/L	<0.00010	
uranium, dissolved	7440-61-1 E421	0.00001	mg/L	<0.000010	
vanadium, dissolved	7440-62-2 E421	0.0005	mg/L	<0.00050	
zinc, dissolved	7440-66-6 E421	0.001	mg/L	<0.0010	
zirconium, dissolved	7440-67-7 E421	0.0002	mg/L	<0.00020	
Dissolved Metals (QCLot: 51332	3)				
mercury, dissolved	7439-97-6 E509	0.000005	mg/L	<0.0000050	
Hydrocarbons (QCLot: 511940)					
EPH (C10-C19)	E601A	250	μg/L	<250	
EPH (C19-C32)	E601A	250	μg/L	<250	
Polycyclic Aromatic Hydrocarbo	ns (QCLot: 511939)				
acenaphthene	83-32-9 E641A	0.01	μg/L	<0.010	
acenaphthylene	208-96-8 E641A	0.01	μg/L	<0.010	
acridine	260-94-6 E641A	0.01	μg/L	<0.010	
anthracene	120-12-7 E641A	0.01	μg/L	<0.010	
benz(a)anthracene	56-55-3 E641A	0.01	μg/L	<0.010	
benzo(a)pyrene	50-32-8 E641A	0.005	μg/L	<0.0050	
benzo(b+j)fluoranthene	n/a E641A	0.01	μg/L	<0.010	
benzo(g,h,i)perylene	191-24-2 E641A	0.01	μg/L	<0.010	
benzo(k)fluoranthene	207-08-9 E641A	0.01	μg/L	<0.010	
chrysene	218-01-9 E641A	0.01	μg/L	<0.010	
dibenz(a,h)anthracene	53-70-3 E641A	0.005	μg/L	<0.0050	
fluoranthene	206-44-0 E641A	0.01	μg/L	<0.010	
fluorene	86-73-7 E641A	0.01	μg/L	<0.010	
indeno(1,2,3-c,d)pyrene	193-39-5 E641A	0.01	μg/L	<0.010	
1	T .	T .		1	



Page : 7 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A

Sub-Matrix: Water

Analyte	CAS Number Method	d	LOR	Unit	Result	Qualifier
Polycyclic Aromatic Hydrocarbons (QCLot: 51193	e) - continued					
methylnaphthalene, 1-	90-12-0 E641A		0.01	μg/L	<0.010	
methylnaphthalene, 2-	91-57-6 E641A		0.01	μg/L	<0.010	
naphthalene	91-20-3 E641A		0.05	μg/L	<0.050	
phenanthrene	85-01-8 E641A		0.02	μg/L	<0.020	
pyrene	129-00-0 E641A		0.01	μg/L	<0.010	
quinoline	91-22-5 E641A		0.05	μg/L	<0.050	



Page : 8 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water					Laboratory Co	ontrol Sample (LCS)	Report	
				Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number Method	LOR	Unit	Concentration	LCS	Low	High	Qualifie
Anions and Nutrients (QCLot: 510695)								
ammonia, total (as N)	7664-41-7 E298	0.005	mg/L	0.2 mg/L	102	85.0	115	
Anions and Nutrients (QCLot: 510696)								1
nitrogen, total	7727-37-9 E366	0.03	mg/L	0.5 mg/L	99.7	75.0	125	
Anions and Nutrients (QCLot: 510754)								
nitrite (as N)	14797-65-0 E235.NO2-L	0.001	mg/L	0.5 mg/L	104	90.0	110	
Anions and Nutrients (QCLot: 510755)								
nitrate (as N)	14797-55-8 E235.NO3-L	0.005	mg/L	2.5 mg/L	104	90.0	110	
Anions and Nutrients (QCLot: 523269)								
chloride	16887-00-6 E235.CI	0.5	mg/L	100 mg/L	102	90.0	110	
Dissolved Metals (QCLot: 511809)								
aluminum, dissolved	7429-90-5 E421	0.001	mg/L	2 mg/L	99.6	80.0	120	
ntimony, dissolved	7440-36-0 E421	0.0001	mg/L	1 mg/L	98.8	80.0	120	
arsenic, dissolved	7440-38-2 E421	0.0001	mg/L	1 mg/L	101	80.0	120	
parium, dissolved	7440-39-3 E421	0.0001	mg/L	0.25 mg/L	103	80.0	120	
peryllium, dissolved	7440-41-7 E421	0.00002	mg/L	0.1 mg/L	95.6	80.0	120	
pismuth, dissolved	7440-69-9 E421	0.00005	mg/L	1 mg/L	99.4	80.0	120	
oron, dissolved	7440-42-8 E421	0.01	mg/L	1 mg/L	90.8	80.0	120	
admium, dissolved	7440-43-9 E421	0.000005	mg/L	0.1 mg/L	100	80.0	120	
calcium, dissolved	7440-70-2 E421	0.05	mg/L	50 mg/L	98.4	80.0	120	
cesium, dissolved	7440-46-2 E421	0.00001	mg/L	0.05 mg/L	100	80.0	120	
chromium, dissolved	7440-47-3 E421	0.0005	mg/L	0.25 mg/L	102	80.0	120	
cobalt, dissolved	7440-48-4 E421	0.0001	mg/L	0.25 mg/L	99.4	80.0	120	
copper, dissolved	7440-50-8 E421	0.0002	mg/L	0.25 mg/L	97.5	80.0	120	
ron, dissolved	7439-89-6 E421	0.01	mg/L	1 mg/L	102	80.0	120	
ead, dissolved	7439-92-1 E421	0.00005	mg/L	0.5 mg/L	99.0	80.0	120	
thium, dissolved	7439-93-2 E421	0.001	mg/L	0.25 mg/L	99.1	80.0	120	
nagnesium, dissolved	7439-95-4 E421	0.005	mg/L	50 mg/L	102	80.0	120	
nanganese, dissolved	7439-96-5 E421	0.0001	mg/L	0.25 mg/L	101	80.0	120	
nolybdenum, dissolved	7439-98-7 E421	0.00005	mg/L	0.25 mg/L	101	80.0	120	
nickel, dissolved	7440-02-0 E421	0.0005	mg/L	0.5 mg/L	97.9	80.0	120	
phosphorus, dissolved	7723-14-0 E421	0.05	mg/L	10 mg/L	102	80.0	120	
potassium, dissolved	7440-09-7 E421	0.05	mg/L	50 mg/L	99.8	80.0	120	
rubidium, dissolved	7440-17-7 E421	0.0002	mg/L	0.1 mg/L	100	80.0	120	

Page : 9 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water						Laboratory Con	trol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number Me	ethod	LOR	Unit	Concentration	LCS	Low	High	Qualifie
Dissolved Metals (QCLot: 511809)	- continued								
selenium, dissolved	7782-49-2 E4	21	0.00005	mg/L	1 mg/L	93.5	80.0	120	
silicon, dissolved	7440-21-3 E4	121	0.05	mg/L	10 mg/L	99.8	80.0	120	
silver, dissolved	7440-22-4 E4	21	0.00001	mg/L	0.1 mg/L	96.2	80.0	120	
sodium, dissolved	7440-23-5 E4	21	0.05	mg/L	50 mg/L	103	80.0	120	
strontium, dissolved	7440-24-6 E4	21	0.0002	mg/L	0.25 mg/L	101	80.0	120	
sulfur, dissolved	7704-34-9 E4	21	0.5	mg/L	50 mg/L	84.6	80.0	120	
ellurium, dissolved	13494-80-9 E4	121	0.0002	mg/L	0.1 mg/L	99.7	80.0	120	
hallium, dissolved	7440-28-0 E4	121	0.00001	mg/L	1 mg/L	100	80.0	120	
thorium, dissolved	7440-29-1 E4	121	0.0001	mg/L	0.1 mg/L	95.0	80.0	120	
tin, dissolved	7440-31-5 E4	121	0.0001	mg/L	0.5 mg/L	99.3	80.0	120	
titanium, dissolved	7440-32-6 E4	121	0.0003	mg/L	0.25 mg/L	88.7	80.0	120	
tungsten, dissolved	7440-33-7 E4	121	0.0001	mg/L	0.1 mg/L	96.3	80.0	120	
uranium, dissolved	7440-61-1 E4	121	0.00001	mg/L	0.005 mg/L	96.0	80.0	120	
vanadium, dissolved	7440-62-2 E4	121	0.0005	mg/L	0.5 mg/L	102	80.0	120	
zinc, dissolved	7440-66-6 E4	121	0.001	mg/L	0.5 mg/L	100	80.0	120	
zirconium, dissolved	7440-67-7 E4:	121	0.0002	mg/L	0.1 mg/L	98.8	80.0	120	
mercury, dissolved	7439-97-6 E5	509	0.000005	mg/L	0.0001 mg/L	99.8	80.0	120	
Hydrocarbons (QCLot: 511940) EPH (C10-C19) EPH (C19-C32)	E6		250 250	μg/L μg/L	6491 μg/L 3363 μg/L	98.3 111	70.0 70.0	130 130	
Polycyclic Aromatic Hydrocarbons	s (QCLot: 511939)								
acenaphthene	83-32-9 E6	641A	0.01	μg/L	0.5 μg/L	112	60.0	130	
acenaphthylene	208-96-8 E6	641A	0.01	μg/L	0.5 μg/L	109	60.0	130	
acridine	260-94-6 E6	641A	0.01	μg/L	0.5 μg/L	112	60.0	130	
anthracene	120-12-7 E6	641A	0.01	μg/L	0.5 μg/L	123	60.0	130	
penz(a)anthracene	56-55-3 E6	641A	0.01	μg/L	0.5 μg/L	110	60.0	130	
penzo(a)pyrene	50-32-8 E6	641A	0.005	μg/L	0.5 μg/L	106	60.0	130	
penzo(b+j)fluoranthene	n/a E6	641A	0.01	μg/L	0.5 μg/L	112	60.0	130	
penzo(g,h,i)perylene	191-24-2 E6	641A	0.01	μg/L	0.5 μg/L	123	60.0	130	
penzo(k)fluoranthene	207-08-9 E6	641A	0.01	μg/L	0.5 μg/L	119	60.0	130	
chrysene	218-01-9 E6	641A	0.01	μg/L	0.5 μg/L	112	60.0	130	
dibenz(a,h)anthracene	53-70-3 E6	641A	0.005	μg/L	0.5 μg/L	106	60.0	130	
luoranthene	206-44-0 E6	641A	0.01	μg/L	0.5 μg/L	118	60.0	130	
iluorene	86-73-7 E6	641A	0.01	μg/L	0.5 μg/L	113	60.0	130	
ndeno(1,2,3-c,d)pyrene	193-39-5 E6	641A	0.01	μg/L	0.5 μg/L	117	60.0	130	
methylnaphthalene, 1-	90-12-0 E6	641A	0.01	μg/L	0.5 µg/L	102	60.0	130	

Page

: 10 of 12 : VA22B2363 Amendment 1 Work Order Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water						Laboratory Co	ontrol Sample (LCS)	Report	
					Spike	Recovery (%)	Recovery	Limits (%)	
Analyte	CAS Number	Method	LOR	Unit	Concentration	LCS	Low	High	Qualifier
Polycyclic Aromatic Hydrocarbons (QC	Lot: 511939) - continue	d							
methylnaphthalene, 2-	91-57-6	E641A	0.01	μg/L	0.5 μg/L	99.3	60.0	130	
naphthalene	91-20-3	E641A	0.05	μg/L	0.5 μg/L	95.3	50.0	130	
phenanthrene	85-01-8	E641A	0.02	μg/L	0.5 μg/L	123	60.0	130	
pyrene	129-00-0	E641A	0.01	μg/L	0.5 μg/L	119	60.0	130	
quinoline	91-22-5	E641A	0.05	μg/L	0.5 μg/L	120	60.0	130	

Page : 11 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DQO exceedances due to sample matrix may sometimes be unavoidable; in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1x spike level.

Sub-Matrix: Water							Matrix Spike	e (MS) Report		
					Spi	ike	Recovery (%)	Recovery	Limits (%)	
aboratory sample	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
	ents (QCLot: 51069	5)								
/A22B2363-001	SW1-220602	ammonia, total (as N)	7664-41-7	E298	ND mg/L	0.1 mg/L	ND	75.0	125	MS-B
nions and Nutri	ents (QCLot: 51069	6)								
/A22B2363-001	SW1-220602	nitrogen, total	7727-37-9	E366	1.95 mg/L	2 mg/L	97.6	70.0	130	
nions and Nutri	ents (QCLot: 51075	4)								
VA22B2367-002	Anonymous	nitrite (as N)	14797-65-0	E235.NO2-L	2.59 mg/L	2.5 mg/L	104	75.0	125	
nions and Nutri	ents (QCLot: 51075	5)								
VA22B2367-002	Anonymous	nitrate (as N)	14797-55-8	E235.NO3-L	ND mg/L	12.5 mg/L	ND	75.0	125	
	(QCLot: 511809)					1210 113/2				
/A22B2363-002	SW2-220602	aluminum, dissolved	7429-90-5	E421	0.199 mg/L	0.2 mg/L	99.6	70.0	130	
7.1222000 002		antimony, dissolved	7440-36-0	E421	0.0202 mg/L	0.2 mg/L 0.02 mg/L	101	70.0	130	
		arsenic, dissolved	7440-38-2	E421	0.0202 mg/L	0.02 mg/L	105	70.0	130	
		barium, dissolved	7440-39-3	E421	ND mg/L	0.02 mg/L	ND	70.0	130	
		beryllium, dissolved	7440-41-7	E421	0.0402 mg/L	0.02 mg/L	100	70.0	130	
		bismuth, dissolved	7440-69-9	E421	0.00932 mg/L	0.01 mg/L	93.2	70.0	130	
		boron, dissolved	7440-42-8	E421	0.097 mg/L	0.1 mg/L	97.3	70.0	130	
		cadmium, dissolved	7440-43-9	E421	0.00398 mg/L	0.004 mg/L	99.6	70.0	130	
		calcium, dissolved	7440-70-2	E421	ND mg/L	4 mg/L	ND	70.0	130	
		cesium, dissolved	7440-46-2	E421	0.0100 mg/L	0.01 mg/L	100	70.0	130	
		chromium, dissolved	7440-47-3	E421	0.0421 mg/L	0.04 mg/L	105	70.0	130	
		cobalt, dissolved	7440-48-4	E421	0.0199 mg/L	0.02 mg/L	99.6	70.0	130	
		copper, dissolved	7440-50-8	E421	0.0192 mg/L	0.02 mg/L	96.2	70.0	130	
		iron, dissolved	7439-89-6	E421	1.98 mg/L	2 mg/L	98.9	70.0	130	
		lead, dissolved	7439-92-1	E421	0.0194 mg/L	0.02 mg/L	97.0	70.0	130	
		lithium, dissolved	7439-93-2	E421	0.102 mg/L	0.1 mg/L	102	70.0	130	
		magnesium, dissolved	7439-95-4	E421	ND mg/L	1 mg/L	ND	70.0	130	
		manganese, dissolved	7439-96-5	E421	0.0202 mg/L	0.02 mg/L	101	70.0	130	
		molybdenum, dissolved	7439-98-7	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	
		nickel, dissolved	7440-02-0	E421	0.0390 mg/L	0.04 mg/L	97.5	70.0	130	
		phosphorus, dissolved	7723-14-0	E421	11.2 mg/L	10 mg/L	112	70.0	130	
		potassium, dissolved	7440-09-7	E421	3.95 mg/L	4 mg/L	98.7	70.0	130	
		rubidium, dissolved	7440-17-7	E421	0.0204 mg/L	0.02 mg/L	102	70.0	130	1

Page : 12 of 12

Work Order : VA22B2363 Amendment 1
Client : Active Earth Engineering Ltd.

Project : 2315-A



Sub-Matrix: Water							Matrix Spil	ke (MS) Report		
					Spi	ke	Recovery (%)	Recovery	Limits (%)	
Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Concentration	Target	MS	Low	High	Qualifier
Dissolved Metals	(QCLot: 511809) - cont	tinued								
VA22B2363-002	SW2-220602	selenium, dissolved	7782-49-2	E421	0.0402 mg/L	0.04 mg/L	100	70.0	130	
		silicon, dissolved	7440-21-3	E421	9.74 mg/L	10 mg/L	97.4	70.0	130	
		silver, dissolved	7440-22-4	E421	0.00421 mg/L	0.004 mg/L	105	70.0	130	
		sodium, dissolved	7440-23-5	E421	ND mg/L	2 mg/L	ND	70.0	130	
		strontium, dissolved	7440-24-6	E421	ND mg/L	0.02 mg/L	ND	70.0	130	
		sulfur, dissolved	7704-34-9	E421	20.3 mg/L	20 mg/L	102	70.0	130	
		tellurium, dissolved	13494-80-9	E421	0.0408 mg/L	0.04 mg/L	102	70.0	130	
		thallium, dissolved	7440-28-0	E421	0.00393 mg/L	0.004 mg/L	98.3	70.0	130	
		thorium, dissolved	7440-29-1	E421	0.0196 mg/L	0.02 mg/L	98.2	70.0	130	
		tin, dissolved	7440-31-5	E421	0.0200 mg/L	0.02 mg/L	99.9	70.0	130	
		titanium, dissolved	7440-32-6	E421	0.0371 mg/L	0.04 mg/L	92.9	70.0	130	
		tungsten, dissolved	7440-33-7	E421	0.0196 mg/L	0.02 mg/L	97.9	70.0	130	
		uranium, dissolved	7440-61-1	E421	ND mg/L	0.004 mg/L	ND	70.0	130	
		vanadium, dissolved	7440-62-2	E421	0.104 mg/L	0.1 mg/L	104	70.0	130	
		zinc, dissolved	7440-66-6	E421	0.396 mg/L	0.4 mg/L	99.1	70.0	130	
		zirconium, dissolved	7440-67-7	E421	0.0417 mg/L	0.04 mg/L	104	70.0	130	
Dissolved Metals	(QCLot: 513323)									
CG2206861-001	Anonymous	mercury, dissolved	7439-97-6	E509	0.0000950 mg/L	0.0001 mg/L	95.0	70.0	130	

Qualifiers

Qualifier Description

MS-B Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

Chain of Custody (COC) / Analytical Request Form

COC Number: 22 -

Page 잋

www.alsglobal.com

Canada Toli Free: 1 800 668 9878

			-		YAOC	YELLOW - CLIENT COPY	YELLOW	- [WHITE - LABORATORY COPY	HW		ORMATION	ONS AND SAMPLING INF	REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION	REFER TO BACK
7 me 27	Day いっとっとっとつ	なながら			Received by:	-	Que:		Date:		Received by:	Time:	Date: 22/06/02	473	Released by:
te only)	INAL SHIPMENT RECEPTION (ALS use only)	IT RECEPT	SHIPMEN				(ALS use only	RECEPTION	INITIAL SHIPMENT RECEPTION (ALS use only)			SHIPMENT RELEASE (client use)	SHIPMENT RELI	
		1.4												☐ YES □, NO	
FINAL COOLER TEMPERATURES °C	FINAL COOLER	7	S°C	EMPERATURE	AL COOLER TI	JIINI			,			•	~	Are samples for human consumption/ use?	Are samples for
s Intact: ☐ YES ☐ N/A	Sample Custody Seals Intact:	Sample C	ES N/A	ustody Seals Intact: ☐ YES [Cooler Custody Seals Intact:	pler Custoc	Co					٠.	•	YES D NO	
res 🗆 No	ition: YES	eipt Notifica	sample Rec	Submission Comments identified on Sample Receipt Notification:	omments ide	mission C	Sub		٠				ystem?	Are samples taken from a Regulated DW System?	re samples tak
COOLING INITIATED	FROZEN [CKS - FR	TLACE PACKS	NE C	od: NONE	Cooling Method:	Coo			(Excel COC only)	fi fi		Cilent use)	Drinking water (Dw) samples (client use)	prinking
	SAMPLE RECEIPT DETAILS (ALS use only)	ETAILS (A	RECEIP! [SAMPLE				wn below	ng from drop-do	Notes / Specify Limits for result evaluation by selecting from drop-down below	Limits for result 6	Notes / Specify	(alliant man)	With Campin's	Deinkin
				 	-		-								
				-						•					
						+-	-								
	<u></u>	1	+		-	-	-								i :
04 253 4188	1 81 81 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						-								
		Tolo	+			+	+								
				1	+	+	+								
		•.									.*	.			
		Ţ** '		-					•		,.	ş	-		
		•													
NUN 363	< X X						4							715	
Work Order Reference	Nork Orc	J ₋ .'		•	X	X	2	Worter		n-open			1-220602	SW1	
] <u>~</u>	vancouver	۔۔۔ا					-		(hh:mm)	(dd-mmm-yy)		ar on the report)	(This description will appear on the report)	(This	(ALS use only)
Environmental Division	-nvironm			·····		L /		Sample Type	Time	Date		or Coordinates	Sample Identification and/or Coordinates	Samı	ALS Sample #
ES DED			· · ·	-	usoli W	M/ solu	BEF		Sampler:	Sneha Sansare	ALS Contact:		у):	ALS Lab Work Order # (ALS use only):	ALS Lab Work
						91	<u> </u>			N/A	Location:			N/A	SD:
OR				•		m	F (N/A	Requisitioner:			(same as Job #)	O / AFE:
AG						<u>,</u>	0	N/A	Routing Code:	N/A	Major/Minor Code:			315-A	lob #: 2
ER	•						NT	N/A	PO#	N/A	AFE/Cost Center:		VA22-ACTI100-001		ALS Account # / Quote #
<u> </u>		-	:				AI	use)	1 Fields (client	Oil and Gas Required Fields (client use)	Oil		Project Information		
					-		NE				Email 2			Angie Steidle	Contact:
EL	ndicate Filtered (F), Preserved (P) or Filtered and Preserved (F/P) below	ared and Prese	ved (P) or Filte	red (F), Presen	Indicate Filter		R			Email 1 or Fax ap@activeearth.ca	Email 1 or Fax	,	-	Active Earth Engineering Ltd.	Company:
		Analysis-Request-	—Analysi]_FAX	AIT WAIT E	Select Invoice-Distribution: EMAIL MAIL FAX-	Select invoice [our 🗆 Yes 🗀 No.	Copy of Invoice with Report	
availability.	For all tests with rush TATs requested, picase contact your AM to confirm availability	lease contact yo	's requested, p	ts with rush TAT	For all test				cipients	Invoice Recipients			☐ YES ☑ NO	Same as Report To	nvoice To
dd-mmm-yy hh:mm am/pm	d-mmm-yy h	ğ.	Is:	Date and Time Required for all E&P TATs:	me Required f	Date and Ti	\vdash		@ achiveenth. in	march @ active	Email 3 MA			V2S 0E9	ostal Code:
Additional fees may apply to rush requests on weekends, statutory holidays and for non-routine tests.	ory holidays and	ekends, statut	equests on we	apply to rush re	ional fees may	Additi	,	ecosth a	in Oach w	thomas boo min @achive corthice	Email 2 + ho		-	Abbotsford, BC	City/Province:
-		charge.	100% rush sun	3	if received by	me day [E2]	S C		earth.ca •	reports@active	Email 1 or Fax		nue	304 - 2600 Gladys Avenue	itreet:
		Minimum	-mominim əğredənə devi və 200 0. Türkinin əğredənə devi və 1000.	1 7	Laday (E) - if received by Jam - M-F			FAX	□ MAIL □ FAX	☑ EMAIL	Select Distribution:	ort	ill appear on the final repo	Company address below will appear on the final report	
(ALS use only)		minimum	25% rush surcharge minimum	1 M-F - 25% n	3 day [P3] if received by 3pm M-F -	day [P3] if n		yw if box checked	provide details belo	☐ Compare Results to Criteria on Report - provide details below if box checked	Compare Result			(778) 752-2222	hone:
AFFIX ALS BARCODE LABEL HERE	AFFIX ALS	minimum	20% rush surcharge minimum	M-F - 20% ru	4 day [P4] if received by 3pm M-F -	day [P4] if re		□ NO □ N/A		s with CC	Merge QC/QCI				Contact:
			charges apply	☐ Routine [R] if received by 3pm M-F - no surcharges apply	eceived by 3pm	outine [R] if n	□ Ro	EDD (DIGITAL)	☐ EXCEL ☐ EC	<u>및</u>	Select Report Format:) Ltd.	Active Earth Engineering Ltd.	company:
			Requested	Turnaround Time (TAT) Requested	Turnaround				ecipients	Reports / Recipients		the final report	Contact and company name below will appear on the final report	Contact and company	Report To

REFER TO BACK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION

WHITE - LABORATORY COPY

YELLOW - CLIENT COPY

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an Authorized DW COC form.

Tel. 778-752-2222



ACTIVE EARTH

ENG NEERING LTD

SAMPLE SUBMISSION CHECKLIST

Tel. 778-430-5475

Proje	ct Number	Samples Collected By	Submitted By	Submission Date
2313	5-A	TB	TB	22/06/02
		Type of	Sample	
□ Soil		₩ Water	□ Vapour	□ Other:
Y or WA	Blind field dup Sample IDs on Container cour Turnaround tir Different medi Samples from Sufficient ice a Cooler contain	labelled with Sample ID a licate samples collected, COCs exactly match sam at on COCs matches con me selected and results of a submitted separately (s parcels/areas with differ and/or freezer packs incluses samples for one project, in ziplock bag along with include an Excepted Quarter	submitted, and included uple IDs on containers. tainer count in cooler. late specified. soil, vapour, water, etc. of ent property owners are uded. Ice is not loose. t only.	d on the COC. n separate COCs). on separate COCs.
≥ 1	Analysis selec	ted on COC <u>or</u> \Box To be	emailed by (name):	
DELIVERY	METHOD:			
	Direct to labora	atory by Active Earth stat	ff	•
4 7 (Courier from A	ctive Earth office (seal c	oolers with packing tape	<u>;)</u>
	Courier from S	ite		
	Harbøur Air / c	oµrier combination (seal	coolers with packing ta	pe)
	Othe ‡ :		•	
ADDITION Signature:	IAL COMMEN	TS:	Date:	22/06/02
	ICOUVER ISLAND		ANCOUVER	FRASER VALLEY
	43 Tyhdall Avent oria, B¢ V8N 3R9		oundary Road BC V5M 3Z3	304 – 2600 Gladys Avenue Abbotsford, BC V2S 0E9

Tel. 778-737-3488



www.activeearth.ca

APPENDIX C Borehole Logs

					SUI	MMARY LOG	Borehole#:	AE21-M\	W101
	ACTI	VE I			Project: Bamberton Quarry	Oli 1 O 1 M 1 1 D 1 1 (0000) I	Datum:		
AE Proj	ect No. 2315 by: SP F		ed by	r: MD	Location: Bamberton, BC Date(s) Drilled: Nov 29 2021 Company: TerraTech Drilling Driller: Steve Drill Make/Model:	Client: Coast Mountain Resources (2020) L Drilling Method: Odex Hole Diameter: 4" Sample Type: * indicates sent for lab analysis	Elevation:		
DEPTH (m)		SOSU	SOIL SYMBOL			SOIL DESCRIPTION		Deep Well	Shallow Well
1 2 3 4 4 5 6 6 7 8 9 9 10 11 1 12 13 14 15 16 17 18 19 20 11 12 22 23 24 22 5 26 27 28 29 30 31 32 33 33 33 33 33 33 33 33 33 33 33 33		ML GW ML	• 1	silty SILT	GRAVEL, grey, dense, damp and CLAY, grey/blue, stiff AVEL, grey, very dense PROCK of Borehole at 24.23m.			Flush Mount - 3.4m - 4.3m - 7.9m - 8.2m - 8.5m	Flush
2315-A.GPJ ACTIVEEARTH.GDT									
SOT NE EARTH COLOR PROPERTY COLOR PR	Sand In: Drill Cutt		.] Gro≀ Slou		Cement 50mm Solid PVC Bentonite 70 Slot PVC Screen			21.0m to 24.1m II: 12.2m to 15.2	?m

							SUMMARY LOG	Bor	ehole#:	Δ	E21-	ΜV	V102
	1	ACTIVE NGIN					larry (2000	Datum					
		ct No. 2315- y: MD R		ed hv		Location: Bamberton, BC Date(s) Drilled: Dec 21 2021 Company: TerraTech Drilling Driller: Steve Drill Make/Model:	Client: Coast Mountain Resources (2020 Drilling Method: Odex Hole Diameter: 4" Sample Type: * indicates sent for lab analysis	Elevati					
DEPTH (m)	SAMPLE TYPE	SAMPLE NO	SOSO	SOIL SYMBOL		Bill Ware/Wodel.	SOIL DESCRIPTION			Water Level (m) Deep Well	Deep Well Pipe Dia.: 1 in. Flush Mount	Water Level (m) Shallow Well	Shallow Well Pipe Dia.: 1 in. Flush Mount
1 COS 5315-A.GEJ ACTIVEEARTH.GDT 22-6-21					fract	RBURDEN ROCK, fractured andesite ure ure of Borehole at 30.02m.			1.8m	2.38m Jan 7, 22 M		1.80m Jan 7, 22 ₩	NOUIII
ACTIVE EARTH LOG PROPERTY STATES STAT		Sand Drill Cuttir		Grou Slou		Cement 50mm Solid PVC Bentonite 70 Slot PVC Screen		Screen Intervals	Deep Well: Shallow We				1

					SUMMARY LOG	Boreh	ole#	: A	E22-	ΜV	V103
	ACTI	VE E		H Project: Bamberton Qua		Datum:	etina:				
AE Pro	ject No. 2315 I by: MD R		ed bv:	Location: Bamberton, BC Date(s) Drilled: Feb 22 2022 Company: TerraTech Drilling Driller: Steve Drill Make/Model:	Client: Coast Mountain Resources (2020) L Drilling Method: Odex Hole Diameter: 4" Sample Type: * indicates sent for lab analysis	Elevation:	istilig.	,			
DEPTH (m)	NO	nscs	SOIL SYMBOL		SOIL DESCRIPTION			Water Level (m) Deep Well	Deep Well Pipe Dia.: 1 in. Flush Mount	Water Level (m) Shallow Well	Shallov Well Pipe Dia 1 in. Flush Mount
1 2 3 3 4 4 5 6 7 8 9 10 11 2 3 3 4 4 5 6 7 8 9 10 11 2 3 3 4 4 5 6 7 8 9 10 11 2 3 3 4 5 6 7 8 9 10 11 2 3 3 4 5 6 7 8 9 10 11 2 3 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 3 5 6 7 8 9 10 11 2 3 3 3 5 6 7 8 9 10 11 2 3 3 3 5 6 7 8 9 10 11 2 3 3 3 5 6 7 8 9 10 11 2 3 3 3 5 6 7 8 9 10 11 2 3 3 5 6 7 8 9 10 11 2 3 3 5 6 7 8 9 10 11 2 3 3 5 6 7 8 9 10 11 2 3 5 6 7 8 9			E E	nd of Borehole at 53.34m.		Sergen Do	- 2.4m	₩ 21.14m Mar 3, 22		15.61m Mar 3, 22	
Legend Well	Sand		Grout	Cement 50mm Solid PVC		l			3m to 53. 5.9m to 2		1
Installation	on: Drill Cuttin	ngs 🖾	Slough	Bentonite 10 Slot PVC Screen							

						SUN	MMARY LOG	Borehole	#: AE22-MW104 S/D
	1	ACTI	VE E	NG L	TH.	Project: Bamberton Quarry		Datum:	Easting:
		ct No. 2315 by: TB R		ad by	· MD	Location: Bamberton, BC Date(s) Drilled: May 16 2022 Company: Drillwell Driller: Steve Drill Make/Model:	Client: Coast Mountain Resources (2) Drilling Method: Odex Hole Diameter: 4" Sample Type: * indicates sent for lab analysis	Elevation	
DEPTH (m)	SAMPLE TYPE	SAMPLE NO	nscs	SOIL SYMBOL	· WID	Dilli Marchinoder.	SOIL DESCRIPTION		Deep Well Well Pipe Dia.: 1 in. 1 in. Stickup: 0.750m 0.750m
ACTIVE_EARTH_LOG 2315-A.G.D ACTIVEEARTH.G.D 22-5-27 ACTIVE_EARTH_LOG 2315-A.G.D 42-5-27						of Borehole at 22.86m.			22.9m
Well Insta		Sand Drill Cuttir		Grou Slou		Cement 50mm Solid PVC Bentonite 10 Slot PVC Screen			eep Well: 16.8m to 22.9m hallow Well: 4.6m to 10.7m

				SUI	MMARY LOG	Borehole#:	AE22-MW105
	ACTIVE			· · · · · · · · · · · · · · · · · · ·	01. 1 0 111 1. D (0000)	Datum:	
AE Proje	ct No. 2315-A by: TB Revie	wed h	/- MD	Location: Bamberton, BC Date(s) Drilled: May 16 2022 Company: Drillwell Driller: Steve Drill Make/Model:	Client: Coast Mountain Resources (2020) Drilling Method: Odex Hole Diameter: 4" Sample Type: * indicates sent for lab analysis	Elevation:	
DEPTH (m)	SAMPLE NO	3OL	, IVID	Dill Marcinodo.	SOIL DESCRIPTION		Monitorin Well Pipe Dia.: 2 in. Stickup: 0.750m
Notifice Earth Log 2315-AGPU ACTIVEEARTH GDT 22-5.27 Notifice Earth Log 2315-AGPU ACTIVEEARTH GDT 22-5.27 Notifice Earth Log 2315-AGPU ACTIVEEARTH GDT 22-5.27 Notifice Earth Log 2315-AGPU ACTIVE Earth Communication in the control of				of Borehole at 12.8m.			3.0m
Legend Well Installation:		Gro		Cement 50mm Solid PVC Bentonite 10 Slot PVC Screen		Screen Well: 6.7m to	o 12.8m


						SUM	MARY LOG	Borehole#:	AE22-MW10	_ 6
	1	ACTIVENGING ACTIVE				Project: Bamberton Quarry		Datum:		
	_		EEKI	N G L	ΙU	Location: Bamberton, BC	Client: Coast Mountain Resources (2020) Li			
AE F	Projec	ct No. 2315-	Δ			Date(s) Drilled: May 18 2022 Company: Drillwell	Drilling Method: Odex Hole Diameter: 4"	Elevation:		
١.						Driller: Steve	Sample Type:			
Logo		y: IB R	eviewe		MD	Drill Make/Model:	* indicates sent for lab analysis			_
Œ	TYPE	SAMPLE NO		SOIL SYMBOL					Monito	rin
DEРТН (m)	ÄΙ	J.	nscs	Σ			SOIL		Wel	
	MPL	\MF	S	<u> </u>			DESCRIPTION		Pipe D	ia.:
	SAMPLE -	S/S		SO					Pipe D 2 in. Stickup 0.750m):
									0.73011	Ϊ
0					FILL					
<u>-1</u>				\bowtie						
2				\bowtie						
3				\bowtie						
4				\bowtie						
5				\bowtie						
6				\bowtie					6.1m	
7					BED	ROCK			J. 1111	
Ē										
8				M						
9										
10				M						
11				M						
12										
13				M						
14										
15				M						
E				KA						
16				W						
17				M						
18										
19				M						
20										
21				M						
22				M						
23				W						
				M						
-24										
25				M						
26										
-27				M					* _*	۰,
-28				M						°°.
29				W					* <u>`</u> *	°.
30				\mathbb{M}						:
24									<u>, , , </u>	
31				M						•
32										
33				M						• •
34									<u> </u>	
-35				NXI					 	
36				\mathbb{M}						
37					End	of Borehole at 36.58m.			36.6m	ľ.
38						5. 251611616 at 00.00111.				
JU										_
<u>Lege</u> Well	<u>nd</u>	Sand		Grout		Cement 50mm Solid		Screen Well: 27.4m Intervals	to 36.6m	
29 30 31 32 33 34 35 36 36 Well Instal	lation:	Drill Cuttin	BZ	Sloun	ıh	Bentonite 10 Slot PVC Screen	·			
έ L		∟∠⊿ Cuttin	gs 🗠	4 0 4 9		PVC Screen				_



www.activeearth.ca

APPENDIX D Rising Head Test and Packer Test Results

Slug Test Analysis Report Project: Bamberton Mine Permit Number: 2315-A Client: Slug Test: Rising Head Test Location: Bamberton, BC Test Well: Well 1 Test Conducted by: TB Test Date: 5/17/2022 Analysis Performed by: TB Rising Head Test Analysis Date: 5/17/2022 Aquifer Thickness: 25.62 m Time [s] 400 800 2000 1200 1600 1E0



Calculation	ucina	Hyordoy
Calculation	usiiiu	110012160

Observation Well	Hydraulic Conductivity	
	[m/s]	
Well 1	3.69 × 10 ⁻⁶	

			Slug Test	Analysis F	Report					
			Project:	Project: Bamberton Mine Expansion						
			Number:	2315-A						
			Client:							
Location: Bamberton, l	BC Slu	g Test: Rising		W102S	Test Well: Well 1					
Test Conducted by: TE		<u> </u>			Test Date: 5/17/2022					
Analysis Performed by	r: TB Ris	ing Head Test			Analysis Date: 5/17/202	22				
Aquifer Thickness: 11.	67 m				•					
-1357.4	-442.3	472 7	Time [s]	1387 8	2302.8	3217 Q				
-1357.4 1E0	-442.3	472.7		1387.8	2302.8	3217.9				
1E-1										
	V									
1E-2 -	v Hydraulic Conductivity									
1E-2-										


		Lugeon Test Summary - BH104	
		Project: Bamberton Quarry	
		Number: 2315a	
		Client: CMR	_
Test Interval Top Bottom		Graphs	Result
4.600 m 10.700 m	1 2 3 0 500 1000 1500 2000 Pressure [bar]	3 2.4 1.8 1.2 0.6 0 50010005502000 Pressure [bar] 1 0 40 80 120 160 200 Lugeons	
10.700 m 22.900 m	1 2 2 0 1000 2000 3000 4000 Pressure [bar]	0.8 0.8 0.4 0.2 0 10020060000000 0 6 12 18 24 30 Pressure [bar] Lugeons	
16.8000 m 22.9000 m		0.0024 0.0018 0.0012 0.0006 0 4008001200600 Pressure [mm Hg] Day 1 2 2 3 0 0.04 0.8 1.2 1.6 2 Lugeons	

Lugeon Test Analysis Report									
Project: Bamberton Quarry									
Number: 2315a									

Client:	CMR

Location: Bamberton	Lugeon Test: Lugeon Test 3	Tested bore: BH104
Test Conducted by: DEK		Test Date: 5/18/2022
Analysis Performed by: DEK		Analysis Date: 5/18/2022


Lithology:





Top of Test Interval: 4.600 m Bottom of Test Interval: 10.700 m Length of Test Interval: 6.100 m Depth to Groundwater: 4.000 m Radius of Test Section: 0.114 m Dip of bore: 90° from vertical Vertical Top of Test Interval: 0.000 m

Vertical Top of Test Interval: 0.000 m Vertical Bottom of Test Interval: 0.000 m

Step	Pressure [bar]		Flow Meter Readings [m³/s]									Average Flow	Hydra	aulic Conducti	vity
		1	2	3	4	5	6	7	8	9	10	Rate [m³/s]	[m/s]	[m/d]	Lugeon
1	1551.5	1.124	1.214	1.253	1.293	1.331	1.371	1.410	1.448	1.487	1.527	1.346	8.83 × 10 ⁻⁶	7.63 × 10 ⁻¹	85.3
2	1861.7	1.608	1.607	1.226	1.291	1.853	1.853	1.982	2.046	2.109		1.731	9.47 × 10 ⁻⁶	8.18 × 10 ⁻¹	91.4
3	1551.5	2.255	2.310	2.365	2.421	2.466	2.531	2.597	2.641	2.697	2.752	2.503	1.64 × 10 ⁻⁵	1.42×10^{0}	158.7
	Average 1.16 × 10 ⁻⁵ 1.00 × 10 ⁰ 111.8							111.8							








Lugeon Test Analysis Report							
	Project:	Bamberton Quarry					

Number: 2315a Client: CMR

Location: Bamberton	Lugeon Test: Lugeon	Test 2	Tested bore: BH104
Test Conducted by: DEK			Test Date: 5/18/2022
Analysis Performed by: DFK			Analysis Date: 5/18/2022

Lithology:



Top of Test Interval: 10.700 m

Bottom of Test Interval: 22.900 m

Length of Test Interval: 12.200 m

Depth to Groundwater: 4.000 m


Radius of Test Section: 0.114 m


Dip of bore: 90° from vertical


Vertical Top of Test Interval: 0.000 m

Vertical Top of Test Interval: 0.000 m Vertical Bottom of Test Interval: 0.000 m

Step	Pressure [bar]		Flow Meter Readings [m³/s]									Average Flow	Hydra	ulic Conducti	vity
		1	2	3	4	5	6	7	8	9	10	Rate [m³/s]	[m/s]	[m/d]	Lugeon
1	1551.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6		0.6	0.7	0.6	2.4380 × 10 ⁻⁶	2.106 × 10 ⁻¹	20.1
2	3102.9	0.8	0.8	8.0	0.9	8.0	0.9	0.9	0.9	0.9	1.0	0.9	1.6802 × 10 ⁻⁶	1.452 × 10 ⁻¹	13.8
												Average	2.0591 × 10 ⁻⁶	1.779 × 10 ⁻¹	16.9








Lugeon Test Analysis Report
Project: Bamberton Quarry
Number: 2315a
Client: CMR

Location: Bamberton	Lugeon Test: Lugeon	Test 1	Tested bore: BH104
Test Conducted by: DEK			Test Date: 5/18/2022
Analysis Performed by: DEK			Analysis Date: 5/18/2022

Lithology:



Top of Test Interval: 16.8000 m Bottom of Test Interval: 22.9000 m Length of Test Interval: 6.1000 m Gauge Position: 0.0000 m Depth to Groundwater: 4.0000 m Radius of Test Section: 0.1140 m Dip of bore: 90° from vertical

Vertical Top of Test Interval: 0.0000 m Vertical Bottom of Test Interval: 0.0000 m

Step	Pressure [mm	Flow Meter Readings [m³]														Average Flow	Hydraulic Conductivity			
	Hg]	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Rate [m³/min]	[m/s]	[m/s]	Lugeon
1	1551.5	5120	5140	5160	5220	5240	527	5300	5330	5360	5385	5414	5440	5470	549	5520	0.00286	1.971 × 10 ⁻⁷ 1.	971114 × 10	⁻⁷ 1.903873
																	Average	1.971 × 10 ⁻ 1.	971114 × 10	⁻⁷ 1.903873

